Author Index to Volume 38

An alphabetical listing of all authors follows. (N) refers to Notes, (E) Erratum, and (L) Letters to the Editor.

A

Abbott, Robert C. and Paul M. Brown. Replaceable phosphor screens—832(N)
Abele, J. C. and F. J. Blatt. Low temperature sample holder providing two degrees of rotation freedom—1810(N)
Aberth, W. and J. R. Peterson. Characteristics of a low energy duoplasmatron negative ion source—745
Abney, F. (see O'Brien, B. J.)—1058
Abowitz, Gerald and Emil Arnold. Simple mercury drop electrode for MOS measurements—564(N)
Abramowitz, Abraham. Principles, current practice, and applications of potentiometers based on Poggendorff's second method—898
Abramowitz, Jay (see Hoenig, Stuart A.)—92
Adair, R. K. (see Stefanski, R. J.)—1792(N)
Adicoff, Arnold (see Lepie, Albert H.)—1615
Adsit, N. R. (see Lautenschlager, E. P.)—1271
Agazzi, E. J. (see Merritt, J.)—127(N)
Ahlborn, Boye and William W. Zuzak. Pressure pulse detection by frustrated internal reflection—194
Akhtar, Sayeed and Hilton A. Smith. Improved method for removal of tritium from helium—432(N)
Akimune, Hideo (see Cheon, Beonguk)—1471
Alexandropoulos, N. G. (see Brumberger, H.)—1579
Alon, Y. (see Gill, D.)—1588
Amos, W. R., E. T. Burgess, and E. A. Mershad. Crush strength apparatus with a photocell detector unit—910
Ancsin, J. and J. L. G. Lamarche. Double mechanical heat switch for calorimetry below 1°K—368
Andersen, H. H., C. C. Hanke, and H. Sørensen. Precision dosimetry system suited for low temperature radiation damage experiments—511
Anderson, J. E., J. Steele, and A. Warnick. Modifications of an A-60 spectrometer for nuclear relaxation studies of chemically-shifted protons—1139
Anderson, N., P. P. Eggleton, and R. G. W. Keesing. Magnetic effects on the transmission of electrons through an aperture and their application to the retarding-potential-difference technique—924
—— **and P. P. Eggleton.** Transmission of electrons through an aperture and its application to the RPD technique—1524(N)
Anderson, R. L., and D. I. Porat. Integrator for nanosecond pulses—1800(N)
Anderson, Thomas P. (see Sirola, Richard O.)—749
Angelo, P. M., M. U. Palma, and G. S. Vaiana. Simple system for temperature control and cycling in the range 4 to 300°K—415
Anthony, J. W. and R. B. Laughon. Useful modifications to the Bond crystal sphere grinder—976(N)
Antoniou, A. A. and G. G. Litvan. Calorimeter for simultaneous measurement of thermal properties and dimensional changes—1641
Appleton, A. S. (see Wolfenden, A.)—826
Arguello, C. New conical camera for single-crystal orientation by means of x rays—598
Armstrong, R. L. (see Jeffrey, K. R.)—634
Arnold, Emil (see Abowitz, Gerald)—564(N)
Arnold, T. E. (see French, I. P.)—1604
Asamoto, R. R. and P. E. Novak. Tungsten-rhenium thermocouples for use at high temperatures—1047
Aslin, H. K. Measurement of radiant energy emitted by xenon flashlamps—377
Aspnes, D. E. Simple method of ratio recording—1663(N)
Astheimer, Robert W. and Robert E. Buckley. Pyroelectric laser calorimeter—1764
Atherton, David. Nanohm resistance joints to aluminum—1805(N)
Attix, F. H. (see Nash, A. E.)—696(N)
Avellone, John C., Paul L. Byard, and Frank L. Damm. High-speed sliding shutter driven by electromagnetic-induction effects—1808(N)
Avizonis, P. V., T. T. Doss, and R. Heimlich. Measurements of beam divergence of Q-switched ruby laser rods—331

B

Bagnall, Frank T. Extension of Sonograph writing facilities using the storage oscilloscope—606
Bailey, J. A. and A. Dula. Acoustic technique for use in some solidification rate studies—535
Bainbridge, D. W. Elastic strain measurement in the interior of crystalline materials by means of x-ray diffraction—1421
Bak, C. K. and E. Dalsgaard. Bridge network for measuring very small impedances from 4.2 to 300°K with a null-detector sensitivity of 10^{-11} volt—649
Balasubramanyam, K. (see Clarke, J. H. R.)—655
Baldwin, Bernard A. and Henry W. Offen. Method of light chopping for phosphoroscopes—1164(N)
Baldwin, G. C. and S. I. Friedman. Time-of-flight electron velocity spectrometer—519
Balko, Bohdan and Robert L. Berger. Improved electromagnetic flowmeter—129(N)
Balslev, I. Apparatus for combined static and dynamic uniaxial stress—1528(N)
Barkas, Walter H. Velocity determination in bubble chambers—425
Barnes, W. C. (see Pops, Horace)—952
Barnett, J. Dean and Charles D. Bosco. Technique for obtaining true hydrostatic pressures to 60 kbar—957
Barrett, W. Louis, Jr. and Robert L. Cooper. Simple method for measuring the dispersion mode of a paramagnetic sample—832(N)
Bartle, E. R. (see Meckstroth, E. A.)—448(N)
Bartlett, R. W., F. A. Halden, and J. W. Fowler. High temperature Verneuil crystal growth by arc melting—1313
Bartley, W. C., K. G. McCracken, and U. R. Rao. Pioneer VI detector to measure degree of anisotropy of cosmic radiation in energy range 7.5–90 MeV/nucleon—266
Bassett, William A., Taro Takahashi, and Philip W. Stook. X-ray diffraction and optical observations on crystalline solids up to 300 kilobars—37
Bateman, C. O. (see Rothwarf, F.)—1241
Battles, J. W. (see Brown, R. F.)—1179(N)
Bauer, Charles L. (see Saul, Robert H.)—1449
Bauman, Curtis A. (see Goetz, Alexander F. H.)—775
Beairsto, R. C. (see Berglund, C. N.)—66
Beck, J. W. Faraday effect hysteresigraph—1031
Beckner, Everet H. Pulsed, high intensity source of soft x rays—507
Becsey, J. G. and James A. Bierlein. Simple Gouy regulator for on-off thermostatic control—556(N)
—— **and Karl Scheller.** Remarks on the adjustment of energy-compensated spectrofluorometers—1793(N)
Bedesem, M. P. (see Shera, E. B.)—1110
Beeson, P. M. Simultaneous ruby and neodymium laser pulses—1794(N)
Bellemann, H. Method for soldering graphite to metals—1328(N)
Bellin, Jack L. S. (see Montgomery, Peter W.)—1073
Beltrán-López, Virgilio and Giorgio Loria. Inexpensive Mössbauer spectrometer—707(N)

Ben-Ary, B. (see Fehr, Uri)—778
Benham, Benson P. (see Dunne, Brian)—10
Bennett, F. D. First pulse in exploding wires—293(L)
Bennett, Jean M. Comment on "Thickness measurements of sharp thin film steps" [Glenn C. Bailey, Rev. Sci. Instr. 37, 1260 (1966)]—294(L)
Berger, J. E. and D. Harker. Optical diffractometer for production of Fourier transforms of electron micrographs—292(N)
Berger, Robert L. (see Balko, Bohdan)—129(N)
Berglund, C. N. and R. C. Beairsto. An automatic technique for accurate measurements of Seebeck coefficient—66
Berman, David. Gravity gradiometer computer model for simulated gradient contour mapping—1433
Bernstein, L. and R. O. Goodchild. High-sensitivity transducer for wave velocity measurements in shock tubes—971(N)
Bernstein, W. (see Wax, R. L.)—1612
——, **N. L. Sanders, and R. L. Wax.** Technique for generation of quasi-isotropic 1–10 keV proton fluxes—1537(N)
Besse, Arthur L. (see Kelley, Joseph G.)—641
Beyen, W. J. (see Caulfield, H. J.)—977(N)
Bieri, Rudolf H. and Minoru Koide. Valve for precise pipetting of small amounts of gases—1159(N)
Bierlein, James A. (see Becsey, J. G.)—556(N)
Bills, D. G. (see Warren, K. A.)—1019
Birkhoff, R. D. (see Nakai, M. Y.)—820
Bittel, J. T. (see Latta, R. E.)—1667(N)
Blatt, F. J. (see Abele, J. C.)—1810(N)
Blech, Ilan A., J. Guyaux, and G. Cooper. High temperature camera for x-ray topography—638
Blend, Harvey. Sensitive differential pressure gauge for corrosive gases—1527(N)
Blum, P. and F. L. Torney. Cold cathode quadrupole mass spectrometer—1404
Blume, R. J. and D. T. Edmonds. Broadband nuclear resonance dispersion detector—1716
Boatner, L. A., Kenneth G. Sewell, and J. D. Ward. Optical transmission cryocell for semiconductor devices—1166(N)
Bömmel, H. E. (see Tittmann, B. R.)—1491
Bosanquet, Louis P. (see Jury, Stanley H.)—1634
Boschi, Luis A. and Eduardo A. García. Glass bellows manometer for ultrahigh-vacuum devices for a range of 1 to 760 Torr—1610
—— **and Carlos A. Pampillo.** System for fast temperature changes and high temperature stability—116
Bosco, Charles D. (see Barnett, J. Dean.)—957
Bosshard, R., C. Zajde, and H. Zyngier. Nanosecond bifilar wound transformers—942
Botnick, E. M. (see Woolston, J. R.)—1708
Boughton, R. I., N. R. Brubaker, and R. J. Sarwinski. Solderless thermal connector for use at low temperatures—1177(N)
Bounin, Paul. Application of Fermat's principle to magnetic spectrometers—1305
Bowman, H. R. (see Watson, R. L.)—905
Bowser, Merle L. (see Wolf, Robert A.)—1806(N)
Bozanic, D. A. (see Mergerian, D.)—1662(N)
Brady, George W. and A. J. Greenfield. Liquid metal sample holder for low angle x-ray diffraction—736
Brady, J. J. (see Whitefield, R. J.)—1670(N)
Branca, Francesco Paolo. New high-sensitivity quartz thermometer—1644
Brandt, Ogden G. and Charles T. Walker. Method for determining elastic constant changes—765
Brenner, R. (see Strauss, M. G.)—725
Brechna, H. and J. Cobb. Magnetic slit—1289
Bridenbaugh, P. M. (see Peterson, G. E.)—387
Britt, Chester O. Solid state microwave spectrometer—1496
Brittain, J. O. (see Buch, J. D.)—1785
Brixner, Berlyn. Rotating-mirror sweeping-image spectrograph—287(N)
Brodkey, Robert S. (see Nye, James O.)—26
Brodwin, M. E. and M. K. Parsons. Apparatus for microwave measurement of transport parameters in semiconductors—79
Bookshier, William K. Ultrastable voltage source to 10 kV using capacitive feedback—1245
Brophy, R. G., C. A. Hering, K. L. Keating, and W. S. McEwan. Pressure transmitting medium for fragile structure or single crystal—135(N)
Brown, Bernard (Evans, Albert E.)—228
Brown, I. M. and D. L. Sloop. An X-band EPR cavity for fast magnetic field sweep experiments—695(N)
Brown, Paul M. (see Abbott, Robert C.)—832(N)
Brown, R. F., M. C. Franzblau, and J. W. Battles. Technique for grinding single-crystal spheres of the europium chalcogenides—1179(N)
Brown, Wilfred E., III (see Haroules, George G.)—1093
Brubaker, N. R. (see Boughton, R. I.)—1177(N)
Bruce, C. F. Interference accelerometer—1090
Brumberger, H. and N. G. Alexandropoulos. High-temperature sample cell for the Kratky small-angle x-ray camera—1579
Brunner, W. F. (see Christensen, L. J.)—20
Buch, J. D., R. D. Carnahan, and J. O. Brittain. Improved internal friction apparatus—1785
Bucher, W. P. and C. E. Hollandsworth. High resolution zero crossing detector for long crossover times—1259
Buckley, Robert E. (see Astheimer, Robert W.)—1764
Burch, J. (see O'Brien, B. J.)—1058
Burgess, E. T. (see Amos, W. R.)—910
Burnham, J. B. and L. L. Packer. Inexpensive weak random light source for timing photomultiplier channels—288(N)
Burroughs, E. G. Compact 60 kV UHV electrical feedthrough—1330(N)
Burrous, Clifford N., Albert J. Lieber, and Vladimir T. Zaviantseff. Detection efficiency of a continuous channel electron multiplier for positive ions—1477
Byard, Paul L. (see Avellone, John C.)—1808(N)
Byerley, J. J. Simple thermal-gravimetric apparatus—1675(N)

C

Cambel, Ali Bulent (see Freiwald, David Allen)—1337(N)
Campolattaro, A. and F. Porreca. Focusing properties of magnetic laminas and their applications to the microtron—1322
Canfield, F. B. (see Hall, K. R.)—1327(N)
Cannon, W. C. and M. Chester. Fast carbon bolometer for observing thermal pulses—318
Caplan, Ivan L. Preparation of thin foils for electron microscopy by a rotating PTFE holder—1489
Carides, T., J. G. Cottingham, A. V. Feltman, A. S. Grossman, L. B. Leipuner, J. G. Marinuzzi, and G. E. Schwender. Cathode ray film scanner—1425
Carlson, Charles W. (see Hoenig, Stuart A.)—92
Carnahan, R. D. (see Buch, J. D.)—1785
Carrington, Alan, Donald H. Levy, and Terry A. Miller. Stark-modulated gas phase electron resonance cavity—1183(N)
Carroll, K. J., D. H. Liebenberg, and W. C. Overton. Microscope for observing magneto-optic rotation at low temperatures—260
Carron, Gene J. X-ray topographic camera—628
Carson, Ralph S. (see Fischer, Henry E.)—689(N)
Casper, K. J. (see Shera, E. B.)—1110
Caulfield, H. J. and W. J. Beyen. Birefringent beam splitting for holography—977(N)
Cazali, Rafael (see Garrett, Edward R.)—1463
Chace, W. G., C. V. Fish, and M. A. Levine. Simple method of noise reduction—1810(N)
Chambers, W. F. and R. B. Roe. Electro-optical substrate position indicator for ultrahigh vacuum applications—700(N)
Chapman, F. W. and R. E. Michel. Solid state source for microwave spectroscopy—1170(N)
Charters, A. C. (see Collins, D. J.)—1076

Chasanov, M. G. (see Fischer, D. F.)—1574
Cheon, Beonguk, Koichi Kotani, Hideo Akimune, and Tokuo Suita. Production of submicrosecond ion pulses—1471
Chester, M. (see Cannon, W. C.)—318
Chodil, G., Hans Mark, R. M. Rodrigues, C. Rowe, and C. D. Swift. Proportional counters and electronic systems for observing cosmic x rays—1508
Chopra, K. L. and M. R. Randlett. Duoplasmatron ion beam source for vacuum sputtering of thin films—1147
Christensen, L. J., J. M. Khan, and W. F. Brunner. Measurement of microgram surface densities by observation of proton produced x rays—20
Christy, E. H., Jr. Digital reciprocal function generator—1525(N)
Circle, R. R. (see Vogel, D. C.)—499
Clark, J. B. (see Pistorius, Carl W. F. T.)—1741
Clark, Robert P. and Efstratios D. Zaffery. Instrument for continuous measurement of internal resistance of voltaic cells during discharge—492
Clark, W. Gilbert and A. L. Kerlin. Solid state gated integrator—1593
Clarke, J. H. R., C. Solomons, and K. Balasubrahmanyam. Laser-excitation of the Raman spectra of molten salts—655
Cleland, M. R. (see Seiler, R. F.)—972(N)
Cobb, J. (see Brechna, H.)—1289
Coburn, Tim (see Hundley, Lee)—488
Cockayne, D. J. H., P. Goodman, J. C. Mills, and A. F. Moodie. Design and operation of an electron diffraction camera for the study of small crystalline regions—1097
Cohen, Leonard (see Feldman, Uri)—1372
Cohn, Charles Erwin. Simple storage-oscilloscope displays for small laboratory computers—984(N)
—— Solid state drive circuit considerations for paper-tape punches—1662(N)
Cole, David L. (see Rampton, Dennis T.)—1637
Cole, R. H. (see Mopsik, F. I.)—708(N)
Cole, Robert K. (see Ogawa, Howard S.)—1117
Colligiani, A. Modified Robinson type spectrometer for the NQR study of ^{14}N nuclei in the range 0.5–6 Mc—1331(N)
Collins, D. J., A. C. Charters, and D. K. Sangster. Laser determination of projectile position during ballistic experiments—1076
Collins, R. L., Kemp Mayer, Jr., and J. C. Travis. Low temperature epoxy-sealed plastic windows—446(N)
Collins, S. C., R. W. Stuart, and M. H. Streeter. Closed-cycle refrigeration at 1.85°K—1654
Colombo, J. (see Wieder, H.)—1538(N)
Conger, Norman L. and Shao E. Tung. Measurement of dielectric constant and loss factor of powder materials in the microwave region—384
Conger, R. L., J. H. Johnson, L. T. Long, and J. A. Parks. Production of large electric pulses by explosive magnetic field compression—1608
Conrad, G. H. (see Estill, W. B.)—481
Contaldo, A. Mechanism for control of superconducting point contact characteristics—1543(N)
Conti, Filippo. Simultaneous temperature measurements in high resolution NMR experiments—128(N)
Cook, Charles F., Jr. New technique for high magnification calibration of an electron microscope—1430
Cooper, G. (see Blech, Ilan A.)—638
Cooper, Robert L. (see Barrett, W. Louis, Jr.)—832(N)
Coppens, P., J. Godel, and T. M. Sabine. Use of a Joule-Thompson refrigerator for neutron diffraction at liquid nitrogen temperatures—1333(N)
Cordes, A. W. (see Wang, Bi-Cheng)—1736
Coriell, A. S. (see Jayaramen, A.)—44
Cork, Bruce, Daniel R. George, and T. N. Rangaswamy. Diminution of sensitive time of spark chambers—221
Cotignola, J. M., F. de la Cruz, M. E. de la Cruz, and R. P. Platzeck. Thermal conductivity of polycrystalline zinc below 1°K—87
Cottingham, J. G. (see Carides, T.)—1425
Cowan, E. W. and M. K. Moe. Cosmic rays as a high-energy particle source—874
Coyne, Donald G. and Joe H. Mullins. Critically damped oscillatory linear induction engine for driving a bubble chamber valve—681
Crider, Walter L. and Arthur A. Strong. Flame ionization-pulse aerosol particle analyzer (FIPAPA)—1772
Croissiaux, M. (see Dally, E. B.)—646
Croston, Roy P. (see Graybeal, Jack)—122(N)
Crowe, Kenneth M. and Robert E. Shafer. 7.7 m bent-crystal spectrometer at the 184 inch cyclotron—1
Cullen, R. E. (see Ragland, K. W.)—740
Cuthrell, R. E., F. A. Greulich, and A. W. Lynch. Micropenetrometer for the characterization of polymer surfaces—966
Cutteridge, A. M. and P. E. Nel. All glass syringe type valves for use in UHV systems—554(N)

D

Dabora, E. K. Production of monodisperse sprays—502
Dally, E. B. and M. Croissiaux. ^{15}N target for electron scattering—646
Dalsgaard, R. (see Bak, C. K.)—649
Daly, N. R. (see Freeman, N. J.)—945
Damiano, Victor V. (see Witt, Fred)—1069
Damm, Frank L. (see Avellone, John C.)—1808(N)
Danforth, Raymond, Henry Krakauer, and Julian M. Sturtevant. Differential calorimetry of thermally induced processes in solution—484
Daniels, J. M. Production of circularly polarized light—284(N)
Daugherty, G. R. (see Sweet, A. L.)—1540(N)
Davis, Lance A. and Robert B. Gordon. Properties of gold-chromium alloy pressure gauges—371
Davis, R. C. (see Morgan, O. B.)—467
Day, Walter R. Ceramic microwave window for 8, 4, and 2 millimeters—1677(N)
Daybell, Melvin D. Eddy current method for low temperature resistivity measurements—1412
DeAngelis, A. and S. Martellucci. Series interferometer for the diagnosis of a large diameter theta-pinch—1255
Deaton, T. K. (see Kenney, J. F.)—665
Deaver, Bascom S., Jr. and William S. Goree. Some techniques for sensitive magnetic measurements using superconducting circuits and magnetic shields—311
de la Cruz, F. (see Cotignola, J. M.)—87
de la Cruz, M. E. (see Cotignola, J. M.)—87
del Castillo, G. (see Fast, R. W.)—1789
De Martini, Francesco and Kenneth P. Wacks. Photomultiplier gate for stimulated-spontaneous scattering discrimination—866
de'Munari, G. M., G. Mambriani, and F. Giusiano. Secondary emission of AgMgOCs dynodes and its dependence on the temperature—551
—— Photoemissive yield of Cs_3Sb photocathode and its dependence on temperature—1128
Denison, D. R. (see Warren, K. A.)—1019
Derbyshire, Stephen W. (see Harrison, Ernest, Jr.)—604
Derksen, Willard L. (see Griff, Neil)—1217
DeShazer, L. G. and E. A. Maunders. Optical isolator for near infrared—248
Deslattes, Richard D. Single axis, two crystal x-ray instrument—815
—— Two-crystal vacuum monochromator—616
—— (see Yee, Kenneth W.)—637
Dickson, L. D. Electroluminescent panel as a modulatable light source—1581
Dietz, L. A. Use of Polya statistics in investigations of secondary electron yields from target surfaces—1332(N)
——, **L. R. Hanrahan, and A. B. Hance.** Single-electron response of a porous KCl transmission dynode and application of Polya statistics to particle counting in an electron multiplier—176

Dietz, Russell N. Microvolumetric measurements with an automatic Toepler pump—419
DiGiallonardo, A. Small conductor vacuum feedthrough—1528(N)
DiGiovanni, Hugo J. (see Lilienfeld, Pedro)—405
Dooley, John W. Variable-width gate for Kamm-Bohm pulse height detector—1536(N)
Doss, T. T. (see Avizonis, P. V.)—331
Dougal, Arwin A. (see Kristiansen, Magne)—840(N)
Doyle, Robert E. (see Windsor, Alfred A.)—949
Dressler, Kurt and Lyman Spitzer, Jr. Photomultiplier tube pulses induced by γ rays—436(N)
DuBose, C. K. H. and J. O. Stiegler. Controlled jet polishing of specimens for transmission electron microscopy—694(N)
Dula, A. (Bailey, J. A.)—535
Dumin, D. J. Measurement of film thickness using infrared interference—1107
Dunegan, H. L. and C. A. Tatro. Passive pressure transducer utilizing acoustic emission—1145
Dunne, Brian and Benson P. Benham. Xenon plasma from focused coaxial gun—10
Durran, D. A. (see Grabowsky, W. R.)—1160(N)
Dyne, S. R., D. Glasser, and R. P. King. Automatically controlled adiabatic reactor for reaction rate studies—209

E

Earles, D. and T. C. Li. Construction of spark chambers with thin foil plates—447(N)
Eberstein, Igor J. Use of pulsed laser to study smoke distribution in jet—1665(N)
Ebert, P. J. and A. F. Lauzon. Vacuum diode detector for measuring high intensity gamma-ray flux—1747
Ebisuzaki, Y. Acid cutting of single crystal platinum—143(N)
Edmonds, D. T. (see Blume, R. J.)—1716
Edwards, V. R. W. and A. E. Osborne. Low friction air supported pulley and its use in floating wire measurements—806
Efferson, K. R. Helium vapor cooled current leads—1776
Eggleton, P. P. (see Anderson, N.)—924, 1524(N)
Eisenstadt, Melvin M. Bakeable infrared window for ultrahigh vacuum service—134(N)
Ensminger, Richard L. and Robert F. Howarth. Photocathode protection circuit—1798(N)
Epstein, M. (see Serafin, R. J.)—1395
Esposito, R. J., F. Rothwarf, and S. Kozul. Single mirror normal incidence reflectometer—1573
Estill, W. B., M. M. Robertson, and G. H. Conrad. Electron microprobe and electron diffraction analysis of surface replica extractions—481
Evans, Albert E. Manual data entry for multichannel analyzer system—980(N)
—— **and Kent Johnson.** Automatic ion-beam path stabilizer—1514
——, **Donald G. Simons, and Bernard Brown.** Multiple gas selector system for accelerator ion source—228
Eyring, Edward M. (see Rampton, Dennis T.)—1637
Eyring, Henry (see Tamayama, Masaaki)—1009, 1666(N)
Ezoe, Hirohiko. Two directional beam convergence by sector shaped uniform magnetic field—390, 1547(E)

F

Farhat, N. H. and D. G. Sthalekar. Determining the characteristics of mechanism tuning forks—279(N)
Farthing, W. H. and W. C. Folz. Rubidium vapor magnetometer for near earth orbiting spacecraft—1023
Fast, R. W., G. del Castillo, and W. R. Winter. Iron magnet with superconducting coil—1789
Favreau, L. J. and D. F. Koenig. Refinement of lanthanum hexaboride for cataphoretic deposition on rhenium—841(N)
Fay, Homer. Harmonic bridge for measurement of nonlinear electric and electrooptic properties of crystals—197
Fehr, Uri, B. Ben-Ary, and John D. Ryan. New instrumentation techniques for the measurement of infrasonic and gravity waves—778
—— **and Carl Gazley, Jr.** Theoretical evaluation of an oscillating mass flow in the modified Moore variometer configuration—1502
Feinleib, J. and B. Feldman. Low temperature absolute reflection measurements of small samples—32
Feldman, B. (see Feinleib, J.)—32
Feldman, Uri, Marvin Swartz, and Leonard Cohen. Vacuum ultraviolet source—1372
Felsen, Ira M. and Paul Schatzberg. Environmental chamber for thin gauge tensile specimens—1669(N)
Feltman, A. V. (see Carides, T.)—1425
Ferchak, John D. Effects of convection on microbalance buoyancy measurements at 75°K for argon and helium—273(N)
Fermor, J. H. and A. Kjekshus. Balanced dynamic capacitor electrometer—771
Ferrari, L. A., K. C. Rogers, and A. Jermakian. Construction of the guide field for a low inductance air-core plasma betatron—1697
Field, M. J. (see Hugill, J.)—1731
Field, R. L., Jr. Operating parameters of dc-excited He-Ne gas lasers—1720
Finkelstein, David (see Presby, Herman M.)—1563
Fischer, D. F. and M. G. Chasanov. Thermal gradient apparatus for use in a glovebox—1574
Fischer, Henry E. and Ralph S. Carson. Alternating current method of measuring the electrical conductivity of dielectric liquids—689(N)
Fischler, J. Automatic range marker for strip chart recorder—704(N)
Fish, C. V. (see Chace, W. G.)—1810(N)
Fisher, C. L. (see Wieder, H.)—1538(N)
Fisher, W. G. (see Foner, S.)—440(N)
Fite, W. L. (see Kauppila, W. E.)—811
Flagg, Robert F. Ionization gauge circuit for detection of multiple shock and reflected detonation waves—1336(N)
Flippen, R. B. and C. G. Frederick. Simple apparatus for neon triple point thermocouple calibration—136(N)
Flotow, Howard E. (see Osborne, Darrell W.)—159
Foelsche, H. W. J., H. Hahn, H. J. Halama, J. Lach, T. Ludlam, and J. Sandweiss. Radiofrequency separated beam at the AGS—879
Foiles, C. L. Magnetic amplifier for use at 4.2°K—731
Folz, W. C. (see Farthing, W. H.)—1023
Foner, S. and W. G. Fisher. Solid helix magnets for large volume pulsed high fields—440(N)
—— **and E. J. McNiff, Jr.** Calibration and differential field measurement of high magnetic fields by means of a periodic size effect in gallium—931
Foner, Simon (see Kurtin, Stephen)—600
Ford, D. (see Rothwarf, F.)—1241
Forgacs, R. L. and A. Warnick. Digital-analog magnetometer utilizing superconducting sensor—214
Forman, L. (see White, F. A.)—355
Fountain, C. W. Method for producing disk shaped specimens—1329(N)
Fowler, A. (see Gilgore, A.)—1535(N)
Fowler, J. W. (see Bartlett, R. W.)—1313
Franzblau, M. C. (see Brown, R. F.)—1179(N)
Frederick, C. G. (see Flippen, R. B.)—136(N)
Freedman, M. S., F. T. Porter, and F. Wagner, Jr. Thermostating high power coils—190
Freeman, N. J., N. R. Daly, and R. E. Powell. Retardation lens used to improve the abundance sensitivity of a mass spectrometer—945
Freiwald, David Allen and Ali Bulent Cambel. Propagation of plasmoids at high pressures—1337(N)
French, I. P. and T. E. Arnold. High-Q Fabry-Perot resonator for nitric oxide absorption measurements at 150 GHz—1604

Frenkel, L. Microwave method for planetary atmosphere research—557(N)
Freud, P. J. and G. M. Rothberg. Method for measuring pressure dependence of thermal conductivity of gases—238
Freymuth, Peter. Feedback control theory for constant-temperature hot-wire anemometers—677
Friedman, L. (see Moran, T. F.)—668
Friedman, S. I. (see Baldwin, G. C.)—519
Fryberger, D. (see Serafin, R. J.)—1395
Fujikata, K. (see Mikoshiba, S.)—1544(N)

G

Gandrud, W. B. (see Opal, C.)—838(N)
García, Eduardo A. (see Boschi, Luis A.)—1610
Gardner, James E., John S. Riney, and William H. Wade. Crystal thermometer calorimeter—652
Garrett, Edward R. and Rafael Cazali. Automatic sequence and photo control system for simultaneous ultracentrifugation in the analytical ultracentrifuge—1463
Garwin, Edward (see Hundley, Lee)—488
Gazley, Carl, Jr. (see Fehr, Uri)—1502
Gehring, F. D. and B. C. Gerstein. Effect of thermal shocking on Minco model S1059 platinum resistance thermometers—280(N)
George, Daniel R. (see Cork, Bruce)—221
Gerard, M. E. (see Grabowsky, W. R.)—1160(N)
Gerber, Roland. Use of simultaneous vaporizing of two substances to obtain thin films—77
Gerstein, B. C. (see Gehring, F. D.)—280(N)
Giacomelli, G., T. F. Kycia, K. K. Li, and J. Teiger. Design and performance of a K^+ detector—1408
Giardino, D. A. and L. Petrakis. High temperature electron spin resonance probe—1180(N)
Gildner, D. A. (see Simon, A. C.)—119(N)
Gilgore, A., P. J. Stoller, and A. Fowler. Optical wavelength wobbler—1535(N)
Gill, D., M. Hayek, Y. Alon, and A. Simievic. High level NQR spectrometer—1588
Gill, S. J. (see Stoesser, P. R.)—422
Gilmer, Robert E., Franklin D. Neu, Robert J. Sprafka, and Joseph E. Strople. Particle-beam profiling system—375
Giusiano, F. (see de'Munari, G. M.)—551, 1128
Glass, W. A. (see Samsky, D. N.)—1377
Glasser, D. (see Dyne, S. R.)—209
Godel, J. (see Coppens, P.)—1333(N)
Godwin, R. W. (see Krigbaum, W. R.)—398
Goetz, Alexander F. H. and Curtis A. Bauman. Apparatus to measure mid-infrared spectral emittance of cold powders in a vacuum—775
Goodchild, R. O. (see Bernstein, L.)—971(N)
Goodman, P. (see Cockayne, D. J. H.)—1097
Gorbics, S. G. (see Nash, A. E.)—696(N)
Gordon, Robert B. (see Davis, Lance A.)—371
—— **and Leslie F. Mike.** Measurement of the mechanical properties of solids at high pressure—541
Goree, William S. (see Deaver, Bascom S.)—311
Gould, R. W. (see Harkness, S. D.)—1676(N)
Grabowsky, W. R., D. A. Durran, and M. E. Gerard. Pressure gauge for plasmas subjected to large dynamic electric and magnetic fields—1160(N)
Graham, Henry C. (see Vest, Robert W.)—661
Graybeal, Jack D. and Roy P. Croston. Operational amplifier control for NQR spectrometer—122(N)
Green, Maurice and Gordon Tollin. Modulated optical null spectrophotometer for flash excitation reactions—1316
Greenberg, Berton. Photographically rectifying Weissenberg films—917
Greenberg, Elliott (see Settle, Jack L.)—1805(N)
Greenfield, A. J. (see Brady, George W.)—736
Greenhalgh, Samuel. Syringe for injecting sodium-potassium alloy—121(N)
Gretz, R. D. Molecular beam sources for vapor deposition on field emitter substrates—112
Greulich, F. A. (see Cuthrell, R. E.)—966
Griff, Neil, Robert J. Heilferty, and Willard L. Derksen. Image furnace for low yield nuclear weapons effects simulation—1217
Grimes, C. C. (see Hansen, J. W.)—895
Grimm, F. (see Nash, J. H.)—73
Grosjean, C. C. Series expansions for the solid angle subtended by a circular disk at a point directly above the periphery—1042
Grosser, Arthur E. Dual range self calibrating velocity selector—257
Grossman, A. S. (see Carides, T.)—1425
Groves, T. H. (see Hoang, T. F.)—861
Guerrero, J. Martinez. Device to move mechanisms inside chambers at ultrahigh vacuum—970(N)
Gunders, Efron. Simple new microburner—433(N)
Guyaux, J. (see Blech, Ilan A.)—638

H

Haas, G. A. (see Jensen, J. T., Jr.)—1178(N)
Hádek, V. and K. Ulbert. Metal chamber for the measurement of the temperature dependence of conductivity and the thermoelectric power of organic semiconductors—991(N)
Haering, R. R. (see O'Hanlon, J. F.)—1542(N)
Hadesty, G. B. (see Latta, R. E.)—1667(N)
Hagedorn, F. B. Rotating field magnetometer for measurement of anisotropic magnetic materials—591
Hahn, H. (see Foelsche, H. W. J.)—879
Haisty, R. W. Electrodeless measurement of resistivities over a very wide range—262
Halama, H. J. (see Foelsche, H. W. J.)—879
Halden, F. A. (see Bartlett, R. W.)—1313
Hall, K. R. and F. B. Canfield. Valve packings for cryogenic service—1327(N)
Hamada, T. (see Takahashi, T.)—988(N)
Hamilton, Paul B. Sensitive linear flowing-stream photometer for amino acid analyzers—1301
Hanafee, J. E. and S. V. Radcliffe. Effect of high pressure on a strain gauge load cell—328
Hance, A. B. (see Dietz, L. A.)—176
Hand, C. W. Simple circuit for Nernst glower control—983(N)
Hanke, C. C. (see Andersen, H. H.)—511
Hanrahan, L. R. (see Dietz, L. A.)—176
Hansen, J. W., C. C. Grimes, and A. Libchaber. High frequency phase sensitive detection applied to helicon wave studies—895
Harker, D. (see Berger, J. E.)—292(N)
Harker, R. I. (see Moscony, J. J.)—138(N)
Harkness, S. D., R. W. Gould, J. J. Hren, and A. M. Sheble. Growing large single crystals with focused light—1676(N)
Haroules, George G. and Wilfred E. Brown, III. Technique for absolute temperature measurements at microwave frequencies—1093
Harp, R. S. and R. M. Moser. Class of waveguides with uniform electric field strength—1795(N)
Harrison, Ernest, Jr. and Stephen W. Derbyshire. Small magnetic impact forming device—604
Harrison, Halstead (see Hundhausen, E.)—131(N)
Harrison, R. (O'Brien, B. J.)—1058
Harrod, J. F. (see Roberts, R. W.)—1105
Harshman, J. H. (see Hawkins, S. R.)—50
Harter, J. A. (see Nakai, M. Y.)—820
Hartman, R. L. Vacuum manifolds of plastic pipe—831(N)
Harvey, I. K. Phase-locked frequency multiplier—1467
Haszko, S. E. (see Wolfe, R.)—497
Hauser, U., G. Knissel, J. Moritz, and U. Schneider. Measurement of time differences in the range milli- to picoseconds—1220

Hawkins, S. R. and J. H. Harshman. Lightweight 50 kG superconducting magnet system for optical research instrumentation—50
Hayek, M. (see Gill, D).—1588
Haygarth, John C. and George C. Kennedy. Crushing strength of cemented tungsten carbide pistons—1590
Hazony, Y. Stabilized constant acceleration Mössbauer drive—1760
Heilferty, Robert J. (see Griff, Neil)—1217
Heimlich, R. (see Avizonis, P. V.)—331
Heindrichs, A. (see Welge, K. J.)—1728
Helman, W. P. and D. W. Schutt. Reversible precounter for photon counting—1286
Hemphill, R. B. and T. C. Penn. Ultrasonic pulse-echo technique for the vhf range—1809(N)
Herak, J. N. Simple chamber for production of ESR study of radicals in powders, formed by bombardment with small reactive species—1669(N)
Hering, C. A. (see Brophy, R. G.)—135(N)
Hermann, W. A. (see Stirn, R. J.)—1522(N)
Herndon, H. V. (see Samsky, D. N.)—1377
Herrick, C. C. (see Peters, Donald)—1418
Hewitt, R. C. Sample tube for high-resolution nuclear magnetic resonance spectrometry—831(N)
Heydemann, P. L. M. (see Johnson, D. P.)—1294
Heydemann, Peter L. M. Electrical feedthrough for pressures to 10 kbar—558(N)
Hickmott, J. T., Jr., T. Kushida, and J. C. Murphy. High sensitivity zero crossing detector for magnetic resonance lines—29
Hickok, R. L. Plasma density measurement by molecular ion breakup—142(N)
—— (see Jobes, F. C.)—928
Higgins, Graham S. and Charles R. Wallace. Fabrication of low cost cavity ion chamber—1671(N)
Hill, Russell J. and C. F. Knopp. Oxidation resistant, high temperature ceramic-to-metal seal compatible with cesium—1067
Hill, W. and R. Volpicelli. Automatic frequency marker to simplify recorde dspectra calibration—1166(N)
Hinnov, E. (see Rynn, N.)—1378
Hirano, K. (see Mikoshiba, S.)—1544(N)
Hirsch, Robert L. and Gene A. Meeks. Highly efficient, inexpensive, medium current ion source—621
Hirthe, W. M., A. T. Melville, and P. H. Wackman. Preparation of thin sections by ion bombardment for transmission electron microscopy—223
Hoang, T. F., G. L. Niemeyer, Jr., J. J. Phelan, and T. H. Groves. Thin aluminum foil spark chamber spectrometer—861
Hochberg, A. K. (see Pearce, T. W.)—835(N)
Hockings, W. A. and W. J. Kangas. Safety shutter for the General Electric powder diffractometer—1804(N)
Hoenig, Stuart A., Charles W. Carlson, and Jay Abramowitz. Detection of hydrogen in air by means of alkali ion current from hot palladium—92
Hohenstein, Jack. Variable temperature, rotating substrate for vacuum deposition—1168(N)
—— Bell jar protection in vacuum metallizing—1170(N)
Hollandsworth, C. E. (see Bucher, W. P.)—1259
Holmes, Lloyd P. (see Rampton, Dennis T.)—1637
Honig, R. E. (see Woolston, J. R.)—1708
——, **J. R. Woolston, and D. A. Kramer.** Gelatin-free ion-sensitive plates for mass spectrography—1703
Hooker, W. J. (see Watson, R.)—1052
Hordon, M. J. (see Read, Malcolm E.)—322
Howarth, Robert F. (see Ensminger, Richard L.)—1798(N)
Hren, J. J. (see Harkness, S. D.)—1676(N)
—— **and R. W. Newman.** Fiber optics in field ion microscopy—869
Hubbard, Ward N. (see Settle, Jack L.)—1805(N)
Hugill, J. and M. J. Field. Resonance relaxation sounder for the multiple ionospheric probe—1731
Humphreys, Russ. Wide-range multi-input pulse height recording system—1123
Hundhausen, E. and Halstead Harrison. Chilled collimator for high intensity molecular beams—131(N)
Hundley, Lee, Tim Coburn, Edward Garwin, and Lubert Stryer. Nanosecond fluorimeter—488
Hutson, A. R. (see Jayaramen, A.)—44
Hyman, Julius, Jr. and K. R. MacKenzie. Characteristics of photoionization plasma source—251

I

Ichijo, Bunjiro (see Kakimoto, Akira)—1516
Imbusch, A. Method for preparing thin self-supporting Pb films—974(N)
Ingard, Uno (see Maling, George C.)—431(N)
Isbell, W. M. (see Sennett, R. E.)—34

J

Jackman, Victor (see Pops, Horace)—952
Jackson, J. H. (see Linder, S. L.)—709(L)
Jaffe, Halina (see Jaffe, Joseph H.)—935
Jaffe, Joseph H., Halina Jaffe, and Kurt Rosenheck. New method of measuring linear dichroism in the ultraviolet: application to helical polymers—935
Jagger, J. W. and P. J. Riley. Quadrupole magnetic lens using permanent ceramic magnets—955
Jaklevic, R. C., L. J. Leblanc, and D. W. Juenker. Monochromator for the extreme ultraviolet—1597
Janus, T. P. (see Varon, J.)—691(N)
Jayaraman, A., A. R. Hutson, J. H. McFee, A. S. Coriell, and R. G. Maines. Hydrostatic and uniaxial pressure generation using Teflon cell container in conventional piston-cylinder device—44
Jeffrey, K. R. and R. L. Armstrong. Simple bridge for pulsed nuclear magnetic resonance—634
Jensen, J. T., Jr., J. Klebanoff, and G. A. Haas. High temperature indirectly heated cathode structure—1178(N)
Jensen, Ronald P. (see Rampton, Dennis T.)—1637
Jerde, Roderick L., Laurence E. Peterson, and Wayne Stein. Effects of high energy radiations on noise pulses from photomultiplier tubes—1387
Jericho, M. H. and R. H. March. Low temperature relay modulator for thermal and electrical conductivity measurements—428(N)
Jermakian, A. (see Ferrari, L. A.)—1697
Jeunker, D. W. (see Jaklevic, R. C.)—1597
Jobes, F. C. and R. L. Hickok. Plasma density contour measurements using molecular ion beam breakup—928
Johnson, D. P. and P. L. M. Heydemann. Dead weight piston gauge for pressures to 26 kilobars—1294
Johnson, J. and D. Porat. Nanosecond light-source, XP-20—1796(N)
Johnson, J. H. (see Conger, R. L.)—1608
Johnson, Kent (see Evans, Albert E.)—1514
Johnson, L. C. (see Rynn, N.)—1378
Johnson, William B. Contribution of small angle nuclear scattering to error formulae in bubble chamber analysis—1602
Joncich, Michael J. (see Kanbour, Fouad)—913
Jones, O. E. Piezoelectric and mechanical behavior of X-cut quartz shock loaded at 79°K—253
Jones, T. G. and G. C. Vlases. Pressure probes for research in plasma dynamics and detonation—1038
Joynson, R. E. (see Newhouse, V. L.)—798
Jurisson, Jaan, Robert J. Matthys, Frank Plasek, and Howard J. Thompson. Measuring roundness in the millimicron range—243
Jury, Stanley H., Louis P. Bosanquet, and Young W. Kim. Fast response sensing element for a frost point hygrometer—1634

K

Kakimoto, Akira and Bunjiro Ichijo. Continuous measurement of concentration using a highly stabilized reactance meter—1516
Kanbour, Fouad and Michael J. Joncich. Solution calorimeter with Peltier cooling for operation at constant temperatures—913
Kangas, W. J. (see Hockings, W. A.)—1804(N)
Kasha, H. (see Stefanski, R. J.)—1792(N)
Katz, Ira (see Knox, Kerro)—289(N)
Kauppila, W. E., W. R. Ott, and W. L. Fite. Design parameters of iodine vapor ultraviolet photon counters—811
Kawai, N. and A. Sawaoka. Magnetic measurements under hydrostatic pressure: intensity of magnetization and anisotropy—1770
Kazmierowicz, C. W. and G. E. Myers. An ac electron bombardment technique for vacuum deposition of carbon—560(N)
Keating, K. L. (see Brophy, R. G.)—135(N)
Keesing, R. G. W. (see Anderson, N.)—924
Keller, D. V., Jr. (see Maxwell, G. M.)—1084
Kelley, G. G. (see Morgan, O. B.)—467
Kelley, Joseph G., Morton A. Levine, Arthur L. Besse, and Albert Tatarian. Improved driver chamber for arc driven shock tube—641
Kendall, Paul A. Duplication of effort—1547(L)
Kennedy, George C. (see Haygarth, John C.)—1590
Kenney, J. F., T. K. Deaton, and J. E. Miller. Improved displays for measuring power spectra of complex nonstationary signals—665
Kerlin, A. L. (see Clark, W. Gilbert)—1593
Khan, J. M. (see Christensen, L. J.)—20
Khanna, S. L. Apparatus for making very thin electrets—1175(N)
Kidder, John N. Use of neon exchange gas for precooling ^{3}He cryostats—555(N)
Kim, Young Sam (see Singh, Madan N.)—769
Kim, Young W. (see Jury, Stanley H.)—1634
King, R. P. (see Dyne, S. R.)—209
Kintner, Paul (see Whittaker, A. Greenville)—1743
Kjekshus, A. (see Fermor, J. H.)—771
Klebanoff, J. Spring tensioned metal-to-ceramic seal—1165(N)
Klebanoff, J. (see Jensen, J. T., Jr.)—1178(N)
Klein, Melvin P. and Donald E. Phelps. Radio frequency hybrid tees for nuclear magnetic resonance—1545(N)
Knapp, B. C. (see Nagle, D. E.)—1583
Knapp, E. A. (see Nagle, D. E.)—1583
Knauer, Robert C. and James G. Mullen. New automation technique for constant velocity Mössbauer spectrometers—1624
Knissel, G. (see Hauser, U.)—1220
Knobler, C. M. Apparatus for determination of interaction virial coefficients in systems containing condensables—184
Knopp, C. F. (see Hill, Russell J.)—1067
Knott, Karl. Elimination of Volta-potential noise from plate field mills—602
Knox, Kerro and Ira Katz. Analytic solutions to x-ray transmission coefficient in special geometries for testing computer programs—289(N)
Kocher, C. A. High-intensity ultraviolet H_2 arc lamp of simplified design—1674(N)
Koechner, Walter. Extremely small and simple pulse generator for injection lasers—17
Koenig, D. F. (see Favreau, L. J.)—841(N)
Koide, Minoru (see Bieri, Rudolf H.)—1159(N)
Kollie, Thomas G. Specific heat determinations by pulse calorimetry utilizing a digital voltmeter for data acquisition—1452
Komhyr, W. D. Nonreactive gas sampling pump—981(N)
Komoto, T. (see Sparks, Joseph T.)—275(N)
Kopf, L. Superconducting homogeneous InTl and PbBi films evaporated from a single source—734
Kotani, Koichi (see Cheon, Beonguk)—1471
Kottler, W., H. Krupp, and H. Rabenhorst. Charge measurements on insulating particles by the use of a photoconducting electrode—589
Kozul, S. (see Esposito, R. J.)—1573
Krakauer, Henry (see Danforth, Raymond)—484
Kramer, D. A. (see Honig, R. E.)—1703
Krigbaum, W. R. and R. W. Godwin. Theoretical main beam profiles for the Kratky small angle camera—398
Kristensen, A., R. L. Palmer, H. Saltzburg, and J. N. Smith, Jr. Construction of slotted disks for mechanical velocity selectors using electric discharge machining—987(N)
Kristiansen, Magne, Jimmy G. Melton, and Arwin A. Dougal. Inexpensive, high vacuum, high voltage, electric feedthrough—840(N)
Krouse, H. R. (see Pronko, P. P.)—871
Krupp, H. (see Kottler, W.)—589
Kukla, Cassimer M. Periodic integrating device for measurement of rapidly varying count rates—804
Kurtin, Stephen, Simon Foner, and Edward J. McNiff, Jr. Ac superconducting solenoid for kilogauss field modulation—600
Kushida, K. (see Hickmott, J. T., Jr.)—29
Kuyatt, C. E. and J. Arol Simpson. Electron monochromator design—103
Kycia, T. F. (see Giacomelli, G.)—1408

L

LaBar, D. A. (see Nakai, M. Y.)—820
Lach, L. (see Foelsche, H. W. J.)—879
Ladd, Robert L. and Robert C. Rau. Immersed double-jet technique for electrothinning tungsten for transmission electron microscopy—1162(N)
La Force, Richard Conley. Device to measure the voltage-current relations in biological membranes—1225
Lakin, R. W. Regulated dc-dc converter provides low standby current for portable radiation survey instruments—1526(N)
Lamarche, J. L. G. (see Ancsin, J.)—368
Lambert, R. H. and J. J. Wright. Production of small uniform magnetic fields—1385
Langdon, T. G. Thinning of polycrystalline MgO for transmission electron microscopy—125(N)
Laquer, H. L. (see Shaw, R. W.)—1768
LaQuey, R. (see O'Brien, B. J.)—1058
Larsen, R. C. (see Stefanski, R. J.)—1792(N)
Larsen, R. N. (see Strauss, M. G.)—725
Latta, R. E., J. T. Bittel, and G. B. Hadesty. Continuously recording strain gauge thermobalance—1667(N)
Laughon, R. B. (see Anthony, J. W.)—976(N)
Lautenschlager, E. P. and N. R. Adsit. High sensitivity compression fixture—1271
Lauzon, A. F. (see Ebert, P. J.)—1747
Lavoie, Louis. Photomultiplier cathode poisoning—833(N), 1547(E)
Leblanc, L. J. (see Jaklevic, R. C.)—1597
Lehner, H. H. Probing technique for measuring the potential distribution in semiconductors—699(N)
Leipuner, L. B. (see Carides, T.)—1425
Leising, W. (see Lubin, J J.)—1157
Leiter, G. G. (see Nash, J. H.)—73
Lepie, Albert H. and Arnold Adicoff. Torsional pendulum for plastic materials under tensile strain—1615
Levine, M. A. (see Chace, W. G.)—1810(N)
Levine, Morton A. (see Kelley, Joseph G.)—641
Levy, Donald H. (see Carrington, Alan)—1183(N)
Li, K. K. (see Giacomelli, G.)—1408
Li, T. C. (see Earles, D.)—447(N)
Libchaber, A. (see Hansen, J. W.)—895
Lichtenstein, R. M. and E. J. Willard, Jr. Simple contactless method for measuring decay time of photoconductivity in silicon—133(N)

Liebe, H. J. and B. Senitzky. 258 GHz modulator with a Stark waveguide—1678(N)
Liebenberg, D. H. (see Carroll, K. J.)—260
Lieber, Albert J. (see Burrous, Clifford N.)—1477
Lilienfeld, Pedro, Leonard R. Solon, and Hugo J. DiGiovanni. Ion tracer anemometer for the measurement of low density air flow—405
Lindblad, N. R. and J. M. Schneider. Method of producing and measuring charged single droplets—325
Linder, S. L. and J. H. Jackson. Comments on "Efficient light coupler for threshold Čerenkov counters"—709(L)
Lindgren, Frank T. (see Windsor, Alfred A.)—949
Linsley, John. Simulation of nucleonic cascades as a means of studying fluctuations—1268
Lipsett, F. R. Improvement in signal-to-noise ratio of blue-sensitive photomultiplier tube (6256B) by cooling—278(N)
Liquornik, D. L. (see Peng, T. C.)—693(N), 989(N)
Litvan, G. G. (see Antoniou, A. A.)—1641
Liu, Benjamin Y. H., Kenneth T. Whitby, and Henry H. S. Yu. Electrostatic aerosol sampler for light and electron microscopy—100
Lloyd, J. N. (see Maxwell, G. M.)—1084
London, Gilbert (see Witt, Fred)—1069
Long, L. T. (see Conger, R. L.)—1608
Loria, Giorgio (see Beltrán-López, Virgilio)—707(N)
Lubin, J. J. and W. Leising. Photodiode holder with 300 psec rise time for laser studies—1157
Ludlam, T. (see Foelsche, H. W. J.)—879
Lupu, N. Z., N. M. Tallan, and D. S. Tannhauser. Apparatus for measuring the Hall effect of low-mobility samples at high temperatures—1658
Lynch, A. W. (see Cuthrell, R. E.)—966
Lyon, D. N., D. B. McWhan, and A. L. Stevens. Cryostat for studies at ~100 kilobars at liquid helium temperatures—1234
Lyons, W. James. Apparatus for fatiguing many specimens with automatic recording of individual lifetimes—1176(N)

M

Maartense, I. High field Zeeman effect measurements using a scanning technique and pulsed fields—233
MacDiarmid, A. G. (see Moscony, J. J.)—138(N)
MacIntyre, Ferren. Vibrating capillary for production of uniform small bubbles—969(N)
Mackenzie, J. D. (see Sperry, L. L.)—1646
MacKenzie, K. R. (see Hyman, Julius, Jr.)—251
MacNair, D. Electron emitter for use in oxidizing atmospheres—124(N)
Madden, J. J. and P. Nordon. Air supply of constant humidity—561(N)
Magyar, G. Simple giant pulse ruby laser of high spectral brightness—517
Maidanik, Gideon (see Noiseux, Denis U.)—1229
Maines, R. G. (see Jayaraman, A.)—44
Makios, W. New microwave interferometric device using Lecher wires for high spatial resolution—352
Maling, George C. and Uno Ingard. Electric response of lead zirconate titanate ceramics to temperature fluctuations—431(N)
Mambriani, G. (see de'Munari, G. M.)—551, 1128
Manfredi, P. F., P. Maranesi, and A. Rimini. Very precise 30 nanosecond linear gate—1253
Mann, H. M. (see Strauss, M. G.)—725
Maranesi, P. (see Manfredi, P. F.)—1253
March, R. H. (see Jericho, M. H.)—428(N)
Marinuzzi, J. G. (see Carides, T.)—1425
Mark, Hans (see Chodil, G.)—1508
Markley, F. W. (see Moretti, A.)—1335(N)
Marshall, S. W. and R. A. Pruitt. Digital pulse-shape analysis of repetitive and nonrepetitive pulses—1622
Marsters, G. F. and E. Wachsler. Simple circuit for obtaining rastered oscilloscope displays on Tektronix oscilloscopes—276(N)
Martin, Douglas L. Use of pure copper as a standard substance for low temperature calorimetry—1738
Martellucci, S. (see DeAngelis, A.)—1255
Martinson, R. H. and R. E. Terry. Compact electrical lead for high pressure gas systems operating at low temperatures—1330(N)
Marton, L. Correction of the spherical aberration of axially symmetrical magnetic lenses—130(N)
Mascarenhas, Y. and S. Marcarenhas. Diffraction camera for precision measurement of lattice parameters at low temperatures—141(N)
Mascarenhas, S. (see Mascarenhas, Y.)—141(N)
Masry, S. E. Accurate method for measuring rotational movement of a carriage—1651
Mastinu, G. Apparatus to determine excess molar volumes. Application to the H_2-N_2 mixture—1114
Mathur, B. S. The use of a quartz contained discharge in atomic tritium experiments—1536(N)
Matthys, Robert J. (see Jurisson, Jaan)—243
Maunders, E. A. (see DeShazer, L. G.)—248
Maxwell, G. M., J. N. Lloyd, and D. V. Keller, Jr. Measurement of Thomson heat in metallic systems—1084
Mayer, Kemp, Jr. (see Collins, R. L.)—446(N)
McCarroll, Bruce. Computer assisted identification of mass spectrometric, flash filament signals—444(N)
McCracken, K. G. (see Bartley, W. C.)—266
McElligott, P. E. and R. W. Roberts. Some factors affecting the sensitivity of a thermistor pressure gauge—1182(N)
McEwan, W. S. (see Brophy, R. G.)—135(N)
McFee, J. H. (see Jayaraman, A.)—44
McGowan, J. William. Surfaces used in high resolution electron spectrometry—285(N)
McNeil, G. L. (see Murphy, A. P.)—921
McNiff, Edward J., Jr. (see Kurtin, Stephen)—600
McNiff, E. J., Jr. (see Foner, S.)—931
McWhan, D. B. (see Lyon, D. N.)—1234
Meads, Philip F., Jr. Quadrupole magnet misalignment tolerances—1752
Meckstroth, E. A. and E. R. Bartle. Quick change, high vacuum window and heat transfer gauge installation for shock tubes—448(N)
Mee, C. H. B. (see Nathan, Ranga)—1783
Meeks, Gene A. (see Hirsch, Robert L.)—621
Meiklejohn, W. H. (see Newhouse, V. L.)—798
Melton, Jimmy G. (see Kristiansen, Magne)—840(N)
Melville, A. T. (see Hirthe, W. M.)—223
Mergerian, D. and D. A. Bozanic. System for measuring frequencies up to 345 GHz—1662(N)
Merritt, J. and E. J. Agazzi. Casting Formvar films on water—127(N)
Mershad, E. A. (see Amos, W. R.)—910
Metz, Arthur J. Simple tunnel diode circuit for accurate zero crossing timing—1445
Metz, Claire D. Measurement of torques at low temperatures—1723
Michel, R. E. (see Chapman, F. W.)—1170(N)
Mike, Leslie F. (see Gordon, Robert B.)—541
Mikoshiba, S., K. Fujikata, K. Hirano, and Y. Nakano. Production of a single pulsed plasma—1544(N)
Milke, P. (see Rothwarf, F.)—1241
Millard, J. K. New shunt-series nanosecond pulse amplifier—169
Miller, J. E. (see Kenney, J. F.)—665
Miller, R. C. (see Moretti, A.)—1335(N)
Miller, Terry A. (see Carrington, Alan)—1183(N)
Millero, Frank J., Jr. High precision magnetic float densimeter—1441
Mills, J. C. (see Cockayne. D. J. H.)—1097

Miyamoto, Nobuo and Jun-ichi Nishizawa. Contactless measurement of resistivity of slices of semiconductor materials—360
Modi, Vadilal J. (see Slater, Jonathan E.)—1576
Moe, M. K. (see Cowan, E. W.)—874
Montgomery, Coralie (see Montgomery, Peter W.)—1073
Montgomery, Peter W., Coralie Montgomery, David A. Wald, and Jack L. S. Bellin. Sound velocity measurements at high pressures—1073
Moodie, A. F. (see Cockayne, D. J. H.)—1097
Mopsik, F. I. and R. H. Cole. Null method for liquid dielectric measurements from 250 to 1000 MHz—708(N)
Moran, T. F. and L. Friedman. Tandem isotope separator-mass spectrometer for the study of ionic collision processes—668
Moreland, P. E., Jr., C. M. Stevens, and D. B. Walling. Semiautomatic data-collection systems for mass spectrometers—760
Moretti, A., A. Yokosawa, F. W. Markley, and R. C. Miller. Hydrocarbon proton polarized target—1335(N)
Morgan, H. W. (see Steinhardt, R. G.)—975(N)
Morgan, O. B., G. G. Kelley, and R. C. Davis. Technology of intense dc ion beams—467
Moritz, J. (see Hauser, U.)—1220
Morris, F. E. Vibrotron analog microbarograph system—514
Morrison, Carl W. Using alkali aluminosilicate ion sources for preparation of translucent monoalkali antimonide photocathodes—430(N), 1186(E)
Morsell, A. L. (see Watson, R.)—1052
—— **and R. Watson.** Mixing system for shock tube combustion drivers—282(N)
Moruzzi, J. L. High emission photocathode for swarm experiments—1284
Moscony, J. J., R. I. Harker, and A. G. MacDiarmid. High pressure (~4 kbar) high vacuum apparatus for synthesis and separation of volatile and solid materials—138(N)
Moser, R. M. (see Harp, R. S.)—1795(N)
Mossahebi, Mohammad (see Somerton, Wilbur H.)—1368
Mueller, Robert A. Metal adapter for glass O-ring joints—429(N)
Mullen, James G. (see Knauer, Robert C.)—1624
Mullins, Joe H. (see Coyne, Donald G.)—681
Mundy, J. L. (see Newhouse, V. L.)—798
Munro, D. F. Simplified mounting for quadrupole mass filter rods—1532(N)
Munsch, George F. (see Staph, Horace E.)—532
Murphy, A. P., G. L. McNeil, and R. J. Neal. Ultramicrotome for hard tissue—921
Murphy, J. C. (see Hickmott, J. T., Jr.)—29
Murray, Thomas P. Polaradiometer—a new instrument for temperature measurement—791
Myers, G. E. (see Kazmierowicz, C. W.)—560(N)
Myers, R. A. (see Wieder, H.)—1538(N)

N

Naber, C. T. Ultrahigh vacuum high temperature substrate heater—1161(N)
Nagle, D. E., E. A. Knapp, and B. C. Knapp. Coupled resonator model for standing wave accelerator tanks—1583
Nakai, M. Y., D. A. LaBar, J. A. Harter, and R. D. Birkhoff. Nanosecond time-of-flight studies of electrons—820
Nakano, Y. (see Mikoshiba, S.)—1544(N)
Namenson, A. I. (see Smither, R. K.)—52
Nash, A. E., S. G. Gorbics, and F. H. Attix. Method for mounting powdered thermoluminescent samples with improved thermal contact—696(N)
Nash, J. H., G. G. Leiter, and F. Grimm. Sampling device for liquid droplets—73
Nathan, Ranga and C. H. B. Mee. AC Method for the determination of photoelectron energy distributions.—1783
Neal, R. J. (see Murphy, A. P.)—921
Nel, P. E. (see Cutteridge, A. M.)—554(N)
Neu, Franklin D. (see Gilmer, Robert E.)—375
Neubert, Theodore J. and Joseph F. Sydejko. Cryostat for color center studies—559(N)
Newhouse, V. L., J. L. Mundy, R. E. Joynson, and W. H. Meiklejohn. Multicrossover cryotron—a high gain single stage amplifier—798
Newman, R. W. (see Hren, J. J.)—869
Nicholson, J. L. Method for restricting electrolytic action to a specific surface—1173(N)
Nielsen, Paul. Simple feedback electrostatic voltmeter with a transparent probe—1486
Niemeyer, G. L., Jr. (see Hoang, T. F.)—861
Niesen, Edward. Protection circuit insulated for high voltage—689(N)
Nishizawa, Jun-ichi (see Miyamoto, Nobuo)—360
Noiseux, Denis U. and Gideon Maidanik. Design of a sonic pressure gauge—1229
Nordon, P. (see Madden, J. J.)—561(N)
Novak, P. E. (see Asamoto, R. R.)—1047
Nutter, James D., Robert Redman, and Nelson C. Scholl. Technique for obtaining uniform, pinhole-free gold surfaces on the inside of metal containers—1812(N)
Nye, James O. and Robert S. Brodkey. Light probe for measurement of turbulent concentration fluctuations—26

O

O'Brien, B. J., F. Abney, J. Burch, R. Harrison, R. LaQuey, and T. Winiecki. SPECS, a versatile space-qualified detector of charged particles—1058
Offen, Henry W. (see Baldwin, Bernard A.)—1164(N)
Ogawa, Howard S., J. M. Sellen, Jr., and Robert K. Cole. Electron emissive surface electric field meter—1117
O'Hanlon, J. F. and R. R. Haering. Low power, self heated glass substrate—1542(N)
Ohring, M. and K. L. Tai. Device to produce crystallographic bubbles in solids—563(N)
Oona, H. and D. G. Rickel. Preparation of thin self-supporting beryllium foils—980(N)
Opal, C. and W. B. Gandrud. Feedback-stabilized light chopper with continuously variable frequency—838(N)
Osborne, A. E. (see Edwards, V. R. W.)—806
Osborne, Darrell W., Howard E. Flotow, and Felix Schreiner. Calibration and use of germanium resistance thermometers for precise heat capacity measurements from 1 to 25°K. High purity copper for interlaboratory heat capacity comparisons—159
Ott, W. R. (see Kauppila, W. E.)—811
Overton, W. C. (see Carroll, K. J.)—260

P

Packer, L. L. (see Burnham, J. B.)—288(N)
Palma, M. U. (see Angelo, P. M.)—415
Palmberg, P. W. Low temperature cleavage manipulator for LEED apparatus—834(N)
Palmer, R. L. (see Kristensen, A.)—987(N)
Pampillo, Carlos A. (see Boschi, Luis)—116
Pankey, Titus, Jr. Magnetic viscosity in sensitive suspensions—1713
Paolini, F. R. and G. C. Theodoridis. Charged particle transmission through spherical plate electrostatic analyzers—579
Park, Robert L. Electronic reduction of tape recorded partial pressure data—562(N)
Parker, Sidney G. Simple apparatus for high temperature-moderate pressure crystal growth—283(N)
Parks, J. A. (see Conger, R. L.)—1608
Parrish, William. Improved method of measuring x-ray tube focus—1779
—— Measurement of parallel (Soller) slits with a modified Weissenberg goniometer—697(N)
Parsons, M. K. (see Brodwin, M. E.)—79

Paxson, G. Donald. High-repetition-rate burst pulser—1137
Pearce, T. W., A. K. Hochberg, and T. O. Poehler. Fast high current pulse generator—835(N)
Pearlman, Michael Reisman and Robert H. Webb. Characteristics of traveling wave helices in ESR spectrometers—1264
Pedersen, R. J. Operation of a rotary switch in liquid helium—692(N)
Pedinoff, M. E. and H. Seguin. Ultrasonic interferometer-laser optical diffraction cell for rapid determination of the velocity of sound in liquids—1342(N)
Penfold, A. S. and R. C. Warder, Jr. Current measurement in high-voltage radio frequency plasma discharges—1533(N)
Peng, T. C. and D. L. Liquornik. Low energy-density electron shock tube—693(N)
—— Shock-tube molecular beam for O at 3 eV—989(N)
Penn, T. C. (see Hemphill, R. B.)—1809(N)
Perlman, David E. Maximum ratings for xenon filled linear flashlamps—68
Peters, Donald and C. C. Herrick. Automated system for measuring and recording angular deflection—1418
Peterson, G. E. and P. M. Bridenbaugh. Goniometer assembly for NQR Zeeman studies—387
Peterson, J. R. (see Aberth, W.)—745
Peterson, Laurence E. (see Jerde, Roderick L.)—1387
Petrakis, L. (see Giardino, D. A.)—1180(N)
Phelan, J. J. (see Hoang, T. F.)—861
Phelps, Donald E. (see Klein, Melvin P.)—1545(N)
Pierce, J. F. (see Shofner, F. M.)—1173(N)
Pigott, M. T. and R. C. Strum. Observed behavior of a thermistor bead flow meter—743
Pirroni, J. S. and R. R. Stevens. High speed electromagnetic shutter—382
Pistorius, Carl W. F. T., Eliezer Rapoport, and J. B. Clark. Unsymmetrical friction and pressure calibration in internally-heated piston-cylinder type high-pressure devices—1741
Plasek, Frank (see Jurisson, Jean)—243
Platzeck, R. P. (see Cotignola, J. M.)—87
Poehler, T. O. see (Pearce, T. W.)—835(N)
Polman, J. Sensitive 4 mm Lecher wire interferometer for electron concentration measurements in low-density plasmas—1631
Pops, Horace, Victor Jackman, and W. C. Barnes. Automatic recording torsion pendulum for measuring elastic moduli—952
Poran, H. A. (see Roberts, R. W.)—1105
Porat, D. (see Johnson, J.)—1796(N)
Porat, D. I. (see Anderson, R. L.)—1800(N)
Porreca, F. (see Campolattaro, A.)—1322
Porter, F. T. (see Freedman, M. S.)—190
Powell, C. G. (see Wieder, H.)—1538(N)
Powell, R. E. (see Freeman, N. J.)—945
Powell, R. S. (see Vogel, D. C.)—499
Praddaude, H. C. 100 kHz homodyne, 35 GHz reflection-cavity spectrometer with phase-lock of the reference signal and low frequency field modulation—339
Prakash, Satya and B. H. Subbaraya. Langmuir probe for the measurement of electron density and electron temperature in the ionosphere—1132
Presby, Herman M. and David Finkelstein. Plasma phasography—1563
Prescott, L. E. Circular sweep camera—631
Pronko, P. P. and H. R. Krouse. Apparatus for studying gas diffusion, electrical properties, and related phenomena in solids—871
Pruitt, R. A. (see Marshall, S. W.)—1622

R

Rabenhorst, H. (see Kottler, W.)—589
Rachal, L. and E. Stofel. Method for checking electrical continuity in redundant circuits—986(N)
Radcliffe, S. V. (see Hanafee, J. E.)—328
Radeka, Veljko. Effect of "baseline restoration" on signal-to-noise ratio in pulse amplitude measurements—1397
Ragland, K. W. and R. E. Cullen. Piezoelectric pressure transducer with acoustic absorbing rod—740
Raicheff, R. G. Cell for *in situ* study of electrode kinetics of strained wires—919
Ramanathan, K. G. (see Tekippe, V. J.)—1339(N)
Rampton, Dennis T., Lloyd P. Holmes, David L. Cole, Ronald P. Jensen, and Edward M. Eyring. Square wave dissociation field effect apparatus—1637
Randlett, M. R. (see Chopra, K. L.)—1147
Rangaswamy, T. N. (see Cork, Bruce)—221
Rao, U. R. (see Bartley, W. C.)—266
Rapoport, Eliezer (see Pistorius, Carl W. F. T.)—1741
Rasmussen, J. O. (see Watson, R. L.)—905
Rau, Robert C. (see Ladd, Robert L.)—1162(N)
Read, Alvin A. (see Schleusener, Stuart A.)—1152
Redman, Robert (see Nutter, James D.)—1812
Reed, Malcolm E. and M. J. Hordon. Fatigue apparatus for extreme high vacuum—322
Reynolds, R. and F. Scherb. Focusing of charged particles with hemispherical grids—348
Ribeiro, S. Costa. Automatic photoelastimeter—705(N)
Rich, Thomas H. (see Windsor, Alfred A.)—949
Rickel, D. G. (see Oona, H.)—980(N)
Ries, Roger P. and C. B. Satterthwaite. Superconducting parametric amplifier for the measurement of small dc voltages—1203
Riley, P. J. (see Jagger, J. W.)—955
Rimini, A. (see Manfredi, P. F.)—1253
Riney, John S. (see Gardner, James E.)—652
Roberts, R. W. (see McElligott, P. E.)—1182(N)
——, **J. F. Harrod, and H. A. Poran.** Window seals for ultra-high vacuum use—1105
Robertson, M. M. (see Estill, W. B.)—481
Robinson, Donald J. Bidirectional detector of ultrasonic particle motion in solids—813
Rochkind, Mark M. Long duration cooling using open-cycle Joule-Thomson refrigeration—1171(N)
Rodrigues, R. M. (see Chodil, G.)—1508
Roe, R. B. (see Chambers, W. F.)—700(N)
Rogers, K. C. (see Ferrari, L. A.)—1697
Rohwedder, William K. Speed controller for laboratory motor—701(N)
Roschke, E. J. Oil-smoke generator for use at elevated pressures—686
Rosen, Lowell. Focusing hologram diffraction grating—438(N)
Rosenheck, Kurt (see Jaffe, Joseph H.)—935
Rosica, Gabriel A. (see Schile, Richard D.)—1103
Rothberg, G. M. (see Freud, P. J.)—238
Rothwarf, F., C. O. Bateman, D. Ford, and P. Milke. Silicon-controlled rectifier circuitry for producing pulsed magnetic fields—1241
Rothwarf, F. (see Esposito, R. J.)—1573
Rowe, C. (see Chodil, G.)—1508
Rudnick, S. J. (see Strauss, M. G.)—725
Russakoff, Robert and Robert F. Snowball. Measurement of contact resistance—395
Ryan, John S. (see Fehr, Uri)—778
Ryason, P. R. Shock tube-TOF mass spectrometer apparatus with cryosorption pumping—607
Rynn, N., E. Hinnov, and L. C. Johnson. Fully-ionized barium plasma source—1378

S

Sabine, T. M. (see Coppens, P.)—1333(N)
Saller, E. J. Cathodoluminescence detector for the Applied Research Laboratories electron microscope—837(N)
Saltzburg, H. (see Kristensen, A.)—987(N)
Samsky, D. N., W. A. Glass, and H. V. Herndon. Microbeam collimator—1377

Samson, Sten and William W. Schuelke. Accurate and straightforward alignment procedures for x-ray diffractometers equipped with a Eulerian cradle—1273
Sanders, N. L. (see Bernstein, W.)—1537(N)
Sanders, T. M., Jr. (see Wing, W. H.)—1341(N)
Sandweiss, J. (see Foelsche, H. W. J.)—879
Sangster, D. K. (see Collins, D. J.)—1076
Sar-el, H. Z. Cylindrical capacitor as an analyzer I. Nonrelativistic part—1210
Sarwinski, R. J. (see Boughton, R. I.)—1177(N)
Satterthwaite, C. B. (see Ries, Roger P.)—1203
Sauerwein, W. (see Sunheim, B. R.)—229
Saul, Robert H. and Charles L. Bauer. Simplified bridge system for measurement of internal friction and fractional variations of Young's modulus at kilohertz frequencies—1449
Savanick, George A. Technique for selected area replication of surfaces—43
Sawaoka, A. (see Kawai, N.)—1770
Schatzberg, Paul (see Felsen, Ira M.)—1669(N)
Scheller, Karl (see Becsey, J. G.)—1793(N)
Scherb, F. (see Reynolds, F.)—348
Schiavo, J. (see Varon, J.)—691(N)
Schile, Richard D. and Gabriel A. Rosica. Simple tester for the rapid determination of the tensile strength of fine filaments —1103
Schindler, P. (see Weil, J. A.)—659
Schleusener, Stuart A. and Alvin A. Read. Small particle sizing using turbidimetric layered sedimentation—1152
Schmidt-Tiedemann, K. J. Improved electronic half-shadow method for the measurement of birefringence and dichroism —625
Schmitz, J. A. Shunt for pulsed current experiments on superconducting wires—132(N)
Schneider, J. M. (see Lindblad, N. R.)—325
Schneider, U. (see Hauser, U.)—1220
Schoen, Louis J. Sapphire window mountings for low temperature spectroscopy—1531(N)
Scholl, Nelson C. (see Nutter, James D.)—1812(N)
Schreiner, Felix (see Osborne, Darrell W.)—159
Schuelke, William W. (see Samson, Sten)—1273
Schüler, W. A. Novel lithium drift control method for silicon and germanium radiation detectors—539
Schüler, Werner. Simple light spot scanner and its application on semiconductor nuclear particle detectors—1374
Schutt, D. W. (see Helman, W. P.)—1286
Schwender, G. E. (see Carides, T.)—1425
Seguin, H. (see Pedinoff, M. E.)—1342(N)
Seiler, R. F., M. R. Cleland, and H. E. Wegner. High current target design for ion accelerators—972(N)
Seiler, Richard F. High power slit system—1184(N)
Sellen, J. M., Jr. (see Ogawa, Howard S.)—1117
Sellmyer, D. J. Low temperature sample orienting device with two degrees of freedom—434(N)
Senitzky, B. (see Liebe, H. J.)—1678(N)
Sennett, R. E. and W. M. Isbell. Experimental technique for impulsive loading of structures—34
Serafin, R. J., D. Fryberger, and M. Epstein. Measurement of strain and velocity of ultrasonic surface waves—1395
Settle, Jack L., Elliott Greenberg, and Ward N. Hubbard. Two-compartment bomb for calorimetric combustions—1805(N)
Sewell, Kenneth G. (see Boatner, L. A.)—1166(N)
Shafer, Robert E. (see Crowe, Kenneth M.)—1
Shamir, J. (see Soriano, J.)—282(N)
Shaw, R. W. and H. L. Laquer. System for continuous recording of critical current curves of superconductors—1768
Sheble, A. M. (see Harkness, S. D.)—1676(N)
Shera, E. B., M. P. Bedesem, and K. J. Casper. Superconducting magnet beta-ray spectrometer—1110
Sherman, I. S. (see Strauss, M. G.)—725
Sherwood, H. F. Apparatus for making sharp photographic images with x rays—1619
Shiroki, Ken-Ichi. Automatic control system for crystal growth by the flame fusion method—1541(N)
Shofner, F. M. and J. F. Pierce. Pulse generator for studying transients in plasma lasers—1173(N)
Shulze, S. E. and R. L. Sierakowski. Device for strain gauge positioning—1530(N)
Sierakowski, R. L. (see Shulze, C. E.)—1530(N)
Simhony, M. Handy device for crystal cutting—278(N)
Simievic, A. (see Gill, D.)—1588
Simon, A. C. and D. A. Gildner. Transmitted illumination accessory for the metallograph—119(N)
Simons, Donald G. (see Evans, Albert E.)—228
Simpson, J. Arol (see Kuyatt, C. E.)—103
Singer, Sidney. Geiger counter current-limiting circuit—443(N)
Singh, Madan N. and Young Sam Kim. Lateral extensometer for brittle materials—769
Sirola, Richard O. and Thomas P. Anderson. Abel integral inverter—749
Skelly, J. Quartz fiber ultramicrobalance for microgram loads —985(N)
Skofronick, J. G. High intensity nozzle beam source for use in molecular total cross section measurements—1628
Slater, Jonathan E. and Vadilal J. Modi. Rotational displacement transducer—1576
Sloop, D. L. (see Brown, I. M.)—695(N)
Smith, Hilton A. (see Akhtar, Sayeed)—432(N)
Smith, J. N., Jr. (see Kristensen, A.)—987(N)
Smith, James P. and Ralph F. Tenny. Automatic stepping shutter system for preparing standard thin films for electron microprobe analysis—1523(N)
Smither, R. K. and A. I. Namenson. Use of crystal diffraction with Ge diode detector for high resolution gamma-ray spectroscopy—52
Snavely, B. B. and Jan C. Yutzy. Impedance-transformation circuit for operation at 4.2°K—703(N)
Snowball, Robert F. (see Russakoff, Robert)—395
Solomons, C. (see Clarke, J. H. R.)—655
Solon, Leonard R. (see Lilienfeld, Peter)—405
Somerton, Wilbur H. and Mohammad Mossahebi. Ring heat source probe for rapid determination of thermal conductivity of rocks—1368
Sørensen, H. (see Andersen, H. H.)—511
Soriano, J., S. Tandlich, and J. Shamir. Laboratory technique for making Kel-F test tubes—282(N)
Sparks, Joseph T., T. Komoto, and William R. Wade. Simple cryostat for neutron diffraction—275(N)
Sperry, L. L. and J. D. Mackenzie. High pressure, high temperature viscometer—1646
Spielberg, N. Effect of anode material on intensity dependent shifts in proportional counter pulse height distributions—291(N)
Spitzer, Lyman, Jr. (see Dressler, Kurt)—436(N)
Sprafka, Robert J. (see Gilmber, Robert E.)—375
Springer, George S. (see Teagan, William P.)—335, 842(E)
—— **and Roger H. Ulbrich.** Modified hot-wire type thermal conductivity cell—938
Staats, P. A. (see Steinhardt, R. G.)—975(N)
Staph, Horace E. and George F. Munsch. Bearing cage follower-platform for bearing studies—532
Stearn, A. E. Effect of polarizing voltage on the frequency of electrostatistically-driven fibers in vibroscope measurements—1672(N)
Steele, J. (see Anderson, J. E.)—1139
Stefanski, R. J., R. K. Adair, H. Kasha, and R. C. Larsen. Large area time-of-flight counter system—1792(N)
Stein, Wayne (see Jerde, Roderick L.)—1387
Steinhardt, R. G., P. A. Staats, and H. W. Morgan. Low temperature liquid infrared absorption cell—975(N)
Stephenson, E. T. Measurement of Snoek damping in sheet specimens—84

Stevens, A. L. (see Lyon, D. N.)—1234
Stevens, C. M. (see Moreland, P. E., Jr.)—760
Stevens, R. R. (see Pirroni, J. S.)—382
Steyert, William A., Jr. Thermal transport across superconducting solder joints near 0.1°K—964
Sthalekar, D. G. (see Farhat, N. H.)—279(N)
Stiegler, J. O. (see DuBose, C. K.)—694(N)
Stirn, R. J. and W. A. Hermann. Device for metering a variety of metals for high-vacuum "flash" evaporation—1522(N)
Stoesser, P. R. and S. J. Gill. Precision flow-microcalorimeter—422
Stofel, E. (see Rachal, L.)—986(N)
Stoller, P. J. (see Gilgore, A.)—1535(N)
Stook, Philip W. (see Bassett, William A.)—37
Strauss, M. G., I. S. Sherman, R. Brenner, S. J. Rudnick, R. N. Larsen, and H. M. Mann. High resolution Ge(Li) spectrometer for high input rates—725
Streeter, M. H. (see Collins, S. C.)—1654
Strindehag, Ove M. Liquid surface electrostatic precipitator—95
Strong, Arthur A. (see Crider, Walter L.)—1772
Strople, Joseph E. (see Gilmer, Robert E.)—375
Strum, R. C. (see Pigott, M. T.)—743
Stuart, R. W. (see Collins, S. C.)—1654
Stuhl, F. (see Welge, K. H.)—1728
Sturtevant, Julian M. (see Danforth, Raymond)—484
Stryer, Lubert (see Hundley, Lee)—488
Subbaraya, B. H. (see Prakash, Satya)—1132
Suita, Tokuo (see Cheon, Beonguk)—1471
Sundheim, B. R. and W. Sauerwein. Rotating disk thermocell. II. Experimental—229
Swartz, Marvin (see Feldman, Uri)—1372
Sweet, A. L., T. Topper, and G. R. Daugherty. Hysteresis loop measurement during fatigue testing at 30 Hz—1540(N)
Swift, C. D. (see Chodil, G.)—1508
Sydejko, Joseph F. (see Neubert, Theodore J.)—559(N)

T

Tai, K. L. (see Ohring, M.)—563(N)
Takahashi, Taro (see Bassett, William A.)—37
Takahashi, T. and T. Hamada. Water vapor counter for tritium measurements—988(N)
Takeshita, Isao. Mattauch-Herzog type mass spectrograph with corrected β-dependent image defects for all masses—1361
Tallan, N. M. (see Lupu, N. Z.)—1658
Tamayama, Masaaki and Henry Eyring. Study of pressure calibration and pressure distribution in a piston-cylinder high pressure press—1009
—— Some techniques for high pressure experiments—1666(N)
Tan, Z. C. 500 MHz ring counter—1415
Tandlich, S. (see Soriano, J.)—282(N)
Tannhauser, D. S. (see Lupu, N. Z.)—1658
Tatarian, Albert (see Kelley, Joseph G.)—641
Tatro, C. A. (see Dunegan, H. L.)—1145
Teagan, William P. and George S. Springer. Plane layer type apparatus for gas thermal conductivity measurements—335, 842(E)
Teiger, J. (see Giacomelli, G.)—1408
Tekippe, V. J. and K. G. Ramanathan. Outgassing of manometric liquids in vacuum—1339(N)
Tenny, Ralph F. (see Smith, James P.)—1523(N)
Terry, R. E. (see Martinson, R. H.)—1330(N)
Theodoridis, G. C. (see Paolini, F. R.)—579
Thompson, Howard J. (see Jurisson, Jaan)—243
Thompson, M. C., Jr. (see Vetter, M. J.)—1726
Thompson, S. G. (see Watson, R. L.)—905
Tigner, M. Suppression of multipactoring in evacuated microwave cavities—444(N)
Tischer, F. J. Slot compensation in a standing-wave meter at millimeter waves—1481
Tisinger, Richard M. Buoyancy microbalance for measuring gas densities—547
Tittmann, B. R. and H. E. Bömmel. Enhancement of signal-to-noise ratio in hypersonic measurements by time averaging—1491
Tollin, Gordon (see Green, Maurice)—1316
Topper, T. (see Sweet, A. L.)—1540(N)
Torgersen, Halvard. Scanner for short sections of magnetic recording tape—1788
Torgeson, D. R. Wide line NMR induction and bridge spectrometer for the frequency range 2–90 MHz—612
Torney, F. L. (see Blum, P.)—1404
Travis, J. C. (see Collins, R. L.)—446(N)
Tripard, G. E. and B. L. White. Preparation of thin film deuterated polyethylene targets—435(N)
Tung, Shao E. (see Conger, Norman L.)—384
Tynan, R. E. (see Welber, Benjamin)—137(N)

U

Ulbert, K. (see Hádek, V.)—991(N)
Ulbrich, Roger H. (see Springer, George S.)—938
Uyeda, Osamu. Interferometer jig for film thickness measurement—277(N)

V

Vaiana, G. S. (see Angelo, P. M.)—415
van den Boom, H. Simple method of rotating samples in microwave cavities at low temperatures—1529(N)
Varon, J., J. Schiavo, and T. P. Janus. Ultrathin Al_2O_3 support films for electron microscopy—691(N)
Vest, Robert W. and Henry C. Graham. Apparatus for guarded polarization measurements—661
Vetter, M. J. and M. C. Thompson, Jr. Solid state microwave refractometer—1726
Veyron, B. and G. Voisin. New experimental method for perturbation measurements in cavity resonators—410
Vlases, G. C. (see Jones, T. G.)—1038
Vogel, D. C., R. R. Circle, and R. S. Powell. Experimental arrangement for comparison of the optical and physical characteristics of particulate smokes—499
Voisin, G. (see Veyron, B.)—410
Volpicelli, R. (see Hill, W.)—1166(N)

W

Wachsler, E. (see Marsters, G. F.)—276(N)
Wackman, P. H. (see Hirthe, W. M.)—223
Wacks, Kenneth P. (see De Martini, Francesco)—866
Wade, William H. (see Gardner, James H.)—652
Wade, William R. (see Sparks, Joseph T.)—275(N)
Wagner, F., Jr. (see Freedman, M. S.)—190
Wald, David A. (see Montgomery, Peter W.)—1073
Walker, Charles T. (see Brandt, Ogden G.)—765
Wallace, Charles R. (see Higgins, Graham S.)—1671(N)
Walling, D. B. (see Moreland, P. E., Jr.)—760
Wang, Bi-Cheng and A. W. Cordes. Increasing the accuracy of crystal orientation procedures using the Weissenberg camera—1736
Wang, Chi-yuen. Electrical resistance of manganin coil to 7 kbar and 200°C—24
Wanner, J. (see Welge, K. H.)—1728
Ward, J. D. (see Boatner, L. A.)—1166(N)
Warder, R. C., Jr. (see Penfold, A. S.)—1533(N)
Warnick, A. (see Forgacs, R. L.)—214
—— (see Anderson, J. E.)—1139
Warren, K. A., D. R. Denison, and D. G. Bills. Resistance heated sublimator—1019
Warren, Roger W. Spinning arc zone heater—205
Watson, R. L., J. O. Rasmussen, H. R. Bowman, and S. G. Thompson. Magnetic steering device for electron coincidence experiments—905
Watson, R. (see Morsell, A. L.)—282(N)

Watson, R., A. L. Morsell, and W. J. Hooker. Techniques for conducting shock tube experiments with mixtures of ultrafine solid particles and gases—1052
Watson, Richard W. Gauge for determining shock pressures—978(N)
Wax, R. L. and W. Bernstein. Energy-independent detector for total hydrogen fluxes in the range 1–10 keV for space and laboratory applications—1612
Wax, R. L. (see Bernstein, W.)—1537(N)
Webb, Robert H. (see Pearlman, Michael Reisman)—1264
Wegner, H. E. (see Seiler, R. F.)—972(N)
Weil, J. A., P. Schindler, and P. M. Wright. Variable temperature EPR cryostat cavity—659
Weintraub, William. Measuring of outgassing in a sputtering bell jar—442(N)
Weissman, E. Y. Versatile sample holder for flat samples at extremes of temperature at high vacuum—565(N)
Welber, Benjamin and R. E. Tynan. Device for converting helium Dewar into continuous temperature cryostat—137(N)
Welge, K. H., J. Wanner, F. Stuhl, and A. Heindrichs. Fast vacuum-uv light source for gas phase flash photolysis—1728
Whitby, Kenneth T. (see Liu, Benjamin Y. H.)—100
White, A. D. Control system for frequency stabilizing a 6328 Å gas laser—1079
White, B. L. (see Tripard, G. E.)—435(N)
White, F. A. and L. Forman. Four-stage mass spectrometer of large radius—355
White, J. W. Multichannel analyzer system for high sensitivity mass spectrometry—187
Whitefield, R. J. and J. J. Brady. Vacuum microbalance for 77.3°K operation—1670(N)
Whittaker, A. Greenville and Paul Kintner. Source of carbon resonance radiation—1743
Wieder, H., R. A. Myers, C. L. Fisher, C. G. Powell, and J. Colombo. Fabrication of wide bore hollow cathode Hg^+ lasers—1538(N)
Willard, E. J., Jr. (see Lichtenstein, R. M.)—133(N)
Wilson, Abraham. Recording method for studying the kinetics of gas producing reactions—1757
Windsor, Alfred A., Thomas H. Rich, Robert E. Doyle, and Frank T. Lindgren. Automatic acceleration and speed control for an analytic ultracentrifuge—949
Wing, W. H. and T. M. Sanders, Jr. FET operational amplifiers as fast electrometers—1341(N)
Winiecki, T. (see O'Brien, B. J.)—1058
Winter, W. R. (see Fast, R. W.)—1789
Witt, Fred, Victor V. Damiano, and Gilbert London. Application of the electron microscope for production of pseudo-Kossel patterns and their use in the determination of lattice constants of a beryllium-4.4 wt% copper alloy—1069
Wolf, Robert A. and Merle L. Bowser. Temperature controller for thermoluminescence studies—1806(N)
Wolfe, R. and S. E. Haszko. Re-entrant hysteresis loop tracer—497
Wolfenden, A. and A. S. Appleton. Low-temperature liquid-vapor deformation calorimeter—826
Woolston, J. R. (see Honig, R. E.)—1703
——, R. E. Honig, and E. M. Botnick. Response of ion-sensitive plates as a function of ion energy—1708
Wooten, F. T. Method for mounting thin films without substrates—124(N)
Wright, J. J. (see Lambert, R. H.)—1385
Wright, P. M. (see Schindler, P.)—659
Wright, W. H. Aging and rejuvenation of electron multipliers—1802(N)

Y

Yee, Kenneth W. and Richard D. Deslattes. Transistorized current stabilizer for x-ray tubes with directly heated cathodes—637
Yokosawa, A. (see Moretti, A.)—1335(N)
Young, Andrew T. Undesirable effects of cooling photomultipliers—1336(N)
Yu, Henry H. S. (see Liu, Benjamin Y. H.)—100
Yutzy, Jan C. (see Snavely, B. B.)—703(N)

Z

Zaffery, Efstratios D. (see Clark, Robert P.)—492
Zajde, C. (see Bosshard, R.)—942
Zaviantseff, Vladimir T. (see Burrous, Clifford N.)—1477
Zrudsky, Donald R. Electrical termination techniques for low temperature applications—1803(N)
Zuzak, William W. (see Ahlborn, Boye)—194
Zyngier, H. (see Bosshard, R.)—942

List of Subject Classifications

*Absorption
*Accelerators: Miscellaneous
Accelerometers
Acoustics
Adsorption
Aerodynamics (see also Gas Dynamics)
Aerosols
Anemometers
Astronomy
Atomic Beams (see also Molecular Beams)
*Autoradiography
Balances
Ballistics
*Beam Injectors
Beam Monitors
Beam Separators
Biophysical Instruments
Bolometers
Book Reviews
Bridges
Bubble and Cloud Chambers
Bubbles
Calorimeters
Cameras
Centrifuges
*Ceramics
Čerenkov Counters
Chemistry
Circuits: Amplifiers
*Circuits: Coincidence and Anticoincidence
Circuits: Computing
Circuits: Current and Voltage Supply
*Circuits: Measurement and Control
Circuits: Miscellaneous
Circuits: Oscillator and Pulse Generator
Circuits: Pulse Height Analyzer
Cloud Chambers (see Bubble and Cloud Chambers)
Combustion
Computing Devices and Techniques
Cosmic Rays
Counters
Cyrogenics (see also Low Temperature Techniques)
Cryostats
Crystallography
Crystals
*Current Stabilizers
Data Handling
Data Processing
Data Recording
Density
Dielectrics
*Dilatometry
Drops
Electrical Measurements
Electrochemistry
Electrolytes
Electrometers and Electrometer Circuits
Electron and Ion Optics
Electron Diffraction
Electron Energy Analyzers
Electron Microprobes
Electron Microscopy (see also Field Emission Microscopy and Field Ion Microscopy)
Electron Multipliers
Electron Paramagnetic Resonance
Electron Sources
Electron Spin Resonance
*Electron Tubes
Electroplating
*Emulsions
Energy Losses
*Energy Storage
Energy Transfer
Errata (generally listed under articles to which they refer)
*Ettinghausen Cooling
Evaporation (see also Films)
Evaporators
*Excited States
Exploding Wires
Explosives
Faraday Effect
Fatigue
*Ferrites
Field Emission
Field Emission Microscopy (see also Electron Microscopy)
Field Ion Microscopy (see also Electron Microscopy)
Films
*Fission
Flames
Flash Techniques
Flow Studies
*Fluid Mechanics
*Fluids
Fluorescence and Phosphorescence
Foils
Freezing
Frequency Measurements
Friction (see also Internal Friction)
*Fuels
Furnaces
Gas Analysis Techniques
Gas Discharges
Gas Dynamics (see also Aerodynamics)
Gas Handling and Measurements
Geiger Counters
Geology
*Geophysical Instruments
Geophysics
Gravity
*Gyroscopes
Hall Effect
Heat Capacity
Heat Transfer
High Altitude Research
High Current Techniques
High Energy Techniques
High Frequency Techniques
High Pressure Techniques (see also Pressure Techniques and Measurements)
High Speed Techniques
High Temperature Techniques
High Vacuum Techniques
High Voltage Techniques
Holography
Humidity
Hydrodynamics
Hygrometry
*Hypervelocity Techniques
*Image Intensifiers
Impulse Loading
*Industrial Hygiene
Infrared Techniques
*Insulators
Interferometry
Internal Friction
Ion Optics (see Electron and Ion Optics)
Ion Sources
Ionization Chambers
Ionization Processes
Ionosphere Measurements
Isotope Separators
Laboratory Techniques
Lasers (see also Masers)
*Length
*Light Intensity
Light Sources
*Liquefied Gases
*Liquid Levels
Liquids
*Low Pressure Techniques
Low Temperature Techniques (see also Cryogenics)
Luminescence
*Machines
Magnetic Amplifiers
Magnetic Fields
Magnetic Lenses
Magnetic Measurements
Magnetic Resonance
Magnetic Suspensions
Magnetohydrodynamics
Magnetometers
Magnets (see also Superconducting Magnets)
Masers (see also Lasers)
Mass Spectrometry
Mechanics
Metallurgy
Metals
*Metastable Ions
Meteorology
Metrology
Microscopy
Microtomes
Microwave Spectroscopy (see also Electron Spin Resonance)
Microwave Techniques
Millimicrosecond Techniques (see Nanosecond Techniques)
*Mineralogy
Molecular Beams (see also Atomic Beams)
*Molten Salts
Mössbauer Experiments
Nanosecond Techniques
Neutron Detectors
Neutron Diffraction

*No entries under this heading in 1967.

*Neutron Measurements
*Neutron Sources
New Instruments
New Materials and Components
Noise
*Nuclear Emulsions
Nuclear Machines: Accessories
Nuclear Machines: Betatrons
*Nuclear Machines: Cyclotrons
Nuclear Machines: Electrostatic Accelerators
*Nuclear Machines: FFAG Accelerators
Nuclear Machines: Linear Accelerators
*Nuclear Machines: Miscellaneous
Nuclear Machines: Orbit Calculations
Nuclear Machines: Synchrotrons
Nuclear Resonance
Nuclear Spectroscopy (see also Magnetic Resonance)
Nuclear Techniques
Oceanography
Optical Instruments
Optical Properties of Materials
Optical Pumping
Optical Techniques
Oscillographs and Oscilloscopes
Particle Accelerators (see also Nuclear Machines and Accelerators: Miscellaneous)
Particle Beams
Particle Collectors
*Particle Counters
Particle Detectors
Particle Size
Phosphorescence (see Fluorescence and Phosphorescence)
*Phosphors
Photocathodes
*Photocells
Photoconductivity
Photodiodes
Photoelectricity
*Photoemission
*Photogrammetry
Photography
Photometers
Photomultipliers
*Phototubes
Piezoelectricity
Planetary Science
Plasma Research
Plasmas
*Plastics
*Polarimeters
*Polarography
Polymers
Precipitators
Pressure Techniques and Measurements (see also High Pressure Techniques)
*Projectiles
Properties of Materials
Proportional Counters
*Pulse Shaping
*Pumps
Purification of Materials
Radiation Damage
*Radiation Detectors
Radiation Measurements
Radiation Monitors
*Radio Engineering Techniques
Radioactive Techniques
Radiofrequency Techniques
Raman Scattering
*Recorders
Safety
Sample Preparation
*Sampling Devices
Scintillation Counters
*Scintillation Measurements
*Scintillators
Secondary Emission
*Seismographs
Semiconductors
Servos
Shock Tubes
Shock Waves
Solid Angles
Solid State
Solid State Detectors (see also Particle Detectors)
Solid State Research
Solutions
Space Research
Spark Chambers
Sparks
Specific Heats
Spectrophotometry
Spectroscopy: Beta Ray
Spectroscopy: Crystal
*Spectroscopy: Electron Absorption
*Spectroscopy: Electron Paramagnetic
Spectroscopy: Gamma Ray
*Spectroscopy: Infrared
Spectroscopy: Magnetic
Spectroscopy: Mass (see Mass Spectrometry)
Spectroscopy: Microwave (see Microwave Spectroscopy)
*Spectroscopy: Neutrons
Spectroscopy: Nuclear (see Nuclear Spectroscopy)
Spectroscopy: Optical
*Spectroscopy: Raman
*Spectroscopy: Scintillation
Spectroscopy: Ultraviolet
Sputtering
Statistics
Superconducting Magnets
Superconductivity
Surface Phenomena
*Surface Tension
Surfaces
Telemetry
Temperature Measurements and Control
Theory
Thermal Analysis
Thermal Conductivity
*Thermal Expansion
Thermistors
*Thermodynamics
Thermoelectricity
Thermometry
Thermostats
*Thickness Gauges
Time Measurements
Torque
Transducers
Transistors
Triboelectricity
Ultrasonics
Ultraviolet Techniques
Vacuum Gauges
Vacuum Pumps
Vacuum Techniques
Vapor Pressure
Valocity Selectors
Vibrations
Viscosity
*Volume
Waveforms
*Weighing
Xerography
X-Ray Diffraction
X-Ray Techniques
X-Ray Tubes

* No entries under this heading in 1967.

Analytical Subject Index to Volume 38

A subject category listing follows. In cases of more than one article per subject category the articles are entered in order of appearance in the Journal. (N) refers to Notes, (E) refers to Erratum, and (L) refers to Letters to the Editor.

Accelerometers

Interference accelerometer, C. F. Bruce—1090

Acoustics

Electric response of lead zirconate titanate ceramics to temperature fluctuations, George C. Maling and Uno Ingard—431(N)

Design of a sonic pressure gauge, Denis U. Noiseux and Gideon Maidanik—1229

Digital pulse-shape analysis of repetitive and nonrepetitive pulses, S. W. Marshall and R. A. Pruitt—1622

Adsorption

Calorimeter for simultaneous measurement of thermal properties and dimensional changes, A. A. Antoniou and G. G. Litvan—1641

Aerodynamics (see also Gas Dynamics)

Rotational displacement transducer, Jonathan E. Slater and Vadilal J. Modi—1576
Use of pulsed laser to study smoke distribution in jet, Igor J. Eberstein—1665(N)

Aerosols

Electrostatic aerosol sampler for light and electron microscopy, Benjamin Y. H. Liu, Kenneth T. Whitby, and Henry H. S. Yu—100
Experimental arrangement for comparison of the optical and physical characteristics of particulate smokes, D. C. Vogel, R. R. Circle, and R. S. Powell—499
Production of monodisperse sprays, E. K. Dabora—502
Oil-smoke generator for use at elevated pressures, E. J. Roschke—686
Flame ionization-pulse aerosol particle analyzer (FIPAPA), Walter L. Crider and Arthur A. Strong—1772

Anemometers

Ion tracer anemometer for the measurement of low density air flow, Pedro Lilienfeld, Leonard R. Solon, and Hugo J. DiGiovanni—405
Feedback control theory for constant-temperature hot-wire anemometers, Peter Freymuth—677

Astronomy

Scanner for short sections of magnetic recording tape, Halvard Torgersen—1788

Atomic Beams (see also Molecular Beams)

The use of a quartz contained discharge in atomic tritium experiments, B. S. Mathur—1536(N)

Balances

Effects of microbalance buoyancy measurements at 75°K for argon and helium, John D. Ferchak—273(N)
Buoyancy microbalance for measuring gas densities, Richard M. Tisinger—547
Low friction air supported pulley and its use in floating wire measurements, V. R. W. Edwards and A. E. Osborne—806
Quartz fiber ultramicrobalance for microgram loads, J. Skelly—985(N)
Continuously recording strain gauge thermobalance, R. E. Latta, J. T. Bittel, and G. B. Hadesty—1667(N)
Vacuum microbalance for 77.3°K operation, R. J. Whitefield and J. J. Brady—1670(N)
Simple thermal-gravimetric apparatus, J. J. Byerley—1675(N)

Ballistics

Laser determination of projectile position during ballistic experiments, D. J. Collins, A. C. Charters, and D. K. Sangster—1076

Beam Monitors

Particle-beam profiling system, Robert E. Gilmer, Franklin D. Neu, Robert J. Sprafka, and Joseph E. Strople—375
Precision dosimetry system suited for low temperature radiation damage experiments, H. H. Andersen, C. C. Hanke, and H. Sørensen—511

Beam Separators

Magnetic slit, H. Brechna and J. Cobb—1289

Biophysical Instruments

Improved electromagnetic flowmeter, Bohdan Balko and Robert L. Berger—129(N)
Nanosecond fluorimeter, Lee Hundley, Tim Coburn, and Lubert Stryer—488
Period integrating device for measurement of rapidly varying count rates, Cassimer Kukla—804
Ultramicrotome for hard tissue, A. P. Murphy, G. L. McNeil, and R. J. Neal—921
Automatic acceleration and speed control for an analytic ultracentrifuge, Alfred A. Windsor, Thomas H. Rich, Robert E. Doyle, and Frank T. Lindgren—949
Device to measure the voltage-current relations in biological membranes, Richard Conley La Force—1225
Modulated optical null spectrophotometer for flash excitation reactions, Maurice Green and Gordon Tollin—1316
Automatic sequence and photo control system for simultaneous ultracentrifugation in the analytical ultracentrifuge, Edward R. Garrett and Rafael Cazali—1463

Bolometers

Fast carbon bolometer for observing thermal pulses, W. C. Cannon and M. Chester—318

Book Reviews

Stroboscopes for Industry and Research, by J. Rutkowski—reviewed by Harold E. Edgerton—144
Computer Dictionary and Handbook, by Charles J. Sippl—reviewed by John E. Denes—296
Introduction to Laser Physics, by Bela A. Lengyel—reviewed by Robert N. Hall—296
Applied Optics and Optical Engineering, Vol. II. The Detection of Light and Infrared Radiation, edited by Rudolf Kingslake—reviewed by Harry D. Polster—298
Progress in Optics, Vol. V, edited by E. Wolf—reviewed by W. L. Hyde—298
An Introduction to Coherent Optics and Holography, by George W. Stroke—reviewed by Mark Sakitt—449
Applied Optics and Optical Engineering, Vol. III, Optical Components, by Rudolf Kingslake—reviewed by Robert B. Tackaberry—450
Laser Receivers, by Monte Ross—reviewed by William T. Lynch—450
The Revised Course in Industrial Instrument Technology, by J. T. Miller—reviewed by H. L. Armstrong—1548

Bridges

Harmonic bridge for measurement of nonlinear electric and electrooptic properties of crystals, Homer Fay—197
Simple bridge for pulsed nuclear magnetic resonance, K. R. Jeffrey and R. L. Armstrong—634
Simplified bridge system for measurement of internal friction and fractional variations of Young's modulus at kilohertz frequencies, Robert H. Saul and Charles L. Bauer—1449

Bubble and Cloud Chambers

Velocity determination in bubble chambers, Walter H. Barkas—425
Critically damped oscillatory linear induction engine for driving a bubble chamber valve, Donald G. Coyne and Joe H. Mullins—681
Cosmic rays as a high-energy particle source, E. W. Cowan and M. K. Moe—874
Contribution of small angle nuclear scattering to error formulae in bubble chamber analysis, William B. Johnson—1602

Bubbles

Device to produce crystallographic bubbles in solids, M. Ohring and K. L. Tai—563(N)

Calorimeters

Calibration and use of germanium resistance thermometers for precise heat capacity measurements from 1 to 25°K. High purity copper for interlaboratory heat capacity com-

parisons, Darrell W. Osborne, Howard E. Flotow, and Felix Schreiner—159
Automatically controlled adiabatic reactor for reaction rate studies, S. R. Dyne, D. Glasser, and R. F. King—209
Effect of thermal shocking on Minco model S1059 platinum resistance thermometers, F. D. Gehring and B. C. Gerstein—280(N)
Double mechanical heat switch for calorimetry below 1°K, J. Ancsin and J. L. G. Lamarche—368
Precision flow-microcalorimeter, P. R. Stoesser and S. J. Gill—422
Differential calorimetry of thermally induced processes in solution, Raymond Danforth, Henry Krakauer, and Julian M. Sturtevant—484
Precision dosimetry system suited for low temperature radiation damage experiments, H. H. Andersen, C. C. Hanke, and H. Sørensen—511
Crystal thermometer calorimeter, James E. Gardner, John S. Riney, and William H. Wade—652
Low-temperature liquid-vapor deformation calorimeter, A. Wolfenden and A. S. Appleton—826
Solution calorimeter with Peltier cooling for operation at constant temperatures, Fouad Kanbour and Michael J. Joncich—913
Measurement of Thomson heat in metallic systems, G. M. Maxwell, J. N. Lloyd, and D. V. Keller, Jr.—1084
Specific heat determinations by pulse calorimetry utilizing a digital voltmeter for data acquisition, Thomas G. Kollie—1452
Calorimeter for simultaneous measurement of thermal properties and dimensional changes, A. A. Antoniou and G. G. Litvan—1641
Use of pure copper as a standard substance for low temperature calorimetry, Douglas L. Martin—1738
Pyroelectric laser calorimeter, Robert W. Astheimer and Robert E. Buckley—1764
Two-compartment bomb for calorimetric combustions, Jack L. Settle, Elliott Greenberg, and Ward N. Hubbard—1805(N)
Technique for obtaining uniform, pinhole-free gold surfaces on the inside of metal containers, James D. Nutter, Robert Redman, and Nelson C. Scholl—1812(N)

Cameras

Circular sweep camera, L. E. Prescott—631

Centrifuges

Automatic acceleration and speed control for an analytic ultracentrifuge, Alfred A. Windsor, Thomas H. Rich, Robert E. Doyle, and Frank T. Lindgren—949
Automatic sequence and photo control system for simultaneous ultracentrifugation in the analytical ultracentrifuge, Edward R. Garrett and Rafael Cazali—1463

Čerenkov Counters

Comments on "Efficient light coupler for threshold Čerenkov counters," S. L. Linder and J. H. Jackson—709(L)

Chemistry

High pressure (~4 kbar) high vacuum apparatus for synthesis and separation of volatile and solid materials, J. J. Moscony, R. I. Harker, and A. G. MacDiarmid—138(N)
Apparatus for determination of interaction virial coefficients in systems containing condensables, C. M. Knobler—184
Automatically controlled adiabatic reactor for reaction rate studies, S. R. Dyne, D. Glasser, and R. P. King—209
Laboratory technique for making Kel-F test tubes, J. Soriano, S. Tandlich, and J. Shamir—282(N)
Precision flow-microcalorimeter, P. R. Stoesser and S. J. Gill—422
Computer assisted identification of mass spectrometric, flash filament signals, Bruce McCarroll—444(N)
Differential calorimetry of thermally induced processes in solution, Raymond Danforth, Henry Krakauer, and Julian M. Sturtevant—484
^{15}N target for electron scattering, E. B. Dally and M. Croissiaux—646
Tandem isotope separator-mass spectrometer for the study of ionic collision processes, T. F. Moran and L. Friedman—668
Speed controller for laboratory motor, William K. Rohwedder—701(N)
Refinement of lanthanum hexaboride for cataphoretic deposition on rhenium, L. J. Favreau and D. F. Koenig—841(N)
Apparatus to determine excess molar volumes. Application to the H_2-N_2 mixture, G. Mastinu—1114
Modifications of an A-60 spectrometer for nuclear relaxation studies of chemically-shifted protons, J. E. Anderson, J. Steele, and A. Warnick—1139
Sensitive linear flowing-stream photometer for amino acid analyzers, Paul B. Hamilton—1301
Modulated optical null spectrophotometer for flash excitation reactions, Maurice Green and Gordon Tollin—1316
High precision magnetic float densimeter, Frank J. Millero, Jr.—1441
Square wave dissociation field effect apparatus, Dennis T. Rampton, Lloyd P. Holmes, David L. Cole, Ronald P. Jensen, and Edward M. Eyring—1637
Continuously recording strain gauge thermobalance, R. E. Latta, J. T. Bittel, and G. B. Hadesty—1667(N)
Simple chamber for production of ESR study of radicals in powders, formed by bombardment with small reactive species, J. N. Herak—1669(N)
Simple thermal-gravimetric apparatus, J. J. Byerley—1675(N)
Recording method for studying the kinetics of gas producing reactions, Abraham Wilson—1757
Two-compartment bomb for calorimetric combustions, Jack L. Settle, Elliott Greenberg, and Ward N. Hubbard—1805(N)

Circuits: Amplifiers

New shunt-series nanosecond pulse amplifier, J. K. Millard—169
Impedance-transformation circuit for operation at 4.2°K, B. B. Snavely and Jan C. Yutzy—703(N)
High resolution Ge(Li) spectrometer for high input rates, M. G. Strauss, I. S. Sherman, R. Brenner, S. J. Rudnick, R. N. Larsen, and H. M. Mann—725
Multicrossover cryotron—a high gain single stage amplifier, V. L. Newhouse, J. L. Mundy, R. E. Joynson, and W. H. Meiklejohn—798
Superconducting parametric amplifier for the measurement of small dc voltages, Roger P. Ries and C. B. Satterthwaite—1203
FET operational amplifiers as fast electrometers, W. H. Wing and T. M. Sanders, Jr.—1341(N)

Circuits: Computing

Reversible precounter for photon counting, W. P. Helman and D. W. Schutt—1286
Solid state gated integrator, W. Gilbert Clark and A. L. Kerlin—1593
Simple method of ratio recording, D. E. Aspnes—1663(N)
Integrator for nanosecond pulses, R. L. Anderson and D. I. Porat—1800(N)

Circuits: Current and Voltage Supply

Transistorized current stabilizer for x-ray tubes with directly heated cathodes, Kenneth W. Yee and Richard D. Deslattes—637
Silicon-controlled rectifier circuitry for producing pulsed magnetic fields, F. Rothwarf, C. O. Bateman, D. Ford, and P. Milke—1241

Circuits: Current and Voltage Supply (continued)

Ultrastable voltage source to 10 kV using capacitive feedback, William K. Brookshier—1245

Regulated dc-dc converter provides low standby current for portable radiation survey instruments, R. W. Lakin—1526(N)

Circuits: Miscellaneous

Simple circuit for obtaining rastered oscilloscope displays on Tektronix oscilloscopes, G. F. Marsters and E. Wachsler—276(N)

Geiger counter current-limiting circuit, Sidney Singer—443(N)

Apparatus for guarded polarization measurements, Robert W. Vest and Henry C. Graham—661

Automatic range marker for strip chart recorder, J. Fischler—704(N)

Photomultiplier gate for stimulated-spontaneous scattering discrimination, Francesco De Martini and Kenneth P. Wacks—866

Simple circuit for Nernst glower control, C. W. Hand—983(N)

Very precise 30 nanosecond linear gate, P. F. Manfredi, P. Maranesi, and A. Rimini—1253

Simple tunnel diode circuit for accurate zero crossing timing, Arthur J. Metz—1445

Solid state drive circuit considerations for paper-tape punches, Charles Edwin Cohn—1662(N)

Photocathode protection circuit, Richard L. Ensminger and Robert F. Howarth—1798(N)

Temperature controller for thermoluminescence studies, Robert A. Wolf and Merle L. Bowser—1806(N)

Circuits: Oscillator and Pulse Generator

Extremely small and simple pulse generator for injection lasers, Walter Koechner—17

Fast high current pulse generator, T. W. Pearce, A. K. Hochberg, and T. O. Poehler—835(N)

High-repetition-rate burst pulser, G. Donald Paxson—1137

Pulse generator for studying transients in plasma lasers, F. M. Shofner and J. F. Pierce—1173(N)

Square wave dissociation field effect apparatus, Dennis T. Rampton, Lloyd P. Holmes, David L. Cole, Ronald P. Jensen, and Edward M. Eyring—1637

Circuits: Pulse Height Analyzer

Manual data entry for multichannel analyzer system, Albert E. Evans—980(N)

Wide-range multi-input pulse height recording system, Russ Humphreys—1123

Effect of "baseline restoration" on signal-to-noise ratio in pulse amplitude measurements, Veljko Radeka—1397

Digital pulse-shape analysis of repetitive and nonrepetitive pulses, S. W. Marshall and R. A. Pruitt—1622

Combustion

Mixing system for shock tube combustion drivers, A. L. Morsell and R. Watson—282(N)

Computing Devices and Techniques

Analytic solution to x-ray transmission coefficient in special geometries for testing computer programs, Kerro Knox and Ira Katz—289(N)

Abel integral inverter, Richard O. Sirola and Thomas P. Anderson—749

Photographically rectifying Weissenberg films, Berton Greenberg—917

Simple storage-oscilloscope displays for small laboratory computers, Charles Erwin Cohn—984(N)

Simulation of nucleonic cascades as a means of studying fluctuations, John Linsley—1268

Gravity gradiometer computer model for simulated gradient contour mapping, David Berman—1433

Digital reciprocal function generator, E. H. Christy, Jr.—1525(N)

Cosmic Rays

Pioneer VI detector to measure degree of anisotropy of cosmic radiation in energy range 7.5–90 MeV/nucleon, W. C. Bartley, K. G. McCracken, and U. R. Rao—266

Cosmic rays as a high-energy particle source, E. W. Cowan and M. K. Moe—874

Wide-range multi-input pulse height recording system, Russ Humphreys—1123

Simulation of nucleonic cascades as a means of studying fluctuations, John Linsley—1268

Effects of high energy radiations on noise pulses from photomultiplier tubes, Roderick L. Jerde, Laurence E. Peterson, and Wayne Stein—1387

Proportional counters and electronic systems for observing cosmic x rays, G. Chodil, Hans Mark, R. M. Rodrigues, C. Rowe, and C. D. Swift—1508

Large area time-of-flight counter system, R. J. Stefanski, R. K. Adair, H. Kasha, and R. C. Larsen—1792(N)

Counters

Water vapor counter for tritium measurements, T. Takahashi and T. Hamada—988(N)

Reversible precounter for photon counting, W. P. Helman and D. W. Schutt—1286

500 MHz ring counter, Z. C. Tan—1415

Proportional counters and electronic systems for observing cosmic x rays, G. Chodil, Hans Mark, R. M. Rodrigues, C. Rowe, and C. D. Swift—1508

Cyrogenics (see also Low Temperature Techniques)

Double mechanical heat switch for calorimetry below 1°K, J. Ancsin and J. L. G. Lamarche—368

Use of neon exchange gas for precooling ^{3}He cryostats, John N. Kidder—555(N)

Long duration cooling using open-cycle Joule-Thomson refrigeration, Mark M. Rochkind—1171(N)

Use of a Joule-Thomson refrigerator for neutron diffraction at liquid nitrogen temperatures, P. Coppens, J. Godel, and T. M. Sabine—1333(N)

Closed-cycle refrigeration of 1.85°K, S. C. Collins, R. W. Stuart, and M. H. Streeter—1654

Cryostats

Device for converting helium Dewar into continuous temperature cryostat, Benjamin Welber and R. E. Tynan—137(N)

Simple cryostat for neutron diffraction, Joseph T. Sparks, T. Komoto, and William R. Wade—275(N)

Cryostat for color center studies, Theodore J. Neubert and Joseph F. Sydejko—559(N)

Cryostat for studies at ~100 kilobars at liquid helium temperatures, D. N. Lyon, D. B. McWhan, and A. L. Stevens—1234

Use of a Joule-Thomson refrigerator for neutron diffraction at liquid nitrogen temperatures, F. Coppens, J. Godel, and T. M. Sabine—1333(N)

Crystallography

Low temperature sample orienting device with two degrees of freedom, D. J. Sellmyer—434(N)

Crystals

X-ray diffraction and optical observations on crystalline solids up to 300 kilobars, William A. Bassett, Taro Takahashi, and Philip W. Stook—37

Pressure transmitting medium for fragile structure or single crystal, R. G. Brophy, C. A. Hering, K. L. Keating, and W. S. McEwan—135(N)
Acid cutting of single crystal platinum, Y. Ebisuzaki—143(N)
Harmonic bridge for measurement of nonlinear electric and electrooptic properties of materials, Homer Fay—197
Spinning arc zone heater, Roger W. Warren—205
Preparation of thin sections by ion bombardment for transmission electron microscopy, W. M. Hirthe, A. T. Melville, and P. H. Wackman—223
Handy device for crystal cutting, M. Simhony—278(N)
Simple apparatus for high temperature-moderate pressure crystal growth, Sidney G. Parker—283(N)
Analytic solution to x-ray transmission coefficient in special geometries for testing computer programs, Kerro Knox and Ira Katz—289(N)
Effect of high pressure on a strain gauge load cell, J. E. Hanafee and S. V. Radcliffe—328
Goniometer assembly for NQR Zeeman studies, G. E. Peterson and P. M. Bridenbaugh—387
New conical camera for single-crystal orientation by means of x rays, C. Arguello—598
X-ray topographic camera, Gene J. Carron—628
High temperature camera for x-ray topography, Ilan A. Blech, J. Guyaux, and G. Cooper—638
Low temperature cleavage manipulator for LEED apparatus, P. W. Palmberg—834(N)
Useful modifications to the Bond crystal sphere grinder, J. W. Anthony and R. B. Laughon—976(N)
Application of the electron microscope for production of pseudo-Kossel patterns and their use in the determination of lattice constants of a beryllium-4.4 wt% copper alloy, Fred Witt, Victor V. Damiano, and Gilbert London—1069
Design and operation of an electron diffraction camera for the study of small crystalline regions, D. J. H. Cockayne, P. Goodman, J. C. Mills, and A. F. Moodie—1097
Technique for grinding single-crystal spheres of the europium chalcogenides, R. F. Brown, M. C. Franzblau, and J. W. Battles—1179(N)
High temperature Verneuil crystal growth by arc melting, R. W. Bartlett, F. A. Halden, and J. W. Fowler—1313
Elastic strain measurement in the interior of crystalline materials by means of x-ray diffraction, D. W. Bainbridge—1421
Apparatus for combined static and dynamic uniaxial stress, I. Balslev—1528(N)
Automatic control system for crystal growth by the flame fusion method, Ken-Ichi Shiroki—1541(N)
Growing large single crystals with focused light, S. D. Harkness, R. W. Gould, J. J. Hren, and A. M. Sheble—1676(N)
Increasing the accuracy of crystal orientation procedures using the Weissenberg camera, Bi-Cheng Wang and A. W. Cordes—1736
Low temperature sample holder providing two degrees of rotational freedom, J. C. Abele and F. J. Blatt—1810(N)

Data Handling

Computer assisted identification of mass spectrometric, flash filament signals, Bruce McCarroll—444(N)
Semiautomatic data-collection systems for mass spectrometers, P. E. Moreland, Jr., C. M. Stevens, and D. B. Walling—760
Manual data entry for multichannel analyzer system, Albert E. Evans—980(N)
Simple storage-oscilloscope displays for small laboratory computers, Charles Erwin Cohn—984(N)
Proportional counters and electronic systems for observing cosmic x rays, G. Chodil, Hans Mark, R. M. Rodrigues, C. Rowe, and C. D. Swift—1508
Improved internal friction apparatus, J. D. Buch, R. D. Carnahan, J. O. Brittain—1785

Data Processing

High sensitivity zero crossing detector for magnetic resonance lines, J. T. Hickmott, Jr., T. Kushida, and J. C. Murphy—29
Multichannel analyzer system for high sensitivity mass spectrometry, J. W. White—187
Nanosecond fluorimeter, Lee Hundley, Tim Coburn, and Lubert Stryer—488
Electronic reduction of tape recorded partial pressure data, Robert L. Park—562(N)
Extension of Sonograph writing facilities using the storage oscilloscope, Frank T. Bagnall—606
High resolution Ge(Li) spectrometer for high input rates, M. G. Strauss, I. S. Sherman, R. Brenner, S. J. Rudnick, R. N. Larsen, and H. M. Mann—725
Period integrating device for measurement of rapidly varying count rates, Cassimer Kukla—804
Cathode ray film scanner, T. Carides, J. G. Cottingham, A. V. Feltman, A. S. Grossman, L. B. Leipuner, J. G. Marinuzzi, and G. E. Schwender—1425
Enhancement of signal-to-noise ratio in hypersonic measurements by time averaging, B. R. Tittman and H. E. Bömmel—1491
Solid state gated integrator, W. Gilbert Clark and A. L. Kerlin—1593
Digital pulse-shape analysis of repetitive and nonrepetitive pulses, S. W. Marshall and R. A. Pruitt—1622
Scanner for short sections of magnetic recording tape, Halvard Torgersen—1788

Data Recording

Re-entrant hysteresis loop tracer, R. Wolfe and S. E. Haszko—497
Improved displays for measuring powder spectra of complex nonstationary signals, J. F. Kenney, T. K. Deaton, and J. E. Miller—665
Automatic range marker for strip chart recorder, J. Fischler—704(N)
Wide-range multi-input pulse height recording system, Russ Humphreys—1123
Automatic frequency marker to simplify recorded spectra calibration, W. Hill and R. Volpicelli—1166(N)
Apparatus for fatiguing many specimens with automatic recording of individual lifetimes, W. James Lyons—1176(N)
Automated system for measuring and recording angular deflection, Donald Peters and C. C. Herrick—1418
Automatic sequence and photo control system for simultaneous ultracentrifugation in the analytical ultracentrifuge, Edward R. Garrett and Rafael Cazali—1463
New automation technique for constant velocity Mössbauer spectrometers, Robert C. Knauer and James G. Mullen—1624
Solid state drive circuit considerations for paper-tape punches, Charles Erwin Cohn—1662(N)
Simple method of ratio recording, D. E. Aspnes—1663(N)
Continuously recording strain gauge thermobalance, R. E. Latta, J. T. Bittel, and G. B. Hadesty—1667(N)
System for continuous recording of critical current curves of superconductors, R. W. Shaw and H. L. Laquer—1768
Simple method of noise reduction, W. G. Chace, C. V. Fish, and M. A. Levine—1809(N)

Density

Buoyancy microbalance for measuring gas densities, Richard M. Tisinger—547
High precision magnetic float densimeter, Frank J. Millero, Jr.—1441

Dielectrics

Alternating current method of measuring the electrical conductivity of dielectric liquids, Henry E. Fischer and Ralph S. Carson—689(N)
Null method for liquid dielectric measurements from 250 to 1000 MHz, F. I. Mopsik and R. H. Cole—708(N)
Apparatus for making very thin electrets, S. L. Khanna—1175(N)

Drops

Sampling device for liquid droplets, J. H. Nash, G. G. Leither, and F. Grimm—73
Method of producing and measuring charged single droplets, N. R. Lindblad and J. M. Schneider—325
Production of monodisperse sprays, E. K. Dabora—502

Electrical Measurements

Electrical resistance of manganin coil to 7 kbar and 200°C, Chi-yuen Wang—24
Harmonic bridge for measurement of nonlinear electric and electrooptic properties of materials, Homer Fay—197
Electrodeless measurement of resistivities over a very wide range, R. W. Haisty—262
Determining the characteristics of mechanical tuning forks, N. H. Farhat and D. G. Sthalekar—279(N)
Contactless measurement of resistivity of slices of semiconductor materials, Nobuo Miyamoto and Jun-Ichi Nishizawa—360
Measurement of contact resistance, Robert Russakoff and Robert F. Snowball—395
Instrument for continuous measurement of internal resistance of voltaic cells during discharge, Robert P. Clark and Efstratios D. Zaffery—492
Simple mercury drop electrode for MOS measurements, Gerald Abowitz and Emil Arnold—564(N)
Charge measurements on insulating particles by the use of a photoconducting electrode, W. Kottler, H. Krupp, and H. Rabenhorst—589
Elimination of Volta-potential noise from plate field mills, Karl Knott—602
Bridge network for measuring very small impedances from 4.2 to 300°K with a null-detector sensitivity of 10^{-11} volt, C. K. Bak and E. Dalsgaard—649
Apparatus for guarded polarization measurements, Robert W. Vest and Henry C. Graham—661
Alternating current method of measuring the electrical conductivity of dielectric liquids, Henry E. Fischer and Ralph S. Carson—689(N)
Probing technique for measuring the potential distribution in semiconductors, H. H. Lehner—699(N)
Principles, current practice, and applications of potentiometers based on Poggendorff's second method, Abraham Abramowitz—898
Method for checking electrical continuity in redundant circuits, L. Rachal and E. Stofel—986(N)
Metal chamber for the measurement of the temperature dependence of conductivity and the thermoelectric power of organic semiconductors, V. Hádek and K. Ulbert—991(N)
Electron emissive surface electric field meter, Howard S. Ogawa, J. M. Sellen, Jr., and Robert K. Cole—1117
Superconducting parametric amplifier for the measurement of small dc voltages, Roger P. Ries and C. B. Satterthwaite—1203
Device to measure the voltage-current relations in biological membranes, Richard Conley La Force—1225
FET operational amplifiers as fast electrometers, W. H. Wing and T. M. Sanders, Jr.—1341(N)
Eddy current method for low temperature resistivity measurements, Melvin D. Daybell—1412
Simple feedback electrostatic voltmeter with a transparent probe, Paul Nielsen—1486
Continuous measurement of concentration using a highly stabilized reactance meter, Akira Kakimoto and Bunjiro Ichijo—1516
Current measurement in high-voltage radio frequency plasma discharges, A. S. Penfold and R. C. Warder, Jr.—1533(N)
AC method for the determination of photoelectron energy distributions, Ranga Nathan and C. H. B. Mee—1783
Electrical termination techniques for low temperature applications, Donald R. Zrudsky—1803(N)
Nanohm resistance joints to aluminum, David Atherton—1805(N)

Electrochemistry

Cell for *in situ* study of electrode kinetics of strained wires, R. G. Raicheff—919

Electrolytes

Rotating disk thermocell. II. Experimental, B. R. Sundheim and W. Sauerwein—229
Instrument for continuous measurement of internal resistance of voltaic cells during discharge, Robert P. Clark and Efstratios D. Zaffery—492

Electrometers and Electrometer Circuits

Balanced dynamic capacitor electrometer, J. H. Fermor and A. Kjekshus—771
Simple feedback electrostatic voltmeter with a transparent probe, Paul Nielsen—1486

Electron Diffraction

Electron microprobe and electron diffraction analysis of surface replica extractions, W. B. Estill, M. M. Robertson, and G. H. Conrad—481
Low temperature cleavage manipulator for LEED apparatus, P. W. Palmberg—834(N)
Design and operation of an electron diffraction camera for the study of small crystalline regions, D. J. H. Cockayne, P. Goodman, J. C. Mills, and A. F. Moodie—1097

Electron Energy Analyzers

Electron monochromator design, C. E. Kuyatt and J. Arol Simpson—103
Time-of-flight electron velocity spectrometer, G. C. Baldwin and S. I. Friedman—519
Charged particle transmission through spherical plate electrostatic analyzers, F. R. Paolini and G. C. Theodoridis—579
Nanosecond time-of-flight studies of electronics, M. Y. Nakai, D. A. LaBar, J. A. Harter, and R. D. Birkhoff—820
Cylindrical capacitor as an analyzer I. Nonrelativistic part, H. Z. Sar-el—1210

Electron and Ion Optics

Electron monochromator design, C. E. Kuyatt and J. Arol Simpson—103
Focusing of charged particles with hemispherical grids, R. Reynolds and F. Scherb—348
Two directional beam convergence by sector shaped uniform magnetic field, Hirohiko Ezoe—390, 1547(E)
Technology of intense dc ion beams, O. B. Morgan, G. G. Kelley, R. C. Davis—467
Charged particle transmission through spherical plate electrostatic analyzer, F. R. Paolini and G. C. Theodoridis—579
Characteristics of a low energy duoplasmatron negative ion source, W. Aberth and J. R. Peterson—745
Low friction air supported pulley and its use in floating wire measurements, V. R. W. Edwards and A. E. Osborne—806
Nanosecond time-of-flight studies of electrons, M. Y. Nakai, D. A. LaBar, J. A. Harter, and R. D. Birkhoff—820

Magnetic steering device for electron coincidence experiments, R. L. Watson, J. O. Rasmussen, H. R. Bowman, and S. G. Thompson—905
Magnetic effects on the transmission of electrons through an aperture and their application to the retarding-potential-difference technique, N. Anderson, P. P. Eggleton, and R. G. W. Keesing—924
Retardation lens used to improve the abundance sensitivity of a mass spectrometer, N. J. Freeman, N. R. Daly, and R. E. Powell—945
Quadrupole magnetic lens using permanent ceramic magnets, J. W. Jagger and P. J. Riley—955
Design and operation of an electron diffraction camera for the study of small crystalline regions, D. J. H. Cockayne, P. Goodman, J. C. Mills, and A. F. Moodie—1097
Cylindrical capacitor as an analyzer I. Nonrelativistic part, H. Z. Sar-el—1210
Magnetic slit, H. Brechna and J. Cobb—1289
Application of Fermat's principle to magnetic spectrometers, Paul Bounin—1305
Focusing properties of magnetic laminas and their applications to the microtron, A. Campolattaro and F. Porreca—1322
Mattauch-Herzog type mass spectrograph with corrected β-dependent image defects for all masses, Isao Takeshita—1361
Transmission of electrons through an aperture and its application to the RPD technique, N. Anderson and P. P. Eggleton—1524(N)
Quadrupole magnet misalignment tolerances, Philip F. Meads, Jr.—1752

Electron Microprobes

Electron microprobe and electron diffraction analysis of surface replica extractions, W. B. Estill, M. M. Robertson, and G. H. Conrad—481
Cathodoluminescence detector for the Applied Research Laboratories electron microprobe, E. J. Saller—837(N)
Automatic stepping shutter system for preparing standard thin films for electron microprobe analysis, James P. Smith and Ralph F. Tenny—1523(N)

Electron Microscopy (see also Field Emission Microscopy and Field Ion Microscopy)

Technique for selected area replication of surfaces, George A. Savanick—43
Thinning of polycrystalline MgO for transmission electron microscopy, T. G. Langdon—125(N)
Preparation of thin sections by ion bombardment for transmission electron microscopy, W. M. Hirthe, A. T. Melville, and P. H. Wackman—223
Optical diffractometer for production of Fourier transforms of electron micrographs, J. E. Berger and D. Harker—292(N)
Ultrathin Al_2O_3 support films for electron microscopy, J. Varon, J. Schiavo, and T. P. Janus—691(N)
Controlled jet polishing of specimens for transmission electron microscopy, C. K. H. DuBose and J. O. Stiegler—694(N)
Application of the electron microscope for production of pseudo-Kossel patterns and their use in the determination of lattice constants of a beryllium-4.4 wt% copper alloy, Fred Witt, Victor V. Damiano, and Gilbert London—1069
Immersed double-jet technique for electrothinning tungsten for transmission electron microscopy, Robert L. Ladd and Robert C. Rau—1162(N)
Method for producing disk shaped specimens, C. W. Fountain—1329(N)
Compact 60 kV UHV electrical feedthrough, E. G. Burroughs—1330(N)
New technique for high magnification calibration of an electron microscope, Charles F. Cook, Jr.—1430
Preparation of thin foils for electron microscopy by a rotating PTFE holder, Ivan L. Caplan—1489

Electron Multipliers

Single-electron response to a porous KCl transmission dynode and application of Polya statistics to particle counting in an electron multiplier, L. A. Dietz, L. R. Hanrahan, and A. B. Hance—176
Use of Polya statistics in investigations of secondary electron yields from target surfaces, L. A. Dietz—1332(N)
Detection efficiency of a continuous channel electron multiplier for positive ions, Clifford N. Burrows, Albert J. Lieber, and Vladimir T. Zaviantseff—1477
Aging and rejuvenation of electron multipliers, W. H. Wright—1802(N)

Electron Paramagnetic Resonance

Variable temperature EPR cryostat cavity, J. A. Weil, P. Schindler, and P. M. Wright—659
Simple method for measuring the dispersion mode of a paramagnetic sample, W. Louis Barrett, Jr., and Robert L. Cooper—832(N)
Stark-modulated gas phase electron resonance cavity, Alan Carrington, Donald H. Levy, and Terry A. Miller—1183(N)

Electron Sources

Electron emitter for use in oxidizing atmospheres, D. MacNair—124(N)
Nanosecond time-of-flight studies of electrons, M. Y. Nakai, D. A. LaBar, J. A. Harter, and R. D. Birkhoff—820
Refinement of lanthanum hexaboride for cataphoretic deposition on rhenium, L. J. Favreau and D. F. Koenig—841(N)
High temperature indirectly heated cathode structure, J. T. Jensen, Jr., J. Klebanoff, and G. A. Haas—1178(N)

Electron Spin Resonance

High temperature electron spin resonance probe, D. A. Giardino and L. Petrakis—1180(N)
Characteristics of traveling wave helices in ESR spectrometers, Michael Reisman Pearlman and Robert H. Webb—1264
Simple chamber for production of ESR study of radicals in powders, formed by bombardment with small reactive species, J. N. Herak—1669(N)

Electroplating

Technique for obtaining uniform, pinhole-free gold surfaces on the inside of metal containers, James D. Nutter, Robert Redman, and Nelson C. Scholl—1812(N)

Energy Losses

Nanosecond time-of-flight studies of electrons, M. Y. Nakai, D. A. LaBar, J. A. Harter, and R. D. Birkhoff—820

Energy Transfer

Production of large electric pulses by explosive magnetic field compression, R. L. Conger, J. H. Johnson, L. T. Long, and J. A. Parks—1608

Evaporation (see also Films)

Use of simultaneous vaporizing of two substances to obtain thin films, Roland Gerber—77
An ac electron bombardment technique for vacuum deposition of carbon, C. W. Kazmierowicz and G. E. Myers—560(N)
Superconducting homogeneous InTl and PbBi films evaporated from a single source, L. Kopf—734
Bell jar protection in vacuum metallizing, Jack Hohenstein—1170(N)
Device for metering a variety of metals for high-vacuum "flash" evaporation, R. J. Stirn and W. A. Hermann—1522(N)
Vacuum microbalance for 77.3°K operation, R. J. Whitefield and J. J. Brady—1670(N)
Gelatin-free ion-sensitive plates for mass spectrography, R. E. Honig, J. R. Woolston, and D. A. Kramer—1703

Evaporators

Electro-optical substrate position indicator for ultrahigh vacuum applications, W. F. Chambers and R. B. Roe—700(N)
Resistance heated sublimator, K. A. Warren, D. R. Denison, and D. G. Bills—1019
Variable temperature, rotating substrate for vacuum deposition, Jack Hohenstein—1168(N)

Exploding Wires

First pulse in exploding wires, F. D. Bennett—293(L)

Explosives

Production of large electric pulses by explosive magnetic field compression, R. L. Conger, J. H. Johnson, L. T. Long, and J. A. Parks—1608

Faraday Effect

Optical isolator for near infrared, L. G. DeShazer and E. A. Maunders—248
Microscope for observing magneto-optic rotation at low temperatures, K. J. Carroll, D. H. Liebenberg, and W. C. Overton—260
Faraday effect hysteresigraph, J. W. Beck—1031

Fatigue

Hysteresis loop measurement during fatigue testing at 30 Hz, A. L. Sweet, T. Topper, and G. R. Daugherty—1540(N)

Field Emission

Molecular beam sources for vapor deposition on field emitter substrates, R. D. Gretz—112

Field Ion Microscopy (see also Electron Microscopy)

Fiber optics in field ion microscopy, J. J. Hren and R. W. Newman—869

Films

Measurement of microgram surface densities by observation of proton produced x rays, L. J. Christensen, J. M. Khan, and W. F. Brunner—20
Use of simultaneous vaporizing of two substances to obtain thin films, Roland Gerber—77
Method for mounting thin films without substrates, F. T. Wooten—124(N)
Casting Formvar films on water, J. Merritt and E. J. Agazzi—127(N)
Interferometer jig for film thickness measurement, Osamu Uyeda—277(N)
Comment on "Thickness measurements of sharp thin film steps," [Glenn C. Bailey, Rev. Sci. Instr. **37**, 1260 (1966)], Jean M. Bennett—294(L)
Measuring of outgassing in a sputtering bell jar, William Weintraub—442(N)
An ac electron bombardment technique for vacuum deposition of carbon, C. W. Kazmierowicz and G. E. Myers—560(N)
Ultrathin Al_2O_3 support films for electron microscopy, J. Varon, J. Schiavo, and T. P. Janus—691(N)
Superconducting homogeneous InTl and PbBi films evaporated from a single source, L. Kopf—734
Method for preparing thin self-supporting Pb films, A. Imbusch—974(N)
Resistance heated sublimator, K. A. Warren, D. R. Denison, and D. G. Bills—1019
Faraday effect hysteresigraph, J. W. Beck—1031
Measurement of film thickness using infrared interference, D. J. Dumin—1107
Duoplasmatron ion beam source for vacuum sputtering of thin films, K. L. Chopra and M. R. Randlett—1147
Ultrahigh vacuum high temperature substrate heater, C. T. Naber—1161(N)
Measurement of strain and velocity of ultrasonic surface waves, R. J. Serafin, D. Fryberger, and M. Epstein—1395
Automatic stepping shutter system for preparing standard thin films for electron microprobe analysis, James P. Smith and Ralph F. Tenny—1523(N)
Low power, self heated glass substrate, J. F. O'Hanlon and R. R. Haering—1542(N)

Flames

Flame ionization-pulse aerosol particle analyzer (FIPAPA), Walter L. Crider and Arthur A. Strong—1772

Flash Techniques

Computer assisted identification of mass spectrometric, flash filament signals, Bruce McCarroll—444(N)
Modulated optical null spectrophotometer for flash excitation reactions, Maurice Green and Gordon Tollin—1316
Fast vacuum-uv light source for gas phase flash photolysis, K. H. Welge, J. Wanner, F. Stuhl, and A. Heindrichs—1728

Flow Studies

Light probe for measurement of turbulent concentration fluctuations, James O. Nye and Robert S. Brodkey—26
Improved electromagnetic flowmeter, Bohdan Balko and Robert L. Berger—129(N)
Oil-smoke generator for use at elevated pressures, E. J. Roschke—686
Observed behavior of a thermistor bead flow meter, M. T. Pigott and R. C. Strum—743

Fluorescence and Phosphorescence

Nanosecond fluorimeter, Lee Hundley, Tim Coburn, and Lubert Stryer—488
Cathodoluminescence detector for Applied Research Laboratories electron microprobe, E. J. Saller—837(N)
Method of light chopping for phosphoroscopes, Bernard A. Baldwin and Henry W. Offen—1164(N)
Remarks on the adjustment of energy-compensated spectrofluorometers, J. G. Becsey and Karl Scheller—1793(N)

Foils

Preparation of thin self-supporting beryllium foils, H. Oona and D. G. Rickel—980(N)
Preparation of thin foils for electron microscopy by a rotating PTFE holder, Ivan L. Caplan—1489

Freezing

Acoustic technique for use in some solidification rate studies, J. A. Bailey and A. Dula—535

Frequency Measurements

Phase-locked frequency multiplier, I. K. Harvey—1467
System for measuring frequencies up to 345 GHz, D. Mergerian and D. A. Bozanic—1662(N)

Friction (see also Internal Friction)

Low friction air supported pulley and its use in floating wire measurements, V. R. W. Edwards and A. E. Osborne—806
Improved internal friction apparatus, J. D. Buch, R. D. Carnahan, and J. O. Brittain—1785

Furnaces

System for fast temperature changes and high temperature stability, Luis A. Boschi and Carlos A. Pampillo—116
Resistance heated sublimator, K. A. Warren, D. R. Denison, and D. G. Bills—1019

Image furnace for low yield nuclear weapons effects simulation, Neil Griff, Robert J. Heilferty, and Willard L. Derksen—1217
High temperature Verneuil crystal growth by arc melting, R. W. Bartlett, F. A. Halden, and J. W. Fowler—1313
Thermal gradient apparatus for use in a glovebox, D. F. Fischer and M. G. Chasanov—1574
High-temperature sample cell for the Kratky small-angle x-ray camera, H. Brumberger and N. G. Alexandropoulos—1579

Gas Analysis Techniques

Detection of hydrogen in air by means of alkali ion current from hot palladium, Stuart W. Hoenig, Charles W. Carlson, and Jay Abramowitz—92
Microwave method for planetary atmosphere research, L. Frenkel—557(N)
Shock tube-TOF mass spectrometer apparatus with cryosorption pumping, P. R. Ryason—607

Gas Discharges

Ion tracer anemometer for the measurement of low density air flow, Pedro Lilienfeld, Leonard R. Solon, and Hugo J. DiGiovanni—405
Characteristics of a low energy duoplasmatron negative ion source, W. Aberth and J. R. Peterson—745
The use of a quartz contained discharge in atomic tritium experiments, B. S. Mathur—1536(N)
Operating parameters of dc-excited He-Ne gas lasers, R. L. Field, Jr.—1720

Gas Dynamics (see also Aerodynamics)

High intensity nozzle beam source for use in molecular total cross section measurements, J. G. Skofronick—1628

Gas Handling and Measurements

Apparatus for determination of interaction virial coefficients in systems containing condensables, C. M. Knobler—184
Multiple gas selector system for accelerator ion source, Albert E. Evans, Donald G. Simons, and Bernard Brown—228
'lane layer type apparatus for gas thermal conductivity measurements, William P. Teagan and George S. Springer—335, 842(E)
Microvolumetric measurements with an automatic Toepler pump, Russell N. Dietz—419
Buoyancy microbalance for measuring gas densities, Richard M. Tisinger—547
Nonreactive gas sampling pump, W. D. Komhyr—981(N)
Apparatus to determine excess molar volumes. Application to the H_2-N_2 mixture, G. Mastinu—1114
Valve for precise pipetting of small amounts of gases, Rudolf H. Bieri and Minoru Koide—1159(N)
Some factors affecting the sensitivity of a thermistor pressure gauge, P. E. McElligott and R. W. Roberts—1182(N)
Design of a sonic pressure gauge, Denis U. Noiseux and Gideon Maidanik—1229
Outgassing of manometric liquids in vacuum, V. J. Tekippe and K. G. Ramanathan—1339(N)
Sensitive differential pressure gauge for corrosive gases, Harvey Blend—1527(N)
Glass bellows manometer for ultrahigh-vacuum devices for a range of 1 to 760 Torr, Luis A. Boschi and Eduardo A. García—1610
Recording method for studying the kinetics of gas producing reactions, Abraham Wilson—1757

Geiger Counters

Geiger counter current-limiting circuit, Sidney Singer—443(N)
Design parameters of iodine vapor ultraviolet photon counters, W. E. Kauppila, W. R. Ott, and W. L. Fite—811

Geology

Apparatus for studying gas diffusion, electrical properties, and related phenomena in solids, P. P. Pronko and H. R. Krouse—871
Ring heat source probe for rapid determination of thermal conductivity of rocks, Wilbur H. Somerton and Mohammad Mossahebi—1368

Geophysics

Improved displays for measuring power spectra of complex nonstationary signals, J. F. Kenney, T. K. Deaton, and J. E. Miller—665
Lateral extensometer for brittle materials, Madan N. Singh and Young Sam Kim—769
Bidirectional detector of ultrasonic particle motion in solids, Donald J. Robinson—813

Gravity

Gravity gradiometer computer model for simulated gradient contour mapping, David Berman—1433

Hall Effect

Apparatus for measuring the Hall effect of low-mobility samples at high temperatures, N. Z. Lupu, N. M. Tallan, and D. S. Tannhauser—1658

Heat Capacity

Calibration and use of germanium resistance thermometers for precise heat capacity measurements from 1 to 25°K. High purity copper for interlaboratory heat capacity comparisons, Darrell W. Osborne, Howard E. Flotow, and Felix Schreiner—159

Heat Transfer

Thermostating high power coils, M. S. Freedman, F. T. Porter, and F. Wagner, Jr.—190
Thermal transport across superconducting solder joints near 0.1°K, William A. Steyert, Jr.—964
Fast response sensing element for a frost point hygrometer, Stanley H. Jury, Louis P. Bosanquet, and Young W. Kim—1634

High Altitude Research

Ion tracer anemometer for the measurement of low density air flow, Pedro Lilienfeld, Leonard R. Solon, and Hugo J. DiGiovanni—405
New instrumentation techniques for the measurement of infrasonic and gravity waves, Uri Fehr, B. Ben-Ary, and John D. Ryan—778
Theoretical evaluation of an oscillating mass flow in the modified Moore variometer configuration, Uri Fehr and Carl Gazley, Jr.—1502

High Current Techniques

Small magnetic impact forming device, Ernest Harrison, Jr., and Stephen W. Derbyshire—604

High Energy Techniques

Thin aluminum foil spark chamber spectrometer, T. F. Hoang, G. L. Niemeyer, Jr., J. J. Phelan, and T. H. Groves—861
Cosmic rays as a high-energy particle source, E. W. Cowan and M. K. Moe—874

High Frequency Techniques

Electrical resistance of manganin coil to 7 kbar and 200°C, Chi-yuen Wang—24

High Pressure Techniques (see also Pressure Techniques and Measurements)

X-ray diffraction and optical observations on crystalline solids up to 300 kilobars, William A. Bassett, Taro Takahashi, and Philip W. Stook—37
Hydrostatic and uniaxial pressure generation using Teflon cell container in conventional piston-cylinder device, A. Jayaraman, A. R. Hutson, J. H. McFee, A. S. Coriell, and R. G. Maines—44
Pressure transmitting medium for fragile structure or single crystal, R. G. Brophy, C. A. Hering, K. L. Keating, and W. S. McEwan—135(N)
High pressure (~4 kbar) high vacuum apparatus for synthesis and separation of volatile and solid materials, J. J. Moscony, R. I. Harker, and A. G. MacDiarmid—138(N)
Measurement of the mechanical properties of solids at high pressure, Robert B. Gordon and Leslie F. Mike—541
Technique for obtaining true hydrostatic pressures to 60 kbar, J. Dean Barnett and Charles D. Bosco—957
Study of pressure calibration and pressure distribution in a piston-cylinder high pressure press, Masaaki Tamayama and Henry Eyring—1009
Sound velocity measurements at high pressures, Peter W. Montgomery, Coralie Montgomery, David A. Wald, and Jack L. S. Bellin—1073
Cyrostat for studies at ~100 kilobars at liquid helium temperatures, D. N. Lyon, D. B. McWhan, and A. L. Stevens—1234
Crushing strength of cemented tungsten carbide pistons, John C. Haygarth and George C. Kennedy—1590
Some techniques for high pressure experiments, Masaaki Tamayama and Henry Eyring—1666(N)
Unsymmetrical friction and pressure calibration in internally-heated piston-cylinder type high-pressure devices, Carl W. F. T. Pistorius, Eliezer Rapoport, and J. B. Clark—1741
Magnetic measurements under hydrostatic pressure: intensity of magnetization and anisotropy, N. Kawai and A. Sawaoka—1770

High Speed Techniques

Experimental technique for impulsive loading of structures, R. E. Sennett and W. M. Isbell—34
Rotating-mirror sweeping-image spectrograph, Berlyn Brixner—287(N)
High speed electromagnetic shutter, J. S. Pirroni and R. R. Stevens—382
Circular sweep camera, L. E. Prescott—631
Duplication of effort, Paul A. Kendall—1547(L)
High-speed sliding shutter driven by electromagnetic-induction effects, John C. Avellone, Paul L. Byard, and Frank L. Damm—1808(N)

High Temperature Techniques

Laser-excitation of the Raman spectra of molten salts, J. H. R. Clarke, C. Solomons, and K. Balasubrahmanyam—655
Apparatus for guarded polarization measurements, Robert W. Vest and Henry C. Graham—661
Tungsten-rhenium thermocouples for use at high temperatures, R. R. Asamoto and P. E. Novak—1047
Apparatus for measuring the Hall effect of low-mobility samples at high temperatures, N. Z. Lupu, N. M. Tallan, and D. S. Tannhauser—1658
Continuously recording strain gauge thermobalance, R. E. Latta, J. T. Bittel, and G. B. Hadesty—1667(N)

High Vacuum Techniques

Cold cathode quadrupole mass spectrometer, P. Blum and F. L. Torney—1404

High Voltage Techniques

Inexpensive, high vacuum, high voltage, electric feedthrough, Magne Kristiansen, Jimmy G. Melton, and Arwin A. Dougal—840(N)

Holography

Focusing hologram diffraction grating, Lowell Rosen—438(N)
Birefringent beam splitting for holography, H. J. Caulfield and W. J. Beyen—977(N)

Humidity

Air supply of constant humidity, J. J. Madden and P. Nordon—561(N)

Hydrodynamics

Observed behavior of a thermistor bead flow meter, M. T. Pigott and R. C. Strum—743

Hygrometry

Vibrating capillary for production of uniform small bubbles, Ferren MacIntyre—969(N)
Fast response sensing element for a frost point hygrometer, Stanley H. Jury, Louis P. Bosanquet, and Young W. Kim—1634

Impulse Loading

Experimental technique for impulsive loading of structures, R. E. Sennett and W. M. Isbell—34

Infrared Techniques

Bakeable infrared window for ultrahigh vacuum service, Melvin M. Eisenstadt—134(N)
Optical isolator for near infrared, L. G. DeShazer and E. V. Maunders—248
Apparatus to measure mid-infrared spectral emittance of cold powders in a vacuum, Alexander F. H. Goetz and Curtis A. Bauman—775
Polaradiometer—a new instrument for temperature measurement, Thomas P. Murray—791
Low temperature liquid infrared absorption cell, R. G. Steinhardt, P. A. Staats, and H. W. Morgan—975(N)
Simple circuit for Nernst glower control, C. W. Hand—983(N)
Measurement of film thickness using infrared interference, D. J. Dumin—1107

Interferometry

Interferometer jig for film thickness measurement, Osamu Uyeda—277(N)
Comment on "Thickness measurements of sharp thin film steps," [Glenn C. Bailey, Rev. Sci. Instr. **37**, 1260 (1966)], Jean M. Bennett—294(L)
Interference accelerometer, C. F. Bruce—1090
Measurement of film thickness using infrared interference, D. J. Dumin—1107
Series interferometer for the diagnosis of a large diameter theta-pinch, A. De Angelis and S. Martellucci—1255
Sensitive 4 mm Lecher wire interferometer for electron concentration measurements in low-density plasmas, J. Polman—1631

Internal Friction

Measurement of Snoek damping in sheet specimens, E. T. Stephenson—84

Ion Sources

Detection of hydrogen in air by means of alkali ion current from hot palladium, Stuart W. Hoenig, Charles W. Carlson, and Jay Abramowitz—92

Multiple gas selector system for accelerator ion source, Albert E. Evans, Donald G. Simons, and Bernard Brown—228
Technology of intense dc ion beams, O. B. Morgan, G. G. Kelley, and R. C. Davis—467
Highly efficient, inexpensive, medium current ion source, Robert L. Hirsch and Gene A. Meeks—621
Characteristics of a low energy duoplasmatron negative ion source, W. Aberth and J. R. Peterson—745
Duoplasmatron ion beam source for vacuum sputtering of thin films, K. L. Chopra and M. R. Randlett—1147
Cold cathode quadrupole mass spectrometer, P. Blum and F. L. Torney—1404
Production of submicrosecond ion pulses, Beonguk Cheon, Koichi Kotani, Hideo Akimune, and Tokuo Suita—1471
Technique for the generation of quasi-isotropic 1–10 keV proton fluxes, W. Bernstein, N. L. Sanders, and R. L. Wax—1537(N)

Ionization Chambers

Cosmic rays as a high-energy particle source, E. W. Cowan and M. K. Moe—874
Fabrication of low cost cavity ion chamber, Graham S. Higgins and Charles R. Wallace—1671(N)

Ionization Processes

Fully-ionized barium plasma source, N. Rynn, E. Hinnov, and L. C. Johnson—1378
Flame ionization-pulse aerosol particle analyzer (FIPAPA), Walter L. Crider and Arthur A. Strong—1772

Ionosphere Measurements

Electron emissive surface electric field meter, Howard S. Ogawa, J. M. Sellen, Jr., and Robert K. Cole—1117
Langmuir probe for the measurement of electron density and electron temperature in the ionosphere, Satya Prakash and B. H. Subbaraya—1132
Resonance relaxation sounder for the multiple ionospheric probe, J. Hugill and M. J. Field—1731

Isotope Separators

Tandem isotope separator-mass spectrometer for the study of ionic collision processes, T. F. Moran and L. Friedman—668

Laboratory Techniques

Syringe for injecting sodium-potassium alloy, Samuel Greenhalgh—121(N)
Method for mounting thin films without substrates, F. T. Wooten—124(N)
Thinning of polycrystalline MgO for transmission electron microscopy, T. G. Langdon—125(N)
Casting Formvar films on water, J. Merritt and E. J. Agazzi—127(N)
Acid cutting of single crystal platinum, Y. Ebisuzaki—143(N)
Preparation of thin sections by ion bombardment for transmission electron microscopy, W. M. Hirthe, A. T. Melville, and P. H. Wackman—223
Handy device for crystal cutting, M. Simhony—278(N)
Improvement in signal-to-noise ratio of blue-sensitive photomultiplier tube (6256B) by cooling, F. R. Lipsett—278(N)
Laboratory technique for making Kel-F test tubes, J. Soriano, S. Tandlich, and J. Shamir—282(N)
Surfaces used in high resolution electron spectrometry, J. William McGowan—285(N)
Method of producing and measuring charged single droplets, N. R. Lindblad and J. M. Schneider—325
High speed electromagnetic shutter, J. S. Pirroni and R. R. Stevens—382
Measurement of contact resistance, Robert Russakoff and Robert F. Snowball—395
Metal adapter for glass O-ring joints, Robert A. Mueller—429(N)
Improved method for removal of tritium from helium, Sayeed Akhtar and Hilton A. Smith—432(N)
Simple new microburner, Efron Gunders—433(N)
Preparation of thin film deuterated polyethylene targets, G. E. Tripard and B. L. White—435(N)
Suppression of multipactoring in evacuated microwave cavities, M. Tigner—444(N)
Low temperature, epoxy-sealed plastic windows, R. L. Collins Kemp Mayer, Jr., and J. C. Travis—446(N)
Construction of spark chambers with thin foil plates, D. Earles and T. C. Li—447(N)
Quick change, high vacuum window and heat transfer gauge installation for shock tubes, E. A. Meckstroth and E. R. Bartle—448(N)
Production of monodisperse sprays, E. K. Dabora—502
Bearing cage follower-platform for bearing studies, Horace E. Staph and George F. Munsch—532
Simple Gouy regulator for on-off thermostatic control, J. G. Becsey and James A. Bierlein—556(N)
Air supply of constant humidity, J. J. Madden and P. Nordon—561(N)
Simple mercury drop electrode for MOS measurements, Gerald Abowitz and Emil Arnold—564(N)
Versatile sample holder for flat samples at extremes of temperature at high vacuum, E. Y. Weissman—565(N)
Small magnetic impact forming device, Ernest Harrison, Jr., and Stephen W. Derbyshire—604
^{15}N target for electron scattering, E. B. Dally and M. Croissiaux—646
Critically dampled oscillatory linear induction engine for driving a bubble chamber valve, Donald G. Coyne and Joe H. Mullins—681
Protection circuit insulated for high voltage, Edward Niesen—689(N)
Method for mounting powdered thermoluminescent samples with improved thermal contact, A. E. Nash, S. G. Gorbics, and F. H. Attix—696(N)
Measurement of parallel (Soller) slits with a modified Weissenberg goniometer, William Parrish—697(N)
Probing technique for measuring the potential distribution in semiconductors, H. H. Lehner—699(N)
Speed controller for laboratory motor, William K. Rohwedder—701(N)
Inexpensive Mössbauer spectrometer, Virgilio Beltrán-López and Giorgio Loria—707(N)
Sample tube for high-resolution nuclear magnetic resonance spectroscopy, R. C. Hewitt—831(N)
Vacuum manifolds of plastic pipe, R. L. Hartman—831(N)
Replaceable phosphor screens, Robert C. Abbott and Paul M. Brown—832(N)
Low temperature cleavage manipulator for LEED apparatus, P. W. Palmberg—834(N)
Feedback stabilized light chopper with continuously variable frequency, C. Opal and W. B. Gandrud—838(N)
Refinement of lanthanum hexaboride for cataphoretic deposition on rhenium, L. J. Favreau and D. F. Koenig—841(N)
Ultramicrotome for hard tissue, A. P. Murphy, G. L. McNeil, and R. J. Neal—921
Device to move mechanisms inside chambers at ultrahigh vacuum, J. Martinez Guerrero—970(N)
High current target design for ion accelerators, R. F. Seiler, M. R. Cleland, and H. E. Wegner—972(N)
Useful modifications to the Bond crystal sphere grinder, J. W. Anthony and R. B. Laughon—976(N)
Preparation of thin self-supporting beryllium foils, H. Oona and D. G. Rickel—980(N)
Method for checking electrical continuity in redundant circuits, L. Rachal and E. Stofel—986(N)
Construction of slotted disks for mechanical velocity selectors

Laboratory Techniques (continued)
using electric discharge machining, A. Kristensen, R. L. Palmer, H. Saltzburg, and J. N. Smith, Jr.—987(N)
Oxidation resistant, high temperature ceramic-to-metal seal compatible with cesium, Russell J. Hill and C. F. Knopp—1067
Window seals for ultrahigh vacuum use, R. W. Roberts, J. F. Harrod, and H. A. Poran—1105
Immersed double-jet technique for electrothinning tungsten for transmission electron microscopy, Robert L. Ladd and Robert C. Rau—1162(N)
Spring tensioned metal-to-ceramic seal, J. Klebanoff—1165(N)
Bell jar protection in vacuum metallizing, Jack Hohenstein—1170(N)
Method tor restricting electrolytic action to a specific surface, J. L. Nicholson—1173(N)
Apparatus for making very thin electrets, S. L. Khanna—1175(N)
Apparatus for fatiguing many specimens with automatic recording of individual lifetimes, W. James Lyons—1176(N)
Technique for grinding single-crystal spheres of the europium chalcogenides, R. F. Brown, M. C. Franzblau, and J. W. Battles—1179(N)
High sensitivity compression fixture, E. P. Lautenschlager and N. R. Adsit—1271
Valve packings for cryogenic service, K. R. Hall and F. B. Canfield—1327(N)
Method for soldering graphite to metals, H. Bellemann—1328(N)
Method for producing disk shaped specimens, C. W. Fountain—1329(N)
Outgassing of manometric liquids in vacuum, V. J. Tekippe and K. G. Ramanathan—1339(N)
Microbeam collimator, D. N. Samsky, W. A. Glass, and H. V. Herndon—1377
Production of small uniform magnetic fields, R. H. Lambert and J. J. Wright—1385
Automated system for measuring and recording angular deflection, Donald Peters and C. C. Herrick—1418
Preparation of thin foils for electron microscopy by a rotating PTFE holder, Ivan L. Caplan—1489
Device for metering a variety of metals for high-vacuum "flash" evaporation, R. J. Stirn and W. A. Hermann—1522(N)
Automatic stepping shutter system for preparing standard thin films for electron microprobe analysis, James P. Smith and Ralph F. Tenny—1523(N)
Device for strain gauge positioning, C. E. Shulze and R. L. Sierakowski—1530(N)
Simplified mounting for quadrupole mass filter rods, D. F. Munro—1532(N)
The use of a quartz contained discharge in atomic tritium experiments, B. S. Mathur—1536(N)
Automatic control system for crystal growth by the flame fusion method, Ken-Ichi Shiroki—1541(N)
Low power, self heated glass substrate, J. F. O'Hanlon and R. R. Haering—1542(N)
Mechanism for control of superconducting point contact characteristics, A. Contaldo—1543(N)
Duplication of effort, Paul A. Kendall—1547(L)
Rotational displacement transducer, Jonathan E. Slater and Vadilal J. Modi—1576
Apparatus for making sharp photographic images with x rays, H. F. Sherwood—1619
Accurate method for measuring rotational movement of a carriage, S. E. Masry—1651
Environmental chamber for thin gauge tensile specimens, Ira M. Felsen and Paul Schatzberg—1669(N)
Fabrication of low cost cavity ion chamber, Graham S. Higgins and Charles R. Wallace—1671(N)
Growing large single crystals with focused light, S. D. Harkness, R. W. Gould, J. J. Hren, and A. M. Sheble—1676(N)
Increasing the accuracy of crystal orientation procedures using the Weissenberg camera, Bi-Cheng Wang and A. W. Cordes—1736
Remarks on the adjustment of energy-compensated spectrofluorometers, J. G. Becsey and Karl Scheller—1793(N)
Photocathode protection circuit, Richard L. Ensminger and Robert F. Howarth—1798(N)
Aging and rejuvenation of electron multipliers, W. H. Wright—1802(N)
Nanohm resistance joints to aluminum, David Atherton—1805(N)
Simple method of noise reduction, W. G. Chace, C. V. Fish, and M. A. Levine—1809(N)
Low temperature sample holder providing two degrees of rotational freedom, J. C. Abele and F. J. Blatt—1810(N)
Technique for obtaining uniform, pinhole-free gold surfaces on the inside of metal containers, James D. Nutter, Robert Redman, and Nelson C. Scholl—1812(N)

Lasers (see also Masers)
Extremely small and simple pulse generator for injection lasers, Walter Koechner—17
Measurements of beam divergence of Q-switched ruby laser rods, P. V. Avizonis, T. T. Doss, and R. Heimlich—331
Focusing hologram diffraction grating, Lowell Rosen—438(N)
Simple giant pulse ruby laser of high spectral brightness, G. Magyar—517
Laser-excitation of the Raman spectra of molten salts, J. H. R. Clarke, C. Solomons, and K. Balasubrahmanyam—655
Laser determination of projectile position during ballistic experiments, D. J. Collins, A. C. Charters, and D. K. Sangster—1076
Control system for frequency stabilizing a 6328 Å gas laser, A. D. White—1079
Small particle sizing using turbidimetric layered sedimentation, Stuart A. Schleusener and Alvin A. Read—1152
Photodiode holder with 300 psec rise time for laser studies, J. J. Lubin and W. Leising—1157
Pulse generator for studying transients in plasma lasers, F. M. Shofner and J. F. Pierce—1173(N)
Ultrasonic interferometer-laser optical diffraction cell for rapid determination of the velocity of sound in liquids, M. E. Pedinoff and H. Seguin—1342(N)
Fabrication of wide bore hollow cathode Hg^+ lasers, H. Wieder, R. A. Myers, C. L. Fisher, C. G. Powell, and J. Colombo—1538(N)
Plasma phasography, Herman M. Presby and David Finkelstein—1563
Use of pulsed laser to study smoke distribution in jet, Igor J. Eberstein—1665(N)
Operating parameters of dc-excited He-Ne gas lasers, R. L. Field, Jr.—1720
Pyroelectric laser calorimeter, Robert W. Astheimer and Robert E. Buckley—1764
Simultaneous ruby and neodynium laser pulses, P. M. Beeson—1794(N)

Light Sources
Maximum ratings for xenon filled linear flashlamps, David E. Perlman—68
Inexpensive weak random light source for timing photomultiplier channels, J. B. Burnham and L. L. Packer—288(N)
Measurement of radiant energy emitted by xenon flashlamps, H. K. Aslin—377
Nanosecond fluorimeter, Lee Hundley, Tim Coburn, and Lubert Stryer—488
Feedback-stabilized light chopper with continuously variable frequency, C. Opal and W. B. Gandrud—838(N)

Simple light spot scanner and its application on semiconductor nuclear particle detectors, Werner Schüler—1374
Electroluminescent panel as a modulatable light source, L. D. Dickson—1581
High-intensity ultraviolet H_2 arc lamp of simplified design, C. A. Kocher—1674(N)
Fast vacuum-uv light source for gas phase flash photolysis, K. H. Welge, J. Wanner, F. Stuhl, and A. Heindrichs—1728
Source of carbon resonance radiation, A. Greenville Whittaker and Paul Kintner—1743
Nanosecond light-source, XP-20, J. Johnson and D. Porat—1796(N)

Liquids

Alternating current method of measuring the electrical conductivity of dielectric liquids, Henry E. Fischer and Ralph S. Carson—689(N)
Liquid metal sample holder for low angle x-ray diffraction, George W. Brady and A. J. Greenfield—736
Vibrating capillary for production of uniform small bubbles, Ferren MacIntyre—969(N)

Low Temperature Techniques (see also Cryogenics)

Low temperature absolute reflection measurements of small samples, J. Feinleib and B. Feldman—32
Thermal conductivity of polycrystalline zinc below 1°K, J. K. Cotignola, F. de la Cruz, M. E. de la Cruz, and R. P. Platzeck—87
Simple apparatus for neon triple point thermocouple calibration, R. B. Flippen and C. G. Frederick—136(N)
Diffraction camera for precision measurement of lattice parameters at low temperatures, Y. Mascarenhas and S. Mascarenhas—141(N)
Calibration and use of germanium resistance thermometers for precise heat capacity measurements from 1 to 25°K. High purity copper for interlaboratory heat capacity comparisons, Darrell W. Osborne, Howard E. Flotow, and Felix Schreiner—159
Microscope for observing magneto-optic rotation at low temperatures, K. J. Carroll, D. H. Liebenberg, and W. C. Overton—260
Effect of thermal shocking on Minco model S1059 platinum resistance thermometers, F. D. Gehring and B. C. Gerstein—280(N)
Fast carbon bolometer for observing thermal pulses, W. C. Cannon and M. Chester—318
Simple system for temperature control and cycling in the range 4 to 300°K, P. M. Angelo, M. U. Palma, and G. S. Vaiana—415
Low temperature relay modulator for thermal and electrical conductivity measurements, M. H. Jericho and R. H. March—428(N)
Low temperature sample orienting device with two degrees of freedom, D. J. Sellmyer—434(N)
Low temperature, epoxy-sealed plastic windows, R. L. Collins, Kemp Mayer, Jr., and J. C. Travis—446(N)
Precision dosimetry system suited for low temperature radiation damage experiments, H. H. Andersen, C. C. Hanke, and H. Sørensen—511
Variable temperature EPR cryostat cavity, J. A. Weil, P. Schindler, and P. M. Wright—659
Operation of a rotary switch in liquid helium, R. J. Pedersen—692(N)
Impedance transformation circuit for operation at 4.2°K, B. B. Snavely and Jan C. Yutzy—703(N)
Magnetic amplifier for use at 4.2°K, C. L. Foiles—731
Multicrossover cryotron—a high gain single stage amplifier, V. L. Newhouse, J. L. Mundy, R. E. Joynson, and W. H. Meiklejohn—798
Low-temperature liquid-vapor deformation calorimeter, A. Wolfenden and A. S. Appleton—826
Thermal transport across superconducting solder joints near 0.1°K, William A. Steyert, Jr.—964
Optical transmission cryocell for semiconductor devices, L. A. Boatner, Kenneth G. Sewell, and J. D. Ward—1166(N)
Solderless thermal connector for use at low temperatures, R. I. Boughton, N. R. Brubaker, and R. J. Sarwinski—1177(N)
Silicon-controlled rectifier circuitry for producing pulsed magnetic fields, F. Rothwarf, C. O. Bateman, D. Ford, and P. Milke—1241
Valve packings for cryogenic service, K. R. Hall and F. B. Canfield—1327(N)
Compact electrical lead for high pressure gas systems operating at low temperatures, R. H. Martinson and R. E. Terry—1330(N)
Sapphire window mountings for low temperature spectroscopy, Louis J. Schoen—1531(N)
Simple method of rotating samples in microwave cavities at low temperatures, H. van den Boom—1529(N)
Eddy current method for low temperature resistivity measurements, Melvin D. Daybell—1412
Measurement of torques at low temperatures, Claire D. Metz—1723
Use of pure copper as a standard substance for low temperature calorimetry, Douglas L. Martin—1738
Helium vapor cooled current leads, K. R. Efferson—1776
Electrical termination techniques for low temperature applications, Donald R. Zrudsky—1803(N)
Nanohm resistance joints to aluminum, David Atherton—1805(N)
Low temperature sample holder providing two degrees of rotational freedom, J. C. Abele and F. J. Blatt—1810(N)

Luminescence

Method for mounting powdered thermoluminescent samples with improved thermal contact, A. E. Nash, S. G. Gorbics, and F. H. Attix—696(N)
Electroluminescent panel as a modulatable light source, L. D. Dickson—1581

Magnetic Amplifiers

Magnetic amplifier for use at 4.2°K, C. L. Foiles—731

Magnetic Fields

Silicon-controlled rectifier circuitry for producing pulsed magnetic fields, F. Rothwarf, C. O. Bateman, D. Ford, and P. Milke—1241
Production of small uniform magnetic fields, R. H. Lambert and J. J. Wright—1385
Production of large electric pulses by explosive magnetic field compression, R. L. Conger, J. H. Johnson, L. T. Long, and J. A. Parks—1608
Construction of the guide field for a low inductance air-core plasma betatron, L. A. Ferrari, K. C. Rogers, and A. Jermakian—1697
Quadrupole magnet misalignment tolerances, Philip F. Meads, Jr.—1752

Magnetic Lenses

Quadrupole magnetic lens using permanent ceramic magnets, J. W. Jagger and P. J. Riley—955

Magnetic Measurements

Some techniques for sensitive magnetic measurements using superconducting circuits and magnetic shields, Bascom S. Deaver, Jr., and William S. Goree—311
Re-entrant hysteresis loop tracer, R. Wolfe and S. E. Haszko—497
Low friction air supported pulley and its use in floating wire measurements, V. R. W. Edwards and A. E. Osborne—806

Magnetic Measurements (continued)
Calibration and differential field measurement of high magnetic fields by means of a periodic size effect in gallium, S. Foner and E. J. McNiff, Jr.—931
Faraday effect hysteresigraph, J. W. Beck—1031
Magnetic viscosity in sensitive suspensions, Titus Pankey, Jr. —1713
Measurement of torques at low temperatures, Claire D. Metz—1723
Magnetic measurements under hydrostatic pressure: intensity of magnetization and anisotropy, N. Kawai and A. Sawaoka —1770

Magnetic Resonance
Simultaneous temperature measurements in high resolution NMR experiments, Filipo Conti—128(N)
Ac superconducting solenoid for kilogauss field modulation, Stephen Kurtin, Simon Foner, and Edward J. McNiff, Jr.—600
Wide line NMR induction and bridge spectrometer for the frequency range 2–90 MHz, D. R. Torgeson—612
Simple bridge for pulsed nuclear magnetic resonance, K. R. Jeffrey and R. L. Armstrong—634
Sample tube for high-resolution nuclear magnetic resonance spectrometry, R. C. Hewitt—831(N)
Modifications of an A-60 spectrometer for nuclear relaxation studies of chemically-shifted protons, J. E. Anderson, J. Steele, and A. Warnick—1139
Radio frequency hybrid tees for nuclear magnetic resonance, Melvin P. Klein and Donald E. Phelps—1545(N)

Magnetic Suspensions
Magnetic viscosity in sensitive suspensions, Titus Pankey, Jr. —1713

Magnetohydrodynamics
Syringe for injecting sodium-potassium alloy, Samuel Greenhalgh—121(N)

Magnetometers
Digital-analog magnetometer utilizing superconducting sensor, R. L. Forgacs and A. Warnick—214
Rotating field magnetometer for measurement of anisotropic magnetic materials, F. B. Hagedorn—591
Rubidium vapor magnetometer for near earth orbiting spacecraft, W. H. Farthing and W. C. Folz—1023

Magnets (see also Superconducting Magnets)
Thermostating high power coils, M. S. Freedman, F. T. Porter, and F. Wagner, Jr.—190
High field Zeeman effect measurements using a scanning technique and pulsed fields, I. Maartense—233
Solid helix magnets for large volume pulsed high fields, S. Foner and W. G. Fischer—440(N)
Iron magnet with superconducting coil, R. W. Fast, G. del Castillo, and W. R. Winter—1789

Mass Spectrometry
Multichannel analyzer system for high sensitivity mass spectrometry, J. W. White—187
Four-stage mass spectrometer of large radius, F. A. White and L. Forman—355
Two directional beam convergence by sector shaped uniform magnetic field, Hirohiko Ezoe—390, 1547(E)
Computer assisted identification of mass spectrometric, flash filament signals, Bruce McCarroll—444(N)
Shock tube-TOF mass spectrometer apparatus with cryosorption pumping, P. R. Ryason—607
Tandem isotopes separator-mass spectrometer for the study of ionic collision processes, T. F. Moran and L. Friedman —668
Semiautomatic data collection systems for mass spectrometers, P. E. Moreland, Jr., C. M. Stevens, and D. B. Walling—760
Retardation lens used to improve the abundance sensitivity of a mass spectrometer, N. J. Freeman, N. R. Daly, and R. E. Powell—945
Valve for precise pipetting of small amounts of gases, Rudolf H. Bieri and Minoru Koide—1159(N)
Mattauch-Herzog type mass spectrograph with corrected β-dependent image defects for all masses, Isao Takeshita—1361
Cold cathode quadrupole mass spectrometer, P. Blum and F. L. Torney—1404
Simplified mounting for quadrupole mass filter rods, D. F. Munro—1532(N)
Gelatin-free ion-sensitive plates for mass spectrography, R. E. Honig, J. R. Woolston, and D. A. Kramer—1703
Response of ion-sensitive plates as a function of ion energy, J. R. Woolston, R. E. Honig, and E. M. Botnick—1708

Mechanics
Experimental technique for impulsive loading of structures, R. E. Sennett and W. M. Isbell—34
Measuring roundness in the millimicron range, Jean Jurisson, Robert J. Matthys, Frank Plasek, and Howard J. Thompson—243
Determining the characteristics of mechanical tuning forks, N. H. Farhat and D. G. Sthalekar—279(N)
Effect of high pressure on a strain gauge load cell, J. E. Hanafee and S. V. Radcliffe—328
Bearing cage follower-platform for bearing studies, Horace E. Staph and George F. Munsch—532

Metallurgy
Measurement of Snoek damping in sheet specimens, E. T. Stephenson—84
Transmitted illumination accessory for the metallograph, A. C. Simon and D. A. Gildner—119(N)
Device to produce crystallographic bubbles in solids, M. Ohring and K. L. Tai—563(N)
Small magnetic impact forming device, Ernest Harrison, Jr., and Stephen W. Derbyshire—604
Low-temperature liquid-vapor deformation calorimeter, A. Wolfenden and A. S. Appleton—826
Cell for *in situ* study of electrode kinetics of strained wires, R. G. Raicheff—919
Immersed double-jet technique for electrothinning tungsten for transmission electron microscopy, Robert L. Ladd and Robert C. Rau—1162(N)

Metals
Bridge network for measuring very small impedances from 4.2 to 300°K with a null-detector sensitivity of 10^{-11} volt, C. K. Bak and E. Dalsgaard—649
Measurement of Thomson heat in metallic systems, G. M. Maxwell, J. N. Lloyd, and D. V. Keller, Jr.—1084
Hysteresis loop measurement during fatigue testing at 30 Hz, A. L. Sweet, T. Topper, and G. R. Daugherty—1540(N)

Meteorology
Ion tracer anemometer for the measurement of low density air flow, Pedro Lilienfeld, Leonard R. Solon, and Hugo J. DiGiovanni—405
Vibrotron analog microbarograph system, F. E. Morris—514
Feedback control theory for constant-temperature hot-wire anemometers, Peter Freymuth—677
New instrumentation techniques for the measurement of infrasonic and gravity waves, Uri Fehr, B. Ben-Ary, and John D. Ryan—778
Theoretical evaluation of an oscillating mass flow in the

modified Moore variometer configuration, Uri Fehr and Carl Gazley, Jr.—1502
Solid state microwave refractometer, M. J. Vetter and M. C. Thompson, Jr.—1726

Metrology

Measuring roundness in the millimicron range, Jean Jurisson, Robert J. Matthys, Frank Plasek, and Howard J. Thompson—243
Accurate method for measuring rotational movement of a carriage, S. E. Masry—1651

Microscopy

Electrostatic aerosol sampler for light and electron microscopy, Benjamin Y. H. Liu, Kenneth T. Whitby, and Henry H. S. Yu—100
Transmitted illumination accessory for the metallograph, A. C. Simon and D. A. Gildner—119(N)
Microscope for observing magneto-optic rotation at low temperatures, K. J. Carroll, D. H. Liebenberg, and W. C. Overton—260

Microtomes

Ultramicrotome for hard tissue, A. P. Murphy, G. L. McNeil, and R. J. Neal—921

Microwave Spectroscopy (see also Electron Spin Resonance)

Apparatus for microwave measurement of transport parameters in semiconductors, M. E. Brodwin and M. K. Parsons—79
100 kHz homodyne, 35 GHz reflection-cavity spectrometer with phase-lock of the reference signal and low frequency field modulation, H. C. Praddaude—339
An X-band EPR cavity for fast magnetic field sweep experiments, I. M. Brown and D. L. Sloop—695(N)
Simple method for measuring the dispersion mode of a paramagnetic sample, W. Louis Barrett, Jr. and Robert L. Cooper—832(N)
Solid state microwave spectrometer, Chester O. Britt—1496
Simple method of rotating samples in microwave cavities at low temperatures, H. van den Boom—1529(N)
High-Q Fabry-Perot resonator for nitric oxide absorption measurements at 150 GHz, I. P. French and T. E. Arnold—1604

Microwave Techniques

New microwave interferometric device using Lecher wires for high spatial resolution, W. Makios—352
Measurement of dielectric constant and loss factor of powder materials in the microwave region, Norman L. Conger and Shao E. Tung—384
Suppression of multipactoring in evacuated microwave cavities, M. Tigner—444(N)
Microwave method for planetary atmosphere research, L. Frenkel—557(N)
Protection circuit insulated for high voltage, Edward Niesen—689(N)
Radiofrequency separated beam at the AGS, H. W. J. Foelsche, H. Hahn, H. J. Halama, J. Lach, T. Ludlam, and J. Sandweiss—879
Technique for absolute temperature measurements at microwave frequencies, George G. Haroules and Wilfred E. Brown, III—1093
Solid state source for microwave spectroscopy, F. W. Chapman and R. E. Michel—1170(N)
High temperature electron spin resonance probe, D. A. Giardino and L. Petrakis—1180(N)
Stark-modulated gas phase electron resonance cavity, Alan Carrington, Donald H. Levy, and Terry A. Miller—1183(N)
Characteristics of traveling wave helices in ESR spectrometers, Michael Reisman Pearlman and Robert H. Webb—1264
Phase-locked frequency multiplier, I. K. Harvey—1467
Slot compensation in a standing-wave meter at millimeter waves, F. J. Tischer—1481
Variable-width gate for Kamm-Bohm pulse height detector, John W. Dooley—1536(N)
High-Q Fabry-Perot resonator for nitric oxide absorption measurements at 150 GHz, I. P. French and T. E. Arnold—1604
Sensitive 4 mm Lecher wire interferometer for electron concentration measurements in low-density plasmas, J. Polman—1631
System for measuring frequencies up to 345 GHz, D. Mergerian and D. A. Bozanic—1662(N)
Ceramic microwave window for 8, 4, and 2 millimeters, Walter R. Day—1677(N)
258 GHz modulator with a Stark waveguide, H. J. Liebe and B. Senitzky—1678(N)
Solid state microwave refractometer, M. J. Vetter and M. C. Thompson, Jr.—1726
Class of waveguides with uniform electric field strength, R. S. Harp and R. M. Moser—1795(N)

Molecular Beams (see also Atomic Beams)

Molecular beam sources for vapor deposition on field emitter substrates, R. D. Gretz—112
Chilled collimator for high intensity molecular beams, E. Hundhausen and Halstead Harrison—131(N)
Dual range self calibrating velocity selector, Arthur E. Grosser—257
Plasma density contour measurements using molecular ion beam breakup, F. C. Jobes and R. L. Hickok—928
Construction of slotted disks for mechanical velocity selectors using electric discharge machining, A. Kristensen, R. L. Palmer, H. Saltzburg, and J. N. Smith, Jr.—987(N)
Shock-tube molecular beam for O at 3 eV, T. C. Peng and D. L. Liquornik—989(N)
High intensity nozzle beam source for use in molecular total cross section measurements, J. G. Skofronick—1628

Mössbauer Experiments

Inexpensive Mössbauer spectrometer, Virgilio Beltrán-López and Giorgio Loria—707(N)
New automation technique for constant velocity Mössbauer spectrometers, Robert C. Knauer and James G. Mullen—1624
Stabilized constant acceleration Mössbauer drive, Y. Hazony—1760

Nanosecond Techniques

New shunt-series nanosecond pulse amplifier, J. K. Millard—169
Nanosecond fluorimeter, Lee Hundley, Tim Coburn, and Lubert Stryer—488
Photomultiplier gate for stimulated-spontaneous scattering discrimination, Francesco De Martini and Kenneth P. Wacks—866
Nanosecond bifilar wound transformers, R. Bosshard, C. Zajde, and H. Zungier—942
Photodiode holder with 300 psec rise time for laser studies, J. J. Lubin and W. Leising—1157
Measurement of time differences in the range milli- to picoseconds, U. Hauser, K. Knissel, J. Moritz, and U. Schneider—1220
Very precise 30 nanosecond linear gate, P. F. Manfredi, P. Maranesi, and A. Rimini—1253
High resolution zero crossing detector for long crossover times, W. P. Bucher and C. E. Hollandsworth—1259

Nanosecond Techniques (continued)
500 MHz ring counter, Z. C. Tan—1415
Simple tunnel diode circuit for accurate zero crossing timing, Arthur J. Metz—1445
Large area time-of-flight counter system, R. J. Stefanski, R. K. Adair, H. Kasha, and R. C. Larsen—1792(N)
Nanosecond light-source, XP-20, J. Johnson and D. Porat—1796(N)
Integrator for nanosecond pulses, R. L. Anderson and D. I. Porat—1800(N)

Neutron Detectors
Improved method for removal of tritium from helium, Sayeed Akhtar and Hilton A. Smith—432(N)

Neutron Diffraction
Simple cryostat for neutron diffraction, Joseph T. Sparks, T. Komoto, and William R. Wade—275(N)
Use of a Joule-Thomson refrigerator for neutron diffraction at liquid nitrogen temperatures, P. Coppens, J. Godel, and T. M. Sabine—1333(N)

New Instruments
Accelerator—149
Aggregometer—718
Alignment, x-ray—719
Amplifier, lock-in, phase detector—1551
Amplifier, operational, circuit board—1192
Analyzer, amino acid micro- —152
Analyzer, 1024-channel—998
Analyzer, particle size—1818
Analyzer, spectrochemical—453
Analyzer, spectrum, optical—1818
Analyzer system, network—713
Analyzer, thermal, differential—1191
Analyzer, thermo-mechanical—151
Autocollimator, electronic—1689
Balance—151
Bathythermograph system—301
Bridge, comparator, DC—1347
Camera, framing—301
Camera, high speed—574
Camera, streak—1352
Centrifuge, air bearing—717
Chamber, temperature—1193
Chemical analysis system—847
Chronometer, quartz-crystal—304
Circular dichroism unit—1686
Comparator, plate measuring—1189
Computer, shock—1817
Computer, input system, graphic—569
Controller, pH—1350
Converter, digital-to-synchro—999
Converter, frequency-to-voltage—1820
Coordinate digitizer—153
Correlator, signal—455
Correlator, time delay—458
Counter—1191
Crystal growing system—847
Crystallographic system, x-ray—1191
Current indicator and integrator—715
Current source, direct—997
Curve tracer system—998
Detector, leak—1349
Detector, light pulse—1817
Detector, particle, position sensitive—1819
Echoencephalograph—147
Electrocardiograph—1553
Electron diffraction device, low energy—1552
Electrophoresis system—147
Fermentor—1353
Flaw detector—848
Flutter meter—849
Frequency converter—304
Frequency divider—455
Furnace—718
Furnace, plasma—1193
Furnace, vacuum—459
Furnace, vacuum, analytical—571
Generator, bar graph—1353
Generator, noise—1815
Generator, pulse—1685
Gauge, vacuum—1349
Geodetic survey instrument—1351
Gloss—152
Gyro balancer, laser—717
Impulse generator, high voltage—304
Indexing stands—573
Interferometer, differential—1351
Integrating recorder, digital—1554
Interface, mass spectrometer/gas chromatograph—1816
Interference, radiofrequency—713
Interferometer—455
Interferometer, far-infrared—995
Laser—717, 995
Laser system, underwater—1554
Laser microirradiation system—1815
Leak, controlled—1689
Light source, reference—1820
Magnetic environment, controlled—303
Magnets, analyzing—849
Manometer—845
Mass spectrometer—716, 1552
Mass-transport analyzer, electrophoretic—715
Measurement system, automated—1352
Measuring system, computer-linked—997
Melting point and boiling point—847
Memory card, voltage—458
Memory, plated wire, woven—457
Memory systems, core—459
Meter, audio frequency response—305
Meter, digital panel—1686
Meter, laser energy—1687
Meter, tack—1688
Microscope, electron—303
Microscope, infrared—1551
Microscopes, phase—149
Microscope, photographic, deep field—301
Microvoltmeter, AC—848
Microwattmeter—457
Monitor, physiological—1685
Monochromator—846
Monochromator-spectrometer—152
Nanoampere indicator and integrator—1554
Neutron generator—151
Null detector—1683
Oscillator—998
Oscillograph, CRT—569
Oscilloscope, medical—147
Oscilloscope, sampling—153
Oxygen consumption computer—571
Photometer, helium glow—1349
Photometer, microscope—1551
Photometer, sphere—573
Positioning, automatic—573
Potentiometer—845
Potentiostat—571, 1347
Power supply, 160 kilowatt—1819
Pressure standard, secondary—1190
Pressure transfer gauge—574
Printer—998
Programmer—459

Programmer, digital—456
Programmer, vacuum deposition—1192
Pyrometers—149
Radiation detectors, Ge(Li)—996
Recorder—302, 1190, 1685, 1816
Recorder system—998
Recording, X-Y-Y—997
RF signal intensity meter—713
Rheogoniometer, Weissenberg—1555
Rheometer, shear—848
Scintillation camera, positron—453
Scrubber, tritium—457
Sferics receiving system—572
Signal conditioning, bridge—999
Sound level calibrator—1352
Spectrodensitometer for chromatography—1685
Spectrodensitometer, scanning—1350
Spectrometer—846, 995
Spectrometer, far infrared—1189
Spectrometer, NMR—1816
Spectrometer, quadruple resonance—1683
Spectrophotometer—1552
Spectrophotometers, infrared, extended range—571
Spectrophotometer readout—847
Spectrometer sweep, baseline—453
Spirometer—1554
Tape punch manual—305
Telemetry, light coupled—1686
Test chamber, shock—999
Test set, operational amplifier—999
Temperature calibration standards—715
Temperature indicator—716
Tester, universal—719
Thermal conductivity—845
Thermometer, digital—849
Thermometer, radiation—1192
Titration analyzer, photometric—1553
Transducer, rate-of-climb and dive—1350
Transfer standard, RMS-DC—1817
Transformer, decade—1347
TV system, infrared sensitive—301
Vacuum gauge—717
Vibration exciter—1553
Vibration exciter control—1688
Valve system, pulsed gas—1689
Vaporizer, laser micro—1687
Viscometer system, auto- —1190
Voltage reference source—572
Voltmeter, digital, integrating—1683
Voltmeter, potentiometric, DC—1819
Wind tunnel, plasma—1349

New Materials and Components

Abrasive, polishing—307
Accelerometer, g force—1357
Accelerometer, servo—1691
Adhesive, crystal—157
Adhesive for boron nitride, high temperature—1823
Adhesive, spray, one part epoxy—1197
Aligner, coil, micrometer controlled—1200
Amplifier, differential, low level—855
Amplifier, differential operation—855
Amplifier, meter—1199
Amplifier, operational, battery powered—1004
Amplifier, operational, low drift—1004
Amplifier, strain gauge power supply—1560
Annunciators—857
Antistatic agent—1824
Attenuator, coaxial—721
Attenuator pads, fixed—155
Attenuator, variable, 50-ohm—1004
Attenuator, variable, subminiature—154
Battery chargers, nickel-cadmium—1200
Beam centering unit, permanent magnet—154
Blower, fiberglass—464
Brake, fail safe—578
Bromine-charcoal reagent—723
Cable, coaxial, subminiature—307
Cage, printed-circuit-board—461
Capacitor, single gang, compact—857
Capacitors, tantalum, subminiature—1559
Capacitors, variable air—307
Card punch "instructor"—1006
Ceramic adhesive—1194
Ceramic adhesive, high temperature—1694
Ceramic, castable—465
Ceramic coating—465
Ceramic, high-temperature, machinable—1557
Ceramic, tooling, high temperature—723
Ceramic tooling for high temperature processing—1194
Ceramics, machinable, for high temperature tooling—157
Chart drive, drum—857
Chassis, expandable, brass—858
Chromagram sheet with fluorescent indicator—1358
Chronometer, marine—857
Chuck, vacuum, miniature—1356
Cleaner for contamination-sensitive components—1824
Cleaner, ultrasonic—464, 1200
Collimators—1822
Condensers, glass industrial—463
Conductive coatings, resin silver, high temperature—859
Connectors, coaxial cable—154
Constant temperature block—852
Controller, pressure-switch—1691
Converter, dc to dc, solid state—854
Converter, digital to synchro—308
Copper, OFHC, low temperature performance of—1355
Cores, ceramic, leachable, precision—859
Cores, high permeability—722
Counter, bidirectional—309
Counter, electromagnetic—857
Counter, impulse, compact—1690
Counter, mechanical, high-speed—1199
Crucibles, high purity—859
Crystal chips, single—1694
Crystal puller—306
Crystals, single—1355
Crystals, single, gold alloy—1006
Crystals, zinc oxide—1006
Current driver, nanosecond—308
Current sensing modules—1003
Damping material, sound and vibration—1823
Decontamination solution—1358
Delay line, longitudinal—577
Detector, neutron flux, miniature—1690
Detectors, germanium, thin-window—1557
Detergent, biodegradable—723
Dewar, controlled temperature—1001
Dewars, stainless steel—851
Dial, turn counting—1826
Diodes, high voltage monolithic—1004
Diodes, silicon carbide—576
Display, TV, high resolution—1005
Duct, shielded, flexible—1003
Elastomer, conductive—723
Electrical lead-through, high pressure—1692
Electrode for fluoride ion measurement—157
Electrodes, ion activity—1195
Electrodes, ion-selective—1006
Electrode, reference, unbreakable—1824
Electrode, sodium-silver—1006
Electrodes, specific ion—1824

New Materials and Components (continued)
Electrode, sulfide ion—859
Encoder, optical—1822
Epoxy, whisker reinforced—1823
Evaporator, thin film, automatic—852
Extractor, liquid-liquid—1007
Eyepiece, image shearing—1197
Eyepieces, interference—1001
Fabric, industrial—1007
Feedthroughs, vacuum—851
Feedthroughs, vacuum, low temperature—851
FET pairs, complementary—308
FETs, with 1 pA max leakage—462
Fibers, reinforcement, high strength—1558
Filaments, silicon carbide—465
Film for surface replicas—858
Film, recording, fast—1824
Films, recording—1694
Filter, air—853
Filter, band pass, broad range—156
Filter, crystal—1003
Filter, RFI suppression, ceramic—1003
Filter disks—1008
Filter, quartz, miniature—1690
Filter set, helium-neon laser—1357
Filters, interference—576
Filtration media, ultrafine—1693
Fittings, tube, O-ring sealed—1692
Flanges, ultrahigh vacuum—1355
Flashtube, xenon—155, 1358, 1560
Fluid switch, sensitive—1692
Fluidic circuitry kit—722
Fluorochemical liquid, inert—1824
Freezers, thermoelectric—852
Furnace, vacuum arc—853
Garnet, narrow line—461
Gas generator, deuterium—1557
Gasket and packing material, graphite—1356
Gauge, vacuum, TC, with stainless housing—1355
Gloves, vinyl—463
Gratings, transmission, large—1197
Grignard reagents—723
Gyroscope, directional, miniature—1357
Heat pump package—306
Hydrogen generator—1358
Hydrophone, general purpose—462
Hydrophone with "plug-in" preamplifier—1195
Impulse transmitter, fixed rate—1357
Inspection tool, magnetic—577
Integrated circuits—857
Inverter, solid-state—463
Ion chamber, core-height—1196
Laser rods, ruby—461
Laser system, CO_2—851
Leak, controlled—1693
Leak detector, refrigerant—1007
Leak detector—464
Leak, vacuum, adjustable—576
Lens sets, fused silica—851
Lens systems, ultraviolet—851
Lens, wide angle—1002
Lenses, plastic—1197
Level measurement by capacitance—1007
Light source, high intensity—1822
Limit switch, proximity, magnetic—1200
Load cells, strain gauge, semiconductor—1357
Lubricants, dry, high pressure—1200
Magnets, permanent, molded—463
Manometers, U tube, portable—858
Mat, work, lint-free—723
Matrix, switching—309
Memory module, recirculating—1559
Micro circuit tooling—852
Mortar, sapphire—1695
Motor, hysteresis-synchronous—156
Motor, servo, braked—1005
Motors, dc torque, brushless—722
Multipliers, 70 GHz—461
Neutron flux detector, fast-response—1196
Operational manifold—723
Optical polygons, chromium carbide—1197
Oscillograph, cathode ray, high resolution—1560
Panels, structural, high strength, light weight—859
Paper, photographic, for oscillogram recording—465
Paper, laboratory bench—464
Peltier units, controller for—1559
Photodetectors, silicon—462
Pickup, photo, fiber optic—155
Pick-up, vacuum—1357
Pilot tubes, high temperature—858
Plotters, X-Y—1005
Plug, cable, right angle, for six cable sizes—1003
Polishing material—1358
Position measurement and display—1005
Positioning arm, flexible—1200
Potentiometer for deep space environment—1197
Potentiometers, 10-turn—1559
Power modules—1199
Power supplies, dc, regulated—156
Power supplies, modular—156
Power supply, ac—854
Power supply, adjustable—1006
Power supply, coulomb—1356
Power supply, dc, dual—854
Power supply, dc, regulated—854
Power supply for operational amplifier—1004, 1005, 1356
Power supply, high voltage, miniature—1824
Power supplies, laser—1690
Power supply, miniature—463
Power supply, 9 volt, low-ripple—156
Preamplifiers, FET, ultra low noise—855
Preamplifiers, high impedance, low noise—854
Press, KBr pellet—306
Pressure generator, sine wave—1692
Pressure regulator, gas, two stage—1692
Probe, high-temperature—1823
Probes, capacitance—155
Probes, flow, for intracorporeal implant—155
Programmer function switch—857
Programmer switch, pneumatic—722
Pulse generator, rotary—577
Pump, gas sampling—1007
Pump, glass—1200
Pump, laboratory—1358
Pump, metering—463
Pump, metering, constant flow—1558
Pumps, diffusion, high speed—1355
Pumps, vacuum—1693
Radioactive microsources—1196
Radioactive sources, diffusion bonded—1557
Receiver, 20-70 MHz—853
Rectifier, fast recovery—1199
Rectifiers, silicon stud—307
Rectifier, 12 ampere, fast recovery—1004
Reference electrode—576
Refractory materials—1194
Regulator, voltage, monolithic—854
Regulators, adjustable DC, miniature—1826
Relays, mercury wetted—1002
Resin, molding, silicone—723
Resin, silicone intermediate—465
Resistor modules, thick film, custom—857

Resistors, chip, subminiature—857
Resistors, metal film, precision—1826
Resistors, oil immersed, precision—1004
Resistors, precision miniature—721
Rhenium oxide, stable—1194
Saws, ultrathin—1197
Scintillator, air-equivalent plastic—154
Scintillator, liquid—1824
Scintillators, heavy metal loaded—576
Semiconductor kit—1823
Semiconductors, magnetic—1557
Sensor, direct current—308
Sensors, vertical—1357
Shield, magnetic for ionization gauges—722
Shielding, electromagnetic—1197
Shielding gasket material—1356
Signal, low pressure, for gas cylinders—1200
Silk-screen marking for matrix boards—1005
Soldering equipment, low voltage—1826
Spark gap capacitor—576
Spark-gap capacitor, miniature—463
Specimen preparation, electron microscopy—307
Splitter/adder, four port—1199
Sputtering module—1693
Standards, thermometer calibration—1195
Stop, mechanical, adjustable 20-turn—1005
Strain gauges, high temperature—577
Strain or load sensor—155
Surface transfer plastic—1200
Sweeper divider—461
Switch, solid state, miniature—154
Switches, low-thermal, remotely controlled—1002
Switches, microvolt, FET—1559
Switches, selector—721
Switches, selector, insulated shaft—154
Synchros, brushless, limited rotation—1690
Syringe pump, ultrafiltration—1693
Tape composition, silver—1694
Tape, conducting heat shrinkable—1823
Tape handler—1006
Targets, test, for hypervelocity particle experiments—1199
Temperature control—852
Temperature controller—158
Temperature, controller, proportional—1001
Temperature probes—158
Temperature sensors, resistance—721
Thermistors, expendable—462
Thermocouples, surface, fast response—852
Titanium compounds—859
Tool, cut-off, diamond—724
Tools, diamond—859
Torch, miniature—853
Trace ion paper—306
Transducer, analog squaring—721
Transducer, pressure—308, 462
Transducer, pressure, blast—858
Transducer, pressure, blood—1002
Transducer, pressure, differential—1002
Transducer, pressure, miniature—1195
Transducer, pressure, piezoelectric—462
Transducer, pressure, semiconductor—858
Transducer, pressure, subminiature—577, 1002
Transducer, shaft position, digital—155
Transducer, temperature—462
Transducer, torque—1826
Transducers, high pressure—1691
Transformers, shielded, miniature—1356
Transistor, field effect, high frequency—1822
Transistors, microwave—1823
Transmitters, VHF-FM micro- —577
Trap, aspirator—1823
Trimmer, square, ⅜ in.—1003
Tubing, glass, flexible—1200
Tubing, heat exchanger, Teflon covered—1200
Tubing, plastic, centrifugally-cast—859
Tubing, stainless, high-strength—1200
Tungsten carbide on steel surfaces—307
Tungsten yarn—1194
Ultrafiltration cell—1694
Ultrasonic kit—464
Ultrasonic tanks—1694
Vacuum leak testing fluid—157
Valve, ball, PVC—307
Valve, gate, high vacuum—1693
Valves, chromatography—306
Valve, fluidic, adjustable—1199
Valves, gate, high vacuum—1001
Valves, high pressure, soft seat—1200
Valves, low temperature, vacuum jacketed—157
Valve, Teflon, solenoid actuated—1200
Valve, threaded, glass—1001
Vessels, liquid helium—851
Vibration absorbing machine mounts—724
Voltage divider, inductive—853
Waterproofing for surface-mounted sensors—1195
Welder, resistance, portable gun—1197
Welder, spot—1197
Welder, resistance, laboratory—157
Welding system, automatic—853
Whiskers, aluminum oxide—1194
Window, radiation shielding—461
YIG crystals components—308
Zirconia cloth—1194

Noise

Improvement in signal-to-noise ratio of blue-sensitive photomultiplier tube (6256B) by cooling, F. R. Lipsett—278(N)
100 kHz homodyne, 35 GHz reflection-cavity spectrometer with phase-lock of the reference signal and low frequency field modulation, H. C. Praddaude—339
Photomultiplier tube pulses induced by γ rays, Kurt Dressler and Lyman Spitzer, Jr.—436(N)
Technique for absolute temperature measurements at microwave frequencies, George G. Haroules and Wilfred E. Brown, III—1093
Effects of high energy radiations on noise pulses from photomultiplier tubes, Roderick L. Jerde, Laurence E. Peterson, and Wayne Stein—1387
Effect of "baseline restoration" on signal-to-noise ratio in pulse amplitude measurements, Veljko Radeka—1397
Simple method of noise reduction, W. G. Chace, C. V. Fish, and M. A. Levine—1809(N)

Nuclear Machines: Accessories

Particle-beam profiling system, Robert E. Gilmer, Franklin D. Neu, Robert J. Sprafka, and Joseph H. Strople—375
High current target design for ion accelerators, R. F. Seiler, M. R. Cleland, and H. E. Wegner—972(N)
High power slit system, Richard F. Seiler—1184(N)

Nuclear Machines: Betatrons

Construction of the guide field for a low inductance air-core plasma betatron, L. A. Ferrari, K. C. Rogers, and A. Jermakian—1697

Nuclear Machines: Electrostatic Accelerators

Automatic ion-beam path stabilizer, Albert E. Evans and Kent Johnson—1514

Nuclear Machines: Linear Accelerators

New experimental method for perturbation measurements in cavity resonators, B. Veyron and G. Voisin—410

Nuclear Machines: Linear Accelerators (continued)

Coupled resonator model for standing wave accelerator tanks, D. E. Nagle, E. A. Knapp, and B. C. Knapp—1583

Nuclear Machines: Orbit Calculations

Focusing properties of magnetic laminas and their applications to the microtron, A. Campolattaro and F. Porreca—1322

Nuclear Machines: Synchrotrons

Radiofrequency separated beam at the AGS, H. W. J. Foelsche, H. Hahn, H. J. Halama, J. Lach, T. Ludlam, and J. Sandweiss—879

Nuclear Resonance

High sensitivity zero crossing detector for magnetic resonance lines, J. T. Hickmott, Jr., T. Kushida, and J. C. Murphy—29

Low temperature absolute reflection measurements of small samples, J. Feinleib and B. Feldman—32

Goniometer assembly for NQR Zeeman studies, G. E. Peterson and P. M. Bridenbaugh—387

High level NQR spectrometer, D. Gill, M. Hayek, Y. Alon, and A. Simievic—1588

Nuclear Spectroscopy (see also Magnetic Resonance)

Broadband nuclear resonance dispersion detector, R. J. Blume and D. T. Edmonds—1716

Operational amplifier control for NQR spectrometer, Jack D. Graybeal and Roy P. Croston—122(N)

Modified Robinson type spectrometer for the NQR study of ^{14}N nuclei in the range 0.5–6 Mc, A. Colligiani—1331(N)

Nuclear Techniques

Inexpensive weak random light source for timing photomultiplier channels, J. B. Burnham and L. L. Packer—288(N)

Velocity determination in bubble chambers, Walter H. Barkas—425

Preparation of thin film deuterated polyethylene targets, G. E. Tripard and B. L. White—435(N)

Replaceable phosphor screens, Robert C. Abbott and Paul M. Brown—832(N)

Magnetic slit, H. Brechna and J. Cobb—1289

Hydrocarbon proton polarized target, A. Moretti, F. W. Markley, and R. C. Miller—1335(N)

Effect of "baseline restoration" on signal-to-noise ratio in pulse amplitude measurements, Veljko Radeka—1397

Design and performance of a K^+ detector, G. Giacomelli, T. F. Kycia, K. K. Li, and J. Teiger—1408

Simple tunnel diode circuit for accurate zero crossing timing, Arthur J. Metz—1445

Automatic ion-beam path stabilizer, Albert E. Evans and Kent Johnson—1514

Contribution of small angle nuclear scattering to error formulae in bubble chamber analysis, William B. Johnson—1602

Stabilized constant acceleration Mössbauer drive, Y. Hazony—1760

Large area time-of-flight counter system, R. J. Stefanski, R. K. Adair, H. Kasha, and R. C. Larsen—1792(N)

Oceanography

Vibrating capillary for production of small uniform bubbles, Ferren MacIntyre—969(N)

Optical Instruments

Optical diffractometer for production of Fourier transforms of electron micrographs, J. E. Berger and D. Harker—292(N)

Experimental arrangement for comparison of the optical and physical characteristics of particulate smokes, D. C. Vogel, R. R. Circle, and R. S. Powell—499

Improved electronic half-shadow method for the measurement of birefringence and dichroism, K. J. Schmidt-Tiedermann—625

Automatic photoelastimeter, S. Costa Ribeiro—705(N)

Plasma phasography, Herman M. Presby and David Finkelstein—1563

Single mirror normal incidence reflectometer, R. J. Esposito, F. Rothwarf, and S. Kozul—1573

Optical Properties of Materials

Low temperature absolute reflection measurements of small samples, J. Feinleib and B. Feldman—32

X-ray diffraction and optical observations on crystalline solids up to 300 kilobars, William A. Bassett, Taro Takahashi, and Philip W. Stook—37

Improved electronic half-shadow method for the measurement of birefringence and dichroism, K. J. Schmidt-Tiedemann—625

New method of measuring linear dichroism in the ultraviolet: application to helical polymers, Joseph H. Jaffe, Halina Jaffe, and Kurt Rosenheck—935

Optical Pumping

Rubidium vapor magnetometer for near earth orbiting spacecraft, W. H. Farthing and W. C. Folz—1023

Optical Techniques

Light probe for measurement of turbulent concentration fluctuations, James O. Nye and Robert S. Brodkey—26

Pressure pulse detection by frustrated internal reflection, Boye Ahlborn and William W. Zuzak—194

Production of circularly polarized light, J. M. Daniels—284(N)

Measurements of beam divergence of Q-switched ruby laser rods, P. V. Avizonis, T. T. Doss, and R. Heimlich—331

Focusing hologram diffraction grating, Lowell Rosen—438(N)

Comments on "Efficient light coupler for threshold Čerenkov counters," S. L. Linder and J. H. Jackson—709(L)

Fiber optics in field ion microscopy, J. J. Hren and R. W. Newman—869

Birefringent beam splitting for holography, H. J. Caulfield and W. J. Beyen—977(N)

Method of light chopping for phosphoroscopes, Bernard A. Baldwin and Henry W. Offen—1164(N)

Optical transmission cryocell for semiconductor devices, L. A. Boatner, Kenneth G. Sewell, and J. D. Ward—1166(N)

Optical wavelength wobbler, A. Gilgore, P. J. Stoller, and A. Fowler—1535(N)

Accurate method for measuring rotational movement of a carriage, S. E. Masry—1651

Oscillographs and Oscilloscopes

Simple circuit for obtaining rastered oscilloscope displays on Tektronix oscilloscopes, G. F. Marsters and E. Wachsler—276(N)

Simple storage-oscilloscope displays for small laboratory computers, Charles Erwin Cohn—984(N)

Particle Beams

Radiofrequency separated beam at the AGS, H. W. J. Foelsche, H. Hahn, H. J. Halama, J. Lach, T. Ludlam, and J. Sandweiss—879

Magnetic steering device for electron coincidence experiments, R. L. Watson, J. O. Rasmussen, H. R. Bowman, and S. G. Thompson—905

High power slit system, Richard F. Seiler—1184(N)

Microbeam collimator, D. N. Samsky, W. A. Glass, and H. V. Herndon—1377

Particle Collectors

Flame ionization-pulse aerosol particle analyzer (FIPAPA), Walter L. Crider and Arthur A. Strong—1772

Particle Detectors

SPECS, a versatile space-qualified detector of charged particles, B. J. O'Brien, F. Abney, J. Burch, R. Harrison, R. LaQuey, and T. Winiecki—1058
Detection efficiency of a continuous channel electron multiplier for positive ions, Clifford N. Burrous, Albert J. Lieber, and Vladimir T. Zaviantseff—1477
Design and performance of a K^+ detector, G. Giacomelli, T. F. Kycia, K. K. Li, and J. Teiger—1408
Energy-independent detector for total hydrogen fluxes in the range 1–10 keV for space and laboratory applications, R. L. Wax and W. Bernstein—1612
Gelatin-free ion-sensitive plates for mass spectrography, R. E. Honig, J. R. Woolston, and D. A. Kramer—1703
Response of ion-sensitive plates as a function of ion energy, J. R. Woolston, R. E. Honig, and E. M. Botnick—1708

Particle Size

Small particle sizing using turbidimetric layered sedimentation, Stuart A. Schleusener and Alvin A. Read—1152
Flame ionization-pulse aerosol particle analyzer (FIPAPA), Walter L. Crider and Arthur A. Strong—1772

Photocathodes

Using alkali aluminosilicate ion sources for preparation of translucent monoalkali antimonide photocathodes, Carl W. Morrison—430(N), 1186(E)
Photomultiplier cathode poisoning, Louis Lavoie—833(N), 1547(E)
Photoemissive yield of Cs_3Sb photocathode and its dependence on temperature, G. M. de'Munari, G. Mambriani, and F. Giusiano—1128
High emission photocathode for swarm experiments, J. L. Moruzzi—1284
Photocathode protection circuit, Richard L. Ensminger and Robert F. Howarth—1798(N)

Photoconductivity

Simple, contactless method for measuring decay time of photoconductivity in silicon, R. M. Lichtenstein and E. J. Willard, Jr.—133(N)

Photodiodes

Photodiode holder with 300 psec rise time for laser studies, J. J. Lubin and W. Leising—1157

Photoelectricity

Automatic photoelastimeter, S. Costa Ribeiro—705(N)
AC method for the determination of photoelectron energy distributions, Ranga Nathan and C. H. B. Mee—1783

Photography

Fiber optics in field ion microscopy, J. J. Hren and R. W. Newman—869
Apparatus for making sharp photographic images with x rays, H. F. Sherwood—1619

Photometers

Sensitive linear flowing-stream photometer for amino acid analyzers, Paul B. Hamilton—1301

Photomultipliers

Improvement in signal-to-noise ratio of blue-sensitive photomultiplier tube (6256B) by cooling, F. R. Lipsett—278(N)
Photomultiplier tube pulses induced by γ rays, Kurt Dressler and Lyman Spitzer, Jr.—436(N)
Secondary emission of AgMgOCs dynodes and its dependence on the temperature, G. M. de'Munari, G. Mambriani, and F. Giusiano—551
Photomultiplier gate for stimulated-spontaneous scattering discrimination, Francesco De Martini and Kenneth P. Wacks—866
Undesirable effects of cooling photomultipliers, Andrew T. Young—1336(N)
Effects of high energy radiations on noise pulses from photomultiplier tubes, Roderick L. Jerde, Laurence E. Peterson, and Wayne Stein—1387

Piezoelectricity

Piezoelectric and mechanical behavior of X-cut quartz shock loaded at 79°K, O. E. Jones—253
Piezoelectric pressure transducer with acoustic absorbing rod, K. W. Ragland and R. E. Cullen—740
High-sensitivity transducer for wave velocity measurements in shock tubes, L. Bernstein and R. O. Goodchild—971(N)
Simplified bridge system for measurement of internal friction and fractional variations of Young's modulus at kilohertz frequencies, Robert H. Saul and Charles L. Bauer—1449
New high-sensitivity quartz thermometer, Francesco Paolo Branca—1644
Vacuum microbalance for 77.3°K operation, R. J. Whitefield and J. J. Brady—1670(N)

Planetary Science

Microwave method for planetary atmosphere research, L. Frenkel—557(N)

Plasma Research

Plasma density measurement by molecular ion breakup, R. L. Hickok—142(N)
New microwave interferometric device using Lecher wires for high spatial resolution, W. Makios—352
Abel integral inverter, Richard O. Sirola and Thomas P. Anderson—749
Plasma density contour measurements using molecular ion beam breakup, F. C. Jobes and R. L. Hickok—928
Electron emissive surface electric field meter, Howard S. Ogawa, J. M. Sellen, Jr., and Robert K. Cole—1117
Pressure gauge for plasmas subjected to large dynamic electric and magnetic fields, W. R. Grabowsky, D. A. Durran, and M. E. Gerard—1160(N)
Series interferometer for the diagnosis of a large diameter theta-pinch, A. De Angelis and S. Martellucci—1255
Propagation of plasmoids at high pressures, David Allen Freiwald and Ali Bulent Cambel—1337(N)
Current measurement in high-voltage radio frequency plasma discharges, A. S. Penfold and R. C. Warder, Jr.—1533(N)
Plasma phasography, Herman M. Presby and David Finkelstein—1563
Sensitive 4 mm Lecher wire interferometer for electron concentration measurements in low-density plasmas, J. Polman—1631
Class of waveguides with uniform electric field strength, R. S. Harp and R. M. Moser—1795(N)

Plasmas

Xenon plasma from focused coaxial gun, Brian Dunne and Benson P. Benham—10
Syringe for injecting sodium-potassium alloy, Samuel Greenhalgh—121(N)

Plasmas (continued)

Characteristics of photoionization plasma source, Julius Hyman, Jr., and K. R. MacKenzie—251
Technology of intense dc ion beams, O. B. Morgan, G. G. Kelley, R. C. Davis—467
Pulsed, high intensity source of soft x rays, Everet H. Beckner—507
Fully-ionized barium plasma source, N. Rynn, E. Hinnov, and L. C. Johnson—1378
Production of a single pulsed plasma S. Mikoshiba, K. Fujikata, K. Hirano, and Y. Nakano—1544(N)
Construction of the guide field for a low inductance air-core plasma betatron, L. A. Ferrari, K. C. Rogers, and A. Jermakian—1697

Polymers

Micropenetrometer for the characterization of polymer surfaces, R. E. Cuthrell, F. A. Greulich, and A. W. Lynch—966
Torsional pendulum for plastic materials under tensile strain, Albert H. Lepie and Arnold Adicoff—1615

Precipitators

Liquid surface electrostatic precipitator, Ove M. Strindehag—95

Pressure Techniques and Measurements (see also High Pressure Techniques)

Pressure pulse detection by frustrated internal reflection, Boye Ahlborn and William W. Zuzak—194
Method for measuring pressure dependence of thermal conductivity of gases, P. J. Freud and G. M. Rothberg—238
Effect of high pressure on a strain gauge load cell, J. E. Hanafee and S. V. Radcliffe—328
Properties of gold-chromium alloy pressure gauges, Lance A. Davis and Robert B. Gordon—371
Electrical feedthrough for pressures to 10 kbar, Peter L. M. Heydemann—558(N)
Piezoelectric pressure transducer with acoustic absorbing rod, K. W. Ragland and R. E. Cullen—740
New instrumentation techniques for the measurement of infrasonic and gravity waves, Uri Fehr, B. Ben-Ary, and John D. Ryan—778
Gauge for determining shock pressures, Richard W. Watson—978(N)
Pressure probes for research in plasma dynamics and detonation, T. G. Jones and G. C. Vlases—1038
Passive pressure transducer utilizing acoustic emission, H. L. Dunegan and C. A. Tatro—1145
Pressure gauge for plasmas subjected to large dynamic electric and magnetic fields, W. R. Grabowsky, D. A. Durran, and M. E. Gerard—1160(N)
Dead weight piston gauge for pressures to 26 kilobars, D. P. Johnson and P. L. M. Heydemann—1294
Compact electrical lead for high pressure gas systems operating at low temperatures, R. H. Martinson and R. E. Terry—1330(N)
Theoretical evaluation of an oscillating mass flow in the modified Moore variometer configuration, Uri Fehr and Carl Gazley, Jr.—1502
Two-compartment bomb for calorimetric combustions, Jack L. Settle, Elliott Greenberg, and Ward N. Hubbard—1805(N)

Properties of Materials

Electrical resistance of manganin coil to 7 kbar and 200°C, Chi-yuen Wang—24
Thermal conductivity of polycrystalline zinc below 1°K, J. M. Cotignola, F. de la Cruz, M. E. de la Cruz, and R. P. Platzeck—87
Harmonic bridge for measurement of nonlinear electric and electrooptic properties of materials, Homer Fay—197
Piezoelectric and mechanical behavior of X-cut quartz shock loaded at 79°K, O. E. Jones—253
Measurement of the mechanical properties of solids at high pressure, Robert B. Gordon and Leslie F. Mike—541
Method for determining elastic constant changes, Ogden G. Brandt and Charles T. Walker—765
Lateral extensometer for brittle materials, Madan N. Singh and Young Sam Kim—769
Apparatus to measure mid-infrared spectral emittance of cold powders in a vacuum—775
Crush strength apparatus with a photocell detector unit, W. R. Amos, E. T. Burgess, and E. A. Mershad—910
Automatic recording torsion pendulum for measuring elastic moduli, Horace Pops, Victor Jackman, and W. C. Barnes—952
Micropenetrometer for the characterization of polymer surfaces, R. E. Cuthrell, F. A. Greulich, and A. W. Lynch—966
Sound velocity measurements at high pressures, Peter W. Montgomery, Coralie Montgomery, David A. Wald, and Jack L. S. Bellin—1073
Simple tester for the rapid determination of the tensile strength of fine filaments, Richard D. Schile and Gabriel A. Rosica—1103
Apparatus for fatiguing many specimens with automatic recording of individual lifetimes, W. James Lyons—1176(N)
High sensitivity compression fixture, E. P. Lautenschlager and N. R. Adsit—1271
Apparatus for combined static and dynamic uniaxial stress, I. Balslev—1528(N)
Device for strain gauge positioning, C. E. Shulze and R. L. Sierakowski—1530(N)
Hysteresis loop measurement during fatigue testing at 30 Hz, A. L. Sweet, T. Topper, and G. R. Daugherty—1540(N)
Simplified bridge system for measurement of internal friction and fractional variations of Young's modulus at kilohertz frequencies, Robert H. Saul and Charles L. Bauer—1449
Crushing strength of cemented tungsten carbide pistons, John C. Haygarth and George C. Kennedy—1590
Torsional pendulum for plastic materials under tensile strain, Albert H. Lepie and Arnold Adicoff—1615
High pressure, high temperature viscometer, L. L. Sperry and J. D. Mackenzie—1646
Environmental chamber for thin gauge tensile specimens, Ira M. Felsen and Paul Schatzberg—1669(N)
Effect of polarizing voltage on the frequency of electrostatically-driven fibers in vibroscope measurements, A. E. Stearn—1672(N)
Solid state microwave refractometer, M. J. Vetter and M. C. Thompson, Jr.—1726

Proportional Counters

Effect of anode material on intensity dependent shifts in proportional counter pulse height distributions, N. Speilberg—291(N)
Proportional counters and electronic systems for observing cosmic x rays, G. Chodil, Hans Mark, R. M. Rodrigues, C. Rowe, and C. D. Swift—1508

Purification of Materials

Spinning arc zone heater, Roger W. Warren—205
Improved method for removal of tritium from helium, Sayeed Akhtar and Hilton A. Smith—432(N)

Radiation Damage

Automatic photoelastimeter, S. Costa Ribeiro—705(N)

Radiation Measurements

Measurement of radiant energy emitted by xenon flashlamps, H. K. Aslin—377
Precision dosimetry system suited for low temperature radiation damage experiments, H. H. Andersen, C. C. Hanke, and H. Sørensen—511
Polaradiometer—a new instrument for temperature measurement, Thomas P. Murray—791
Vacuum diode detector for measuring high intensity gamma-ray flux, P. J. Ebert and A. F. Lauzon—1747

Radiation Monitors

Liquid surface electrostatic precipitator, Ove M. Strindehag —95

Radioactive Techniques

Period integrating device for measurement of rapidly varying count rates, Cassimer Kukla—804
Water vapor counter for tritium measurements, T. Takahashi and T. Hamada—988(N)
Thermal gradient apparatus for use in a glovebox, D. F. Fischer and M. G. Chasanov—1574

Radiofrequency Techniques

Electrodeless measurement of resistivities over a very wide range, R. W. Haisty—262
Contactless measurement of resistivity of slices of semiconductor materials, Nobuo Miyamoto and Jun-Ichi Nishizawa—360
New experimental method for perturbation measurements in cavity resonators, B. Veyron and G. Voisin—410
Wide line NMR induction and bridge spectrometer for the frequency range 2–90 MHz, D. R. Torgeson—612
Null method for liquid dielectric measurements from 250 to 1000 MHz, F. I. Mopsik and R. H. Cole—708(N)
High frequency phase sensitive detection applied to helicon wave studies, J. W. Hansen, C. C. Grimes, and A. Libchaber—895
Calibration and differential field measurement of high magnetic fields by means of a periodic size effect in gallium, S. Foner and E. J. McNiff, Jr.—931
Modified Robinson type spectrometer for the NQR study of ^{14}N nuclei in the range 0.5–6 Mc, A. Colligiani—1331(N)
Phase-locked frequency multiplier, I. K. Harvey—1467
Current measurement in high-voltage radio frequency plasma discharges, A. S. Penfold and R. C. Warder, Jr.—1533(N)
Radio frequency hybrid tees for nuclear magnetic resonance, Melvin P. Klein and Donald E. Phelps—1545(N)
Coupled resonator model for standing wave accelerator tanks, D. E. Nagle, E. A. Knapp, and B. C. Knapp—1583
High level NQR spectrometer, D. Gill, M. Hayek, Y. Alon, and A. Simievic—1588
Broadband nuclear resonance dispersion detector, R. J. Blume and D. T. Edmonds—1716
Resonance relaxation sounder for the multiple ionospheric probe, J. Hugill and M. J. Field—1731
Ultrasonic pulse-echo technique for the VHF range, R. B. Hemphill and T. C. Penn—1809(N)

Raman Scattering

Laser-excitation of the Raman spectra of molten salts, J. H. R. Clarke, C. Solomons, and K. Balasubrahmanyam—655

Safety

Detection of hydrogen in air by means of alkali ion current from hot palladium, Stuart W. Hoenig, Charles W. Carlson, and Jay Abramowitz—92
Safety shutter for the General Electric powder diffractometer, W. A. Hockings and W. J. Kangas—1803(N)

Sample Preparation

Technique for grinding single-crystal spheres of the europium chalcogenides, R. F. Brown, M. C. Franzblau, and J. W. Battles—1179(N)

Scintillation Counters

High resolution zero crossing detector for long crossover times, W. P. Bucher and C. E. Hollandsworth—1259
Large area time-of-flight counter system, R. J. Stefanski, R. K. Adair, H. Kasha, and R. C. Larsen—1792(N)

Secondary Emission

Single-electron response to a porous KCl transmission dynode and application of Polya statistics to particle counting in an electron multiplier, L. A. Dietz, L. R. Hanrahan, and A. B. Hance—176
Surfaces used in high resolution electron spectrometry, J. William McGowan—285(N)
Secondary emission of AgMgOCs dynodes and its dependence on the temperature, G. M. de'Munari, G. Mambriani, and F. Giusiano—551
Use of Polya statistics in investigations of secondary electron yields from target surfaces, L. A. Dietz—1332(N)

Semiconductors

An automatic technique for accurate measurements of Seebeck coefficient, C. N. Berglund and R. C. Beairsto—66
Apparatus for microwave measurement of transport parameters in semiconductors, M. E. Brodwin and M. K. Parsons —79
Simple, contactless method for measuring decay time of photoconductivity in silicon, R. M. Lichtenstein and E. J. Willard, Jr.—133(N)
Contactless measurement of resistivity of slices of semiconductor materials, Nobuo Miyamoto and Jun-Ichi Nishizawa —360
Novel lithium drift control method for silicon and germanium radiation detectors, W. A. Schüler—539
Simple mercury drop electrode for MOS measurements, Gerald Abowitz and Emil Arnold—564(N)
Probing technique for measuring the potential distribution in semiconductors, H. H. Lehner—699(N)
Magnetic steering device for electron coincidence experiments, R. L. Watson, J. O. Rasmussen, H. R. Bowman, and S. G. Thompson—905
Metal chamber for the measurement of the temperature dependence of conductivity and the thermoelectric power of organic semiconductors, V. Hádek and K. Ulbert—991(N)
Simple light spot scanner and its application on semiconductor nuclear particle detectors, Werner Schüler—1374

Servos

Automatic ion-beam path stabilizer, Albert E. Evans and Kent Johnson—1514

Shock Tubes

Mixing system for shock tube combustion drivers, A. L. Morsell and R. Watson—282(N)
Quick change, high vacuum window and heat transfer gauge installation for shock tubes, E. A. Meckstroth and E. R. Bartle—448(N)
Improved driver chamber for arc driven shock tube, Joseph G. Kelley, Morton A. Levine, Arthur L. Besse, and Albert Tatarian—641
Low energy-density electron shock tube, T. C. Peng and D. L. Liquornik—693(N)
Shock-tube molecular beam for O at 3 eV, T. C. Peng and D. L. Liquornik—989(N)
Techniques for conducting shock tube experiments with mixtures of ultrafine solid particles and gases, R. Watson, A. L. Morsell, and W. J. Hooker—1052

Shock Waves

Pressure pulse detection by frustrated internal reflection, Boye Ahlborn and William W. Zuzak—194
Piezoelectric and mechanical behavior of X-cut quartz shock loaded at 79°K, O. E. Jones—253
High speed electromagnetic shutter, J. S. Pirroni and R. R. Stevens—382
Electric response of lead zirconate titanate ceramics to temperature fluctuations, George C. Maling and Uno Ingard —431(N)
Shock tube-TOF mass spectrometer apparatus with cryosorption pumping, P. R. Ryason—607
Piezoelectric pressure transducer with acoustic absorbing rod, K. W. Ragland and R. E. Cullen—740
High-sensitivity transducer for wave velocity measurements in shock tubes, L. Bernstein and R. O. Goodchild—971(N)
Gauge for determining shock pressures, Richard W. Watson —978(N)
Pressure probes for research in plasma dynamics and detonation, T. G. Jones and G. C. Vlases—1038
Ionization gauge circuit for detection of multiple shock and reflected detonation waves, Robert F. Flagg—1336(N)
Duplication of effort, Paul A. Kendall—1547(L)
Plasma phasography, Herman M. Presby and David Finkelstein—1563
High-speed sliding shutter driven by electromagnetic-induction effects, John C. Avellone, Paul L. Byard, and Frank L. Damm—1808(N)

Solid Angles

Series expansions for the solid angle subtended by a circular disk at a point directly above the periphery, C. C. Grosjean —1042

Solid State

Cryostat for color center studies, Theodore J. Neubert and Joseph F. Sydejko—559(N)
Device to produce crystallographic bubbles in solids, M. Ohring and K. L. Tai—563(N)
Apparatus for studying gas diffusion, electrical properties, and related phenomena in solids, P. P. Pronko and H. R. Krouse—871
High frequency phase sensitive detection applied to helicon wave studies, J. W. Hansen, C. C. Grimes, and A. Libchaber —895
Simplified bridge system for measurement of internal friction and fractional variations of Young's modulus at kilohertz frequencies, Robert H. Saul and Charles L. Bauer—1449
Temperature controller for thermoluminescence studies, Robert A. Wolf and Merle L. Bowser—1806(N)

Solid State Detectors (see also Particle Detectors)

Use of crystal diffraction with Ge diode detector for high resolution gamma-ray spectroscopy, R. K. Smither and A. I. Namenson—52
Novel lithium drift control method for silicon and germanium radiation detectors, W. A. Schüler—539
High resolution Ge(Li) spectrometer for high input rates, M. G. Strauss, I. S. Sherman, R. Brenner, S. J. Rudnick, R. N. Larsen, and H. M. Mann—725
Simple light spot scanner and its application on semiconductor nuclear particle detectors, Werner Schüler—1374

Solid State Research

Optical wavelength wobbler, A. Gilgore, P. J. Stoller, and A. Fowler—1535(N)
Improved internal friction apparatus, J. D. Buch, R. D. Carnahan, and J. O. Brittain—1785

Solutions

Precision flow-microcalorimeter, P. R. Stoesser and S. J. Gill —422
Continuous measurement of concentration using a highly stabilized reactance meter, Akira Kakimoto and Bunjiro Ichijo—1516

Space Research

Pioneer VI detector to measure degree of anisotropy of cosmic radiation in energy range 7.5–90 MeV/nucleon, W. C. Bartley, K. G. McCracken, and U. R. Rao—266
Charged particle transmission through spherical plate electrostatic analyers, F. R. Paolini and G. C. Theodoridis—579
Apparatus to measure mid-infrared spectral emittance of cold powders in a vacuum, Alexander F. H. Goetz and Curtis A. Bauman—775
Rubidium vapor magnetometer for near earth orbiting spacecraft, W. H. Farthing and W. C. Folz—1023
SPECS, a versatile space-qualified detector of charged particles, B. J. O'Brien, F. Abney, J. Burch, R. Harrison, R. LaQuey, and T. Winiecki—1058
Detection efficiency of a continuous channel electron multiplier for positive ions, Clifford N. Burrous, Albert J. Lieber, and Vladimir T. Zaviantseff—1477
Technique for the generation of quasi-isotropic 1–10 keV proton fluxes, W. Bernstein, N. L. Sanders, and R. L. Wax—1537(N)
Energy-independent detector for total hydrogen fluxes in the range 1–10 keV for space and laboratory applications, R. L. Wax and W. Bernstein—1612
Aging and rejuvenation of electron multipliers, W. H. Wright—1802(N)

Spark Chambers

Diminution of sensitive time of spark chambers, Bruce Cork, Daniel R. George, and T. N. Rangaswamy—221
Particle-beam profiling system, Robert H. Gilmer, Franklin D. Neu, Robert J. Sprafka, and Joseph H. Strople—375
Construction of spark chambers with thin foil plates, D. Earles and T. C. Li—447(N)
Thin aluminum foil spark chamber spectrometer, T. F. Hoang, G. L. Niemeyer, Jr., J. J. Phelan, and T. H. Groves—861
Cathode ray film scanner, T. Carides, J. G. Cottingham, A. V. Feltman, A. S. Grossman, L. B. Leipuner, J. G. Marinuzzi, and G. E. Schwender—1425

Sparks

Vacuum ultraviolet source, Uri Feldman, Marvin Swartz, and Leonard Cohen—1372

Specific Heats

Specific heat determinations by pulse calorimetry utilizing a digital voltmeter for data acquisition, Thomas G. Kollie—1452
Use of pure copper as a standard substance for low temperature calorimetry, Douglas L. Martin—1738

Spectrophotometry

Reversible precounter for photon counting, W. P. Helman and D. W. Schutt—1286
Modulated optical null spectrophotometer for flash excitation reactions, Maurice Green and Gordon Tollin—1316
Remarks on the adjustment of energy-compensated spectrofluorometers, J. G. Becsey and Karl Scheller—1793(N)

Spectroscopy: Beta Ray

Superconducting magnet beta-ray spectrometer, E. B. Shera, M. P. Bedesem, and K. J. Casper—1110

Spectroscopy: Crystal

7.7 m bent crystal spectrometer at the 184 inch cyclotron, Kenneth M. Crowe and Robert E. Shafer—1

Spectroscopy: Gamma Ray

Use of crystal diffraction with Ge diode detector for high resolution gamma-ray spectroscopy, R. K. Smither and A. I. Namenson—52

High resolution Ge(Li) spectrometer for high input rates, M. G. Strauss, I. S. Sherman, R. Brenner, S. J. Rudnick, R. N. Larsen, and H. M. Mann—725

Spectroscopy: Magnetic

Application of Fermat's principle to magnetic spectrometers, Paul Bounin—1305

Spectroscopy: Optical

High field Zeeman effect measurements using a scanning technique and pulsed fields, I. Maartense—233

Rotating-mirror sweeping-image spectrograph, Berlyn Brixner—287(N)

Fully-ionized barium plasma source, N. Rynn, E. Hinnov, and L. C. Johnson—1378

High-speed sliding shutter driven by electromagnetic-induction effects, John C. Avellone, Paul L. Byard, and Frank L. Damm—1808(N)

Spectroscopy: Ultraviolet

Vacuum ultraviolet source, Uri Feldman, Marvin Swartz, and Leonard Cohen—1372

Monochromator for the extreme ultraviolet, R. C. Jaklevic, L. J. Leblanc, and D. W. Juenker—1597

Sputtering

Measuring of outgassing in a sputtering bell jar, William Weintraub—442(N)

Duoplasmatron ion beam source for vacuum sputtering of thin films, K. L. Chopra and M. R. Randlett—1147

Statistics

Single-electron response to a porous KCl transmission dynode and application of Polya statistics to particle counting in an electron multipler, L. A. Dietz, L. R. Hanrahan, and A. B. Hance—176

Use of Polya statistics in investigations of secondary electron yields from target surfaces, L. A. Dietz—1332(N)

Superconducting Magnets

Lightweight 50 kG superconducting magnet system for optical research instrumentation—50

Ac superconducting solenoid for kilogauss field modulation, Stephen Kurtin, Simon Foner, and Edward J. McNiff, Jr. —600

Superconducting magnet beta-ray spectrometer, E. B. Shera, M. P. Bedesem, and K. J. Casper—1110

Silicon-controlled rectifier circuitry for producing pulsed magnetic fields, F. Rothwarf, C. O. Bateman, D. Ford, and P. Milke—1241

Iron magnet with superconducting coil, R. W. Fast, G. del Castillo, and W. R. Winter—1789

Superconductivity

Shunt for pulsed current experiments on superconducting wires, J. A. Schmitz—132(N)

Digital-analog magnetometer utilizing superconducting sensor, R. L. Forgacs and A. Warnick—214

Microscope for observing magneto-optic rotation at low temperatures, K. J. Carroll, D. H. Liebenberg, and W. C. Overton—260

Some techniques for sensitive magnetic measurements using superconducting circuits and magnetic shields, Bascom S. Deaver, Jr., and William S. Goree—311

Superconducting homogeneous InTl and PbBi films evaporated from a single source, L. Kopf—734

Thermal transport across superconducting solder joints near 0.1°K, William A. Steyert, Jr.—964

Superconducting parametric amplifier for the measurement of small dc voltages, Roger P. Ries and C. B. Satterthwaite —1203

Mechanism for control of superconducting point contact characteristics, A. Contaldo—1543(N)

System for continuous recording of critical current curves of superconductors, R. W. Shaw and H. L. Laquer—1768

Surface Phenomena

Measurement of microgram surface densities by observation of proton produced x rays, L. J. Christensen, J. M. Khan, and W. F. Brunner—20

Molecular beam sources for vapor deposition on field emitter substrates, R. D. Gretz—112

Surfaces

Technique for selected area replication of surfaces, George A. Savanick—43

Effect of microbalance buoyancy measurements at 75°K for argon and helium, John D. Ferchak—273(N)

Surfaces used in high resolution electron spectrometry, J. William McGowan—285(N)

Telemetry

Bearing cage follower-platform for bearing studies, Horace E. Staph and George F. Munsch—532

Temperature Measurements and Control

System for fast temperature changes and high temperature stability, Luis A. Boschi and Carlos A. Pampillo—116

Simultaneous temperature measurements in high resolution NMR experiments, Filipo Conti—128(N)

Calibration and use of germanium resistance thermometers for precise heat capacity measurements from 1 to 25°K. High purity copper for interlaboratory heat capacity comparisons, Darrell W. Osborne, Howard E. Flotow, and Felix Schreiner—159

Automatically controlled adiabatic reactor for reaction rate studies, S. R. Dyne, D. Glasser, and R. P. King—209

Fast carbon bolometer for observing thermal pulses, W. C. Cannon and M. Chester—318

Simple system for temperature control and cycling in the range 4 to 300°K, P. M. Angelo, M. U. Palma, and G. S. Vaiana—415

Low temperature relay modulator for thermal and electrical conductivity measurements, M. H. Jericho and R. H. March —428(N)

Simple Gouy regulator for on-off thermostatic control, J. G. Becsey and James A. Bierlein—556(N)

Crystal thermometer calorimeter, James E. Gardner, John S. Riney, and William H. Wade—652

Polaradiometer—a new instrument for temperature measurement, Thomas P. Murray—791

Tungsten-rhenium thermocouples for use at high temperatures, R. R. Asamoto and P. E. Novak—1047

Technique for absolute temperature measurements at microwave frequencies, George G. Haroules and Wilfred E. Brown, III—1093

High-temperature sample cell for the Kratky small-angle x-ray camera, H. Brumberger and N. G. Alexandropoulos—1579

Temperature Measurements and Control (continued)
New high-sensitivity quartz thermometer, Francesco Paolo Branca—1644
Temperature controller for thermoluminescence studies, Robert A. Wolf and Merle L. Bowser—1806(N)

Theory
Focusing of charged particles with hemispherical grids, R. Reynolds and F. Scherb—348
Theoretical main beam profiles for the Kratky small angle camera, W. R. Krigbaum and R. W. Godwin—398
Charged particle transmission through spherical plate electrostatic analyzers, F. R. Paolini and G. C. Theodoridis—579
Feedback control theory for constant-temperature hot-wire anemometers, Peter Freymuth—677
Magnetic effects on the transmission of electrons through an aperture and their application to the retarding-potential-difference technique, N. Anderson, P. P. Eggleton, and R. G. W. Keesing—924
Series expansions for the solid angle subtended by a circular disk at a point directly above the periphery, C. C. Grosjean—1042
Application of Fermat's principle to magnetic spectrometers, Paul Bounin—1305
Effect of "baseline restoration" on signal-to-noise ratio in pulse amplitude measurements, Veljko Radeka—1397
Gravity gradiometer computer model for simulated gradient contour mapping, David Berman—1433
Theoretical evaluation of an oscillating mass flow in the modified Moore variometer configuration, Uri Fehr and Carl Gazley, Jr.—1502
Transmission of electrons through an aperture and its application to the RPD technique, N. Anderson and P. P. Eggleton—1524(N)
Coupled resonator model for standing wave accelerator tanks, D. E. Nagle, E. A. Knapp, and B. C. Knapp—1583
Contribution of small angle nuclear scattering to error formulae in bubble chamber analysis, William B. Johnson—1602
Fast response sensing element for a frost point hygrometer, Stanley H. Jury, Louis P. Bosanquet, and Young W. Kim—1634
Effect of polarizing voltage on the frequency of electrostatically-driven fibers in vibroscope measurements, A. E. Stearn—1672(N)
Measurement of torques at low temperatures, Claire D. Metz—1723
Quadrupole magnet misalignment tolerances, Philip F. Meads, Jr.—1752

Thermal Analysis
Differential calorimetry of thermally induced processes in solution, Raymond Danforth, Henry Krakauer, and Julian M. Sturtevant—484

Thermal Conductivity
Method for measuring pressure dependence of thermal conductivity of gases, P. J. Freud and G. M. Rothberg—238
Plane layer type apparatus for gas thermal conductivity measurements, William P. Teagan and George S. Springer—335, 842(E)
Modified hot-wire type thermal conductivity cell, George S. Springer and Robert H. Ulbrich—938
Ring heat source probe for rapid determination of thermal conductivity of rocks, Wilbur H. Somerton and Mohammad Mossahebi—1368

Thermistors
Observed behavior of a thermistor bead flow meter, M. T. Pigott and R. C. Strum—743

Thermoelectricity
An automatic technique for accurate measurements of Seebeck coefficient, C. N. Berglund and R. C. Beairsto—66
Rotating disk thermocell. II. Experimental, B. R. Sundheim and W. Sauerwein—229
Metal chamber for the measurement of the temperature dependence of conductivity and the thermoelectric power of organic semiconductors, V. Hadek and K. Ulbert—991(N)
Measurement of Thomson heat in metallic systems, G. M. Maxwell, J. N. Lloyd, and D. V. Keller, Jr.—1084

Thermometry
Simple apparatus for neon triple point thermocouple calibration, R. B. Flippen and C. G. Frederick—136(N)
Calibration and use of germanium resistance thermometers for precise heat capacity measurements from 1 to 25°K. High purity copper for interlaboratory heat capacity comparisons, Darrell W. Osborne, Howard E. Flotow, and Felix Schreiner—159
Effect of thermal shocking on Minco model S1059 platinum resistance thermometers, F. D. Gehring and B. C. Gerstein—280(N)

Thermostats
Thermostating high power coils, M. S. Freedman, F. T. Porter, and F. Wagner, Jr.—190

Time Measurements
Measurement of time differences in the range milli- to picoseconds, U. Hauser, G. Knissel, J. Moritz, and U. Schneider—1220

Torque
Measurement of torques at low temperatures, Claire D. Metz—1723

Transducers
Measuring roundness in the millimicron range, Jean Jurisson, Robert J. Matthys, Frank Plasek, and Howard J. Thompson—243
Electric response of lead zirconate titanate ceramics to temperature fluctuations, George C. Maling and Uno Ingard—431(N)
New instrumentation techniques for the measurement of infrasonic and gravity waves, Uri Fehr, B. Ben-Ary, and John D. Ryan—778
High-sensitivity transducer for wave velocity measurement in shock tubes, L. Bernstein and R. O. Goodchild—971(N)
Pressure probes for research in plasma dynamics and detonation, T. G. Jones and G. C. Vlases—1038
Passive pressure transducer utilizing acoustic emission, H. L. Dunegan and C. A. Tatro—1145
Theoretical evaluation of an oscillating mass flow in the modified Moore variometer configuration, Uri Fehr and Carl Gazley, Jr.—1502
Rotational displacement transducer, Jonathan E. Slater and Vadilal J. Modi—1576

Transistors
Geiger counter current-limiting circuit, Sidney Singer—443(N)
Impedance-transformation circuit for operation at 4.2°K, B. B. Snavely and Jan C. Yutzy—703(N)
FET operational amplifiers as fast electrometers, W. H. Wing and T. M. Sanders, Jr.—1341(N)

Triboelectricity
Charge measurements on insulating particles by the use of a photoconducting electrode, W. Kottler, H. Krupp, and H. Rabenhorst—589

Ultrasonics

Acoustic technique for use in some solidification rate studies, J. A. Bailey and A. Dula—535
Method for determining elastic constant changes, Ogden G. Brandt and Charles T. Walker—765
Bidirectional detector of ultrasonic particle motion in solids, Donald J. Robinson—813
Sound velocity measurements at high pressures, Peter W. Montgomery, Coralie Montgomery, David A. Wald, and Jack L. S. Bellin—1073
Ultrasonic interferometer-laser optical diffraction cell for rapid determination of the velocity of sound in liquids, M. E. Pedinoff and H. Seguin—1342(N)
Variable-width gate for Kamm-Bohm pulse height detector, John W. Dooley—1536(N)
Measurement of strain and velocity of ultrasonic surface waves, R. J. Serafin, D. Fryberger, and M. Epstein—1395
Enhancement of signal-to-noise ratio in hypersonic measurements by time averaging, B. R. Tittmann and H. E. Bömmel—1491
Ultrasonic pulse-echo technique for the VHF range, R. B. Hemphill and T. C. Penn—1809(N)

Ultraviolet Techniques

Design parameters of iodine vapor ultraviolet photon counters, W. E. Kauppila, W. R. Ott, and W. L. Fite—811
New method of measuring linear dichroism in the ultraviolet: application to helical polymers, Joseph H. Jaffe, Halina Jaffe, and Kurt Rosenheck—935
Vacuum ultraviolet source, Uri Feldman, Marvin Swartz, and Leonard Cohen—1372
Single mirror normal incidence reflectometer, R. J. Esposito, F. Rothwarf, and S. Kozul—1573
Monochromator for the extreme ultraviolet, R. C. Jaklevic, L. J. Leblanc, and D. W. Juenker—1597
High-intensity ultraviolet H_2 arc lamp of simplified design, C. A. Kocher—1674(N)
Fast vacuum-uv light source for gas phase flash photolysis, K. H. Welge, J. Wanner, F. Stuhl, and A. Heindrichs—1728
Source of carbon resonance radiation, A. Greenville Whittaker and Paul Kintner—1743

Vacuum Gauges

Some factors affecting the sensitivity of thermistor pressure gauge, P. E. McElligott and R. W. Roberts—1182(N)

Vacuum Pumps

Shock tube-TOF mass spectrometer apparatus with cryosorption pumping, P. R. Ryason—607
Resistance heated sublimator, K. A. Warren, D. R. Denison, and D. G. Bills—1019

Vacuum Techniques

Bakeable infrared window for ultrahigh vacuum service, Melvin M. Eisenstadt—134(N)
Metal adapter for glass O-ring joints, Robert A. Mueller—429(N)
Measuring of outgassing in a sputtering bell jar, William Weintraub—442(N)
All glass syringe type valves for use in UHV systems, A. M. Cutteridge and P. E. Nel—554(N)
Versatile sample holder for flat samples at extremes of temperature at high vacuum, E. Y. Weissman—565(N)
Electro-optical substrate position indicator for ultrahigh vacuum applications, W. F. Chambers and R. B. Roe—700(N)
Vacuum manifolds of plastic pipe, R. L. Hartman—831(N)
Inexpensive, high vacuum, high voltage, electric feedthrough, Magne Kristiansen, Jimmy G. Melton, and Arwin A. Dougal—840(N)
Device to move mechanisms inside chambers at ultrahigh vacuum, J. Martinez Guerrero—970(N)
Window seals for ultrahigh vacuum use, R. W. Roberts, J. F. Harrod, and H. A. Poran—1105
Ultrahigh vacuum high temperature substrate heater, C. T. Naber—1161(N)
Spring tensioned metal-to-ceramic seal, J. Klebanoff—1165(N)
Variable temperature, rotating substrate for vacuum deposition, Jack Hohenstein—1168(N)
Compact 60 kV UHV electrical feedthrough, E. G. Burroughs—1330(N)
Small conductor vacuum feedthrough, A. DiGiallonardo—1528(N)
Monochromator for the extreme ultraviolet, R. C. Jaklevic, L. J. Leblanc, and D. W. Juenker—1597
Glass bellows manometer for ultrahigh-vacuum devices for a range of 1 to 760 Torr, Luis A. Boschi and Eduardo A. García—1610

Vapor Pressure

Automated system for measuring and recording angular deflection, Donald Peters and C. C. Herrick—1418

Velocity Selectors

Dual range self calibrating velocity selector, Arthur E. Grosser—257
Construction of slotted disks for mechanical velocity selectors using electric discharge machining, A. Kristensen, R. L. Palmer, H. Saltzburg, and J. N. Smith, Jr.—987(N)

Vibrations

Determining the characteristics of mechanical tuning forks, N. H. Farhat and D. G. Sthalekar—279(N)
Interference accelerometer, C. F. Bruce—1090
Effect of polarizing voltage on the frequency of electrostatically-driven fibers in vibroscope measurements, A. E. Stearn—1672(N)

Viscosity

High pressure, high temperature viscometer, L. L. Sperry and J. D. Mackenzie—1646

Waveforms

Digital pulse-shape analysis of repetitive and nonrepetitive pulses, S. W. Marshall and R. A. Pruitt—1622

Xerography

Charge measurements on insulating particles by the use of a photoconducting electrode, W. Kottler, H. Krupp, and H. Rabenhorst—589

X-Ray Diffraction

7.7 m bent crystal spectrometer at the 184 inch cyclotron, Kenneth M. Crowe and Robert E. Shafer—1
X-ray diffraction and optical observations on crystalline solids up to 300 kilobars, William A. Bassett, Taro Takahashi, and Philip W. Stook—37
Diffraction camera for precision measurement of lattice parameters at low temperatures, Y. Mascarenhas and S. Mascarenhas—141(N)
Analytic solutions to x-ray transmission coefficient in special geometries for testing computer programs, Kerro Knox and Ira Katz—289(N)
Theoretical main beam profiles for the Kratky small angle camera, W. R. Krigbaum and R. W. Godwin—398
Two-crystal vacuum monochromator, Richard D. Deslattes—616
Liquid metal sample holder for low angle x-ray diffraction, George W. Brady and A. J. Greenfield—736

X-Ray Diffraction (continued)

Single axis, two crystal x-ray instrument, Richard D. Deslattes—815

Photographically rectifying Weissenberg films, Berton Greenberg—917

Application of the electron microscope for production of pseudo-Kossel patterns and their use in the determination of lattice constants of a beryllium-4.4 wt% copper alloy, Fred Witt, Victor V. Damiano, and Gilbert London—1069

Accurate and straightforward alignment procedures for x-ray diffractometers equipped with a Eulerian cradle, Sten Samson and William W. Schuelke—1273

Elastic strain measurement in the interior of crystalline materials by means of x-ray diffraction, D. W. Bainbridge—1421

High-temperature sample cell for the Kratky small-angle x-ray camera, H. Brumberger and N. G. Alexandropoulos—1579

Increasing the accuracy of crystal orientation procedures using the Weissenberg camera, Bi-Cheng Wang and A. W. Cordes—1736

Safety shutter for the General Electric powder diffractometer, W. A. Hockings and W. J. Kangas—1803(N)

X-Ray Techniques

Measurement of microgram surface densities by observation of proton produced x rays, L. J. Christensen, J. M. Khan, and W. F. Brunner—20

New conical camera for single-crystal orientation by means of x rays, C. Arguello—598

X-ray topographic camera, Gene J. Carron—628

Transistorized current stabilizer for x-ray tubes with directly heated cathodes, Kenneth W. Yee and Richard D. Deslattes—637

High temperature camera for x-ray topography, Ilan A. Blech, J. Guyaux, and G. Cooper—638

Measurement of parallel (Soller) slits with a modified Weissenberg goniometer, William Parrish—697(N)

Apparatus for making sharp photographic images with x rays, H. F. Sherwood—1619

Improved method of measuring x-ray tube focus, William Parrish—1779

X-Ray Tubes

Pulsed, high intensity source of soft x rays, Everet H. Beckner—507